

Warszawa, dnia 18 marca 2026 r.

Poz. 365

**ZMIENIONY ZAŁĄCZNIK NR 1  
DO MIĘDZYNARODOWEJ KONWENCJI**

**o zwalczaniu dopingu w sporcie, sporządzonej w Paryżu dnia 19 października 2005 r.,**

obowiązujący od dnia 1 stycznia 2026 r.

*Przekład*

ŚWIATOWY KODEKS ANTYDOPINGOWY  
STANDARD MIĘDZYNARODOWY  
**LISTA SUBSTANCJI  
I METOD ZABRONIONYCH**  
2026

Niniejsza lista wchodzi w życie z dniem 1 stycznia 2026 r.

# SPIS TREŚCI

Należy pamiętać, że poniższy wykaz przykładów chorób nie jest wyczerpujący.

## SUBSTANCJE I METODY ZABRONIONE W KAŻDYM CZASIE

<b>S0</b> Substancje niezatwierdzone .....	4
<b>S1</b> Środki anaboliczne .....	5
Niektóre z tych substancji mogą być składnikami leków stosowanych np. w leczeniu hipogonadyzmu u mężczyzn.	
<b>S2</b> Hormony peptydowe, czynniki wzrostu, substancje pokrewne i mimetyki.....	7
Niektóre z tych substancji mogą być składnikami leków stosowanych np. w leczeniu niedokrwiłości, hipogonadyzmu męskiego, niedoboru hormonu wzrostu.	
<b>S3</b> Beta-2 agoniści .....	9
Niektóre z tych substancji mogą być składnikami leków stosowanych np. w leczeniu astmy i innych chorób układu oddechowego.	
<b>S4</b> Modulatory hormonów i metabolizmu .....	10
Niektóre z tych substancji mogą być składnikami leków stosowanych np. w leczeniu nowotworów piersi, cukrzycy, bezpłodności (u kobiet), zespołu policystycznych jajników.	
<b>S5</b> Diuretyki i środki maskujące .....	12
Niektóre z tych substancji mogą być składnikami leków stosowanych np. w leczeniu niewydolności serca, nadciśnienia.	
<b>M1 – M2 – M3</b> Metody zabronione .....	13

## SUBSTANCJE I METODY ZABRONIONE PODCZAS ZAWODÓW

<b>S6</b> Stymulanty.....	15
Niektóre z tych substancji mogą być składnikami leków stosowanych np. w leczeniu anafilaksji, zespołu nadpobudliwości psychoruchowej z deficytem uwagi (ADHD), objawów przeziębienia i grypy.	
<b>S7</b> Narkotyki.....	17
Niektóre z tych substancji mogą być składnikami leków stosowanych np. w leczeniu bólu, w tym z powodu urazów mięśniowo-szkieletowych.	
<b>S8</b> Kanabinoidy .....	18
<b>S9</b> Glikokortykoidy .....	19
Niektóre z tych substancji mogą być składnikami leków stosowanych np. w leczeniu alergii, anafilaksji, astmy, nieswoistego zapalenia jelit.	

## SUBSTANCJE ZABRONIONE W NIEKTÓRYCH SPORTACH

<b>P1</b> Beta-blokery .....	20
Niektóre z tych substancji mogą być składnikami leków stosowanych np. w leczeniu niewydolności serca, nadciśnienia.	
<b>SKOROWIDZ</b> .....	21

# LISTA ZABRONIONA 2026

## ŚWIATOWY KODEKS ANTYDOPINGOWY

OBOWIĄZUJE OD 1 STYCZNIA 2026

### Wprowadzenie

*Lista zabroniona* jest obowiązkowym standardem międzynarodowym, będącym częścią Światowego Programu Zwalczenia Dopingu w Sporcie.

*Lista* jest aktualizowana co roku na podstawie licznych konsultacji przeprowadzonych przez WADA. Niniejsza *lista* obowiązuje od 1 stycznia 2026 r.

Oficjalna treść *Listy zabronionej* została sporządzona przez WADA i opublikowana w językach angielskim i francuskim. W przypadku jakichkolwiek rozbieżności między wersją angielską i francuską, wiążącą jest angielska wersja językowa.

Poniżej podano kilka terminów użytych w *liście substancji i metod zabronionych*.

### Zabronione podczas zawodów

Generalnie, okres *podczas zawodów* jest przedziałem czasowym rozpoczynającym się tuż przed północą (o godz. 23:59) w dniu poprzedzającym zawody, w których zaplanowano udział danego zawodnika, liczoną do momentu zakończenia tychże zawodów i procesu pobierania próbek. Za zgodą WADA, dla poszczególnych sportów, okres *podczas zawodów* może być definiowany w inny sposób.

### Zabronione w każdym czasie

Oznacza to, że substancja lub metoda jest zabroniona zarówno *podczas zawodów*, jak i *poza zawodami*, zgodnie z definicją zawartą w *Kodeksie*.

### Określone i nieokreślone

Zgodnie z art. 4.2.2 *Światowego Kodeksu Antydopingowego* „na potrzeby stosowania art. 10, wszystkie *substancje zabronione* będą *substancjami określonymi*, z wyjątkiem tych, które zostały oznaczone na *liście zabronionej* jako *nieokreślone*. Z kolei każda *metoda zabroniona* będzie *metodą nieokreśloną*, chyba że na *liście substancji i metod zabronionych* wyraźnie wskazano, że jest *metodą określoną*”. Zgodnie z komentarzem w *Kodeksie* „*substancje i metody określone* w art. 4.2.2 nie powinny być w żaden sposób uważane za mniej ważne lub mniej niebezpieczne niż pozostałe substancje lub metody dopingujące. Są to substancje i metody, które z większym prawdopodobieństwem zostały przyjęte lub zastosowane przez sportowca w innym celu niż poprawa wyników sportowych.”

### Substancje nadużywane

Zgodnie z art. 4.2.3 *Kodeksu*, *substancje nadużywane* to substancje, które są określane w ten sposób, ponieważ są często nadużywane w społeczeństwie, poza kontekstem sportowym. *Substancjami nadużywanymi* są następujące związki: kokaina, diamorfina (heroina), metylenodioksyamfetamina (MDMA/”ekstazy”), tetrahydrokanabinol (THC).

Opublikowana przez:

World Anti-Doping Agency  
Stock Exchange Tower  
800 Place Victoria (Suite 1700)  
PO Box 120  
Montreal, Quebec  
Canada H4Z 1B7

URL: [www.wada-ama.org](http://www.wada-ama.org)  
Tel: +1 514 904 9232  
Fax: +1 514 904 8650  
E-mail: [code@wada-ama.org](mailto:code@wada-ama.org)

## S0 SUBSTANCJE NIEZATWIERDZONE

### ZABRONIONE W KAŻDYM CZASIE (PODCZAS ZAWODÓW I POZA ZAWODAMI)

Wszystkie substancje zabronione w tej klasie są *substancjami określonymi*.

Każda substancja farmakologiczna, której nie ujęto w żadnej z dalszych sekcji *listy* i dla której żaden rządowy organ regulacyjny do spraw zdrowia nie wydał pozwolenia na dopuszczenie do obrotu jako produktu leczniczego stosowanego u ludzi (np. leki będące w fazie badań przedklinicznych lub klinicznych, jak i te, nad którymi badania zostały wstrzymane, leki zmodyfikowane, substancje zatwierdzone do stosowania tylko w weterynarii) jest substancją zabronioną w sporcie w każdym czasie.

Ta klasa obejmuje wiele różnych substancji, w tym między innymi BPC-157, 2,4-dinitrofenol (DNP), stabilizatory kompleksu receptora rianodynowego 1 z kalstabiną [np. S-107, S48168 (ARM210)] i aktywatory troponiny (np. reldesemytyw i tyrasemytyw).

# S1 ŚRODKI ANABOLICZNE

## ZABRONIONE W KAŻDYM CZASIE (PODCZAS ZAWODÓW I POZA ZAWODAMI)

Wszystkie substancje zabronione w tej klasie są *substancjami nieokreślonymi*.

Środki anaboliczne są zabronione.

### S1.1. STEROIDY ANABOLICZNO-ANDROGENNE (SAA)

W przypadku podawania egzogenego, w tym między innymi:

- 1-Androstendiol (5 $\alpha$ -androst-1-en-3 $\beta$ , 17 $\beta$ -diol)
- 1-Androstenedion (5 $\alpha$ -androst-1-en-3, 17-dion)
- 1-Androsteron (3 $\alpha$ -hydroksy-5 $\alpha$ -androst-1-en-17-on)
- 1-Epiandrosteron (3 $\beta$ -hydroksy-5 $\alpha$ -androst-1-en-17-on)
- 1-Testosteron (17 $\beta$ -hydroksy-5 $\alpha$ -androst-1-en-3-on)
- 4-Androstendiol (androst-4-en-3 $\beta$ , 17 $\beta$ -diol)
- 4-Hydroksytestosteron (4,17 $\beta$ -dihydroksyandrost-4-en-3-on)
- 5-Androstendion (androst-5-en-3,17-dion)
- 7 $\alpha$ -hydroksy-DHEA
- 7 $\beta$ -hydroksy-DHEA
- 7-Keto-DHEA
- 11 $\beta$ -metylo-19-nortestosteron
- 17 $\alpha$ -metyloepitioestanól (epistan)
- 19-Norandrostendiol (estr-4-en-3,17-diol)
- 19-Norandrostendion (estr-4-en-3,17-dion)
- Androst-4-en-3,11,17-trion (11-ketoandrostendion, adrenosteron)
- Androstanolon (5 $\alpha$ -dihydrotestosteron, 17 $\beta$ -hydroksy-5 $\alpha$ -androstan-3-on)
- Androstendiol (androst-5-en-3 $\beta$ , 17 $\beta$ -diol)
- Androstendion (androst-4-en-3,17-dion)
- Bolasteron
- Boldenon
- Boldion (androsta-1,4-dien-3,17-dion)
- Kalusteron
- Klosterbol
- Danazol ([1,2]oksazolo[4',5':2,3]pregn-4-en-20-yn-17 $\alpha$ -ol)
- Dehydrochlorometylotestosteron (4-chloro-17 $\beta$ -hydroksy-17 $\alpha$ -metyloandrosta-1,4-dien-3-on)
- Dezoksymetylotestosteron (17 $\alpha$ -metylo-5 $\alpha$ -androst-2-en-17 $\beta$ -ol i 17 $\alpha$ -metylo-5 $\alpha$ -androst-3-en-17 $\beta$ -ol)
- Dimetandrolon (7 $\alpha$ ,11 $\beta$ -dimetylo-19-nortestosteron)
- Drostanolon
- Epiandrosteron (3 $\beta$ -hydroksy-5 $\alpha$ -androstan-17-on)
- Epi-dihydrotestosteron (17 $\beta$ -hydroksy-5 $\beta$ -androstan-3-on)
- Epitestosteron
- Etyloestrenol (19-norpregn-4-en-17 $\alpha$ -ol)
- Fluksymesteron
- Formebolon
- Furazabol (17 $\alpha$ -metylo [1,2,5]oksadiazolo[3',4':2,3]-5 $\alpha$ -androstan-17 $\beta$ -ol)

# S1 ŚRODKI ANABOLICZNE (kontynuacja)

## S1.1. STEROIDY ANABOLICZNO-ANDROGENNE (SAA) (kontynuacja)

- Gestrinon
- Mestanolon
- Mesterolon
- Metandienon (17 $\beta$ -hydroksy-17 $\alpha$ -metyloandrosta-1,4-dien-3-on)
- Metenolon
- Metandriol
- Metasteron (17 $\beta$ -hydroksy-2 $\alpha$ ,17 $\alpha$ -dimetylo-5 $\alpha$ -androstan-3-on)
- Metylo-1-testosteron (17 $\beta$ -hydroksy-17 $\alpha$ -metylo-5 $\alpha$ -androst-1-en-3-on)
- Metyloklostebol
- Metylodienolon (17 $\beta$ -hydroksy-17 $\alpha$ -metyloestra-4,9-dien-3-on)
- Metylonortestosteron (17 $\beta$ -hydroksy-17 $\alpha$ -metyloestr-4-en-3-on)
- Metylotestosteron
- Metribolon (metylotrienolon, 17 $\beta$ -hydroksy-17 $\alpha$ -metyloestra-4,9,11-trien-3-on)
- Miboleron
- Nandrolon (19-nortestosteron)
- Norboleton
- Norklostebol (4-chloro-17 $\beta$ -ol-estr-4-en-3-on)
- Noretandrolon
- Oksabolon
- Oksandrolon
- Oksymesteron
- Oksymetolon
- Prasteron (dehydroepiandrosteron, DHEA, 3 $\beta$ -hydroksyandrost-5-en-17-on)
- Prostanazol (17 $\beta$ -[(tetrahydropyran-2-yl)oksy]-1'H-pyrazolo[3,4:2,3]-5 $\alpha$ -androstan)
- Chinbolon
- Stanozolol
- Stenbolon
- Testosteron
- Tetrahydrogestrinon (17-hydroksy-18 $\alpha$ -homo-19-nor-17 $\alpha$ -pregna-4,9,11-trien-3-on)
- Tybolon
- Trenbolon (17 $\beta$ -hydroksyestra-4,9,11-trien-3-on)
- Trestolon (7 $\alpha$ -metylo-19-nortestosteron, MENT)

i inne substancje o podobnej strukturze chemicznej lub podobnym działaniu biologicznym, w tym ich estry.

## S1.2. INNE ŚRODKI ANABOLICZNE

W tym między innymi:

Klenbuterol, osilodrostat, raktopamina, selektywne modulatory receptora androgenowego [SARM, np. andaryna, enobosarm (ostaryna), LGD-4033 (ligandrol), RAD140, S-23 i YK-11], zeranol i zilpaterol.

## **S2 HORMONY PEPTYDOWE, CZYNNIKI WZROSTU, SUBSTANCJE POKREWNE I MIMETYKI**

### **ZABRONIONE W KAŻDYM CZASIE (PODCZAS ZAWODÓW I POZA ZAWODAMI)**

Wszystkie substancje zabronione w tej klasie są *substancjami nieokreślonymi*.

Zabronione są substancje wymienione poniżej, jak i inne substancje o podobnej strukturze chemicznej lub podobnym działaniu biologicznym.

#### **S2.1. ERYTROPOETYNY (EPO) I ŚRODKI WPŁYWAJĄCE NA ERYTROPOEZĘ**

w tym między innymi:

- S2.1.1** Agoniści receptora erytropoetyny, np. darbepoetyny (dEPO); erytropoetyny (EPO); substancje oparte na strukturze EPO [np. EPO-Fc, glikol metoksy-polietylenowy epoetyny beta (CERA)]; mimetyki receptora EPO i środki oparte na ich strukturze (np. CNTO-530, peginezatyd, pegmolezatyd).
- S2.1.2** Środki stymulujące czynnik transkrypcyjny indukowany przez hipoksję (HIF), np. kobalt, daprodustat (GSK1278863); IOX2; molidustat (BAY 85-3934); roksadustat (FG-4592); wadadustat (AKB-6548), ksenon.
- S2.1.3** Inhibitory GATA, np. K-11706.
- S2.1.4** Inhibitory sygnalizacji transformującego czynnika wzrostu beta (TGF- $\beta$ ), np. luspatercept; sotatercept.
- S2.1.5** Agoniści wrodzonych receptorów naprawy, np. asialo EPO; karbamylowana EPO (CEPO).

## **S2 HORMONY PEPTYDOWE, CZYNNIKI WZROSTU, SUBSTANCJE POKREWNE I MIMETYKI** (kontynuacja)

### **S2.2. HORMONY PEPTYDOWE I CZYNNIKI JE UWALNIAJĄCE**

**S2.2.1** Peptydy stymulujące testosteron u mężczyzn, w tym między innymi:

- gonadotropina kosmówkowa (hCG),
- hormon luteinizujący (LH),
- hormon uwalniający gonadotropiny (GnRH, gonadoliberyna) i jej agonistyczne analogi (np. buserelina, deslorelina, goserelina, histrelina, leuprorelina, nafarelina i tryptorelina),
- kisspeptyna i jej agonistyczne analogi.

**S2.2.2** Kortykotropiny i czynniki je uwalniające, np. kortykorelina i tetrakozaktyd.

**S2.2.3** Hormon wzrostu (GH), jego analogi i fragmenty, w tym m.in.:

- analogi hormonu wzrostu, np. lonapegsomatropina, somapacytan i somatrogon,
- fragmenty hormonu wzrostu, np. AOD-9604 i hGH 176-191.

**S2.2.4** Czynniki uwalniające hormon wzrostu, w tym między innymi:

- hormon uwalniający hormon wzrostu (GHRH) i jego analogi (np. CJC-1293, CJC-1295, sermorelina i tesamorelina),
- związki pobudzające wydzielanie hormonu wzrostu (GHS) i ich mimetyki [np. anamorelina, kapromorelina, ibutamoren (MK-677), ipamorelina, lenomorelina (grelina), makimorelina i tabimorelina],
- peptydy uwalniające hormon wzrostu (GHRP) [np. aleksamorelina, eksamorelina (heksarelina), GHRP-1, GHRP-2 (pralmorelina), GHRP-3, GHRP-4, GHRP-5 i GHRP-6].

### **S2.3. CZYNNIKI WZROSTU I MODULATORY CZYNNIKA WZROSTU**

w tym między innymi:

- Czynniki wzrostu fibroblastów (FGF),
- Czynniki wzrostu hepatocytów (HGF),
- Insulino-podobny czynnik wzrostu 1 (IGF-1, mekasermina) i jego analogi,
- Mechaniczne czynniki wzrostu (MGF),
- Płytkopochodny czynnik wzrostu (PDGF),
- Tymozyna- $\beta$ 4 i jej pochodne, np. TB-500,
- Naczyniowo-śródbłonkowy czynnik wzrostu (VEGF)

i inne czynniki wzrostu lub modulatory czynnika wzrostu wpływające na syntezę/degradację białka mięśnia, ścięgna lub więzadła, unaczynienie, zużytkowanie energii, zdolność regeneracyjną lub zmianę typu włókien.

## S3 BETA-2 AGONIŚCI

### ZABRONIONE W KAŻDYM CZASIE (PODCZAS ZAWODÓW I POZA ZAWODAMI)

Wszystkie substancje zabronione w tej klasie są *substancjami określonymi*.

Wszystkie selektywne i nieselektywne substancje z grupy beta-2 agonistów, w tym wszystkie izomery optyczne, są zabronione.

W tym między innymi:

- |                |                  |               |                 |
|----------------|------------------|---------------|-----------------|
| • Arformoterol | • Indakaterol    | • Reproterol  | • Tretochinol   |
| • Fenoterol    | • Lewosalbutamol | • Salbutamol  | (trimetochinol) |
| • Formoterol   | • Olodaterol     | • Salmeterol  | • Tulobuterol   |
| • Higenamina   | • Prokaterol     | • Terbutalina | • Wilanterol    |

### WYJĄTKI

- Wziewny salbutamol: maksymalnie 1600 mikrogramów na dobę, w podzielonych dawkach nieprzekraczających 600 mikrogramów na 8 godzin, począwszy od każdej dawki;
- Wziewny formoterol: maksymalnie 54 mikrogramy na dobę, w podzielonych dawkach nieprzekraczających 36 mikrogramów na 12 godzin, począwszy od każdej dawki;
- Wziewny salmeterol: maksymalnie 200 mikrogramów na dobę, w podzielonych dawkach nieprzekraczających 100 mikrogramów na 8 godzin, począwszy od każdej dawki;
- Wziewny wilanterol: maksymalnie 25 mikrogramów na dobę.

### UWAGA

Przyjmuje się, że obecność w moczu salbutamolu w stężeniu przekraczającym 1000 ng/ml lub formoterolu w stężeniu przekraczającym 40 ng/ml nie jest efektem użycia danej substancji w celach terapeutycznych i będzie uważana za pozytywny wynik badań antydopingowych (*wynik niekorzystny analitycznie; AAF*), chyba że *sportowiec* udowodni, uczestnicząc w kontrolowanym badaniu farmakokinetycznym, że odbiegający od normy wynik był następstwem użycia leku w postaci wziewnej, w dawce terapeutycznej nie większej niż wymieniona powyżej.

## S4 MODULATORY HORMONÓW I METABOLIZMU

### ZABRONIONE W KAŻDYM CZASIE (PODCZAS ZAWODÓW I POZA ZAWODAMI)

Substancje zabronione w klasach S4.1 i S4.2 są *substancjami określonymi*.  
Wymienione w klasach S4.3 i S4.4 są *substancjami nieokreślonymi*.

Zabronione są następujące modulatory hormonów i metabolizmu.

#### S4.1. INHIBITORY AROMATAZY

W tym między innymi:

- 2-Androstenol (5 $\alpha$ -androst-2-en-17-ol)
- 2-Androstenon (5 $\alpha$ -androst-2-en-17-on)
- 2-fenyl-benzo[h]chromen-4-on ( $\alpha$ -naftoflawon; 7,8-benzoflawon)
- 3-Androstenol (5 $\alpha$ -androst-3-en-17-ol)
- 3-Androstenon (5 $\alpha$ -androst-3-en-17-on)
- 4-Androsten-3,6,17-trion (6-okso)
- Aminoglutetymid
- Anastrozol
- Androsta-1,4,6-trien-3,17-dion (androstatriendion)
- Androsta-3,5-dien-7,17-dion (arimistan)
- Eksemestan
- Formestan
- Letrozol
- Testolakton

#### S4.2. SUBSTANCJE ANTYESTROGENOWE [ANTYESTROGENY I SELEKTYWNE MODULATORY RECEPTORA ESTROGENOWEGO (SERM)]

W tym między innymi:

- Bazedoksyfen
- Klomifen
- Cyklofenil
- Elacestrant
- Fulwestrant
- Ospemifen
- Raloksyfen
- Tamoksyfen
- Toremifen

## S4 MODULATORY HORMONÓW I METABOLIZMU

(kontynuacja)

### S4.3. ŚRODKI ZAPOBIEGAJĄCE AKTYWACJI RECEPTORA AKTYWINY IIB

W tym między innymi:

- Przeciwciała neutralizujące aktywinę A
- Konkurenci receptora aktywiny IIB, tacy jak:
  - Pułapkowe receptory aktywiny (np. ACE-031)
- Przeciwciała przeciwko receptorowi aktywiny IIB (np. bimagrumab)
- Inhibitory miostatyny, takie jak:
  - Środki zmniejszające lub eliminujące ekspresję miostatyny
  - Białka wiążące miostatynę (np. folistatyna, propeptyd miostatyny)
  - Przeciwciała neutralizujące miostatynę lub jej prekursorzy (np. apitegromab, domagrozumab, landogrozumab, stamulumab)

### S4.4. MODULATORY METABOLIZMU

#### S4.4.1

- Aktywatory kinazy białkowej aktywowanej przez AMP (AMPK), np. 5-*N*,6-*N*-bis(2-fluorofenilo)-[1,2,5]oksadiazolo[3,4-*b*]pirazyno-5,6-diamina (BAM15), AICAR, peptyd kodowany przez otwartą ramkę odczytu w obrębie mitochondrialnego genu 12S rRNA-c (MOTS-c)
- Agoniści receptora aktywowanego przez proliferatora peroksysomów delta (PPAR $\delta$ ), np. 2-(2-metylo-4-((4-metylo-2-(4-(trifluorometylo)fenylo)tiazol-5-yl)metylotio)fenoksy) kwas octowy (GW1516, GW501516)
- Agoniści receptorów jądrowych Rev-Erb- $\alpha$ , np. SR9009, SR9011

#### S4.4.2 Insuliny i mimetyki insuliny, np. S519, S597

#### S4.4.3 Meldonium

#### S4.4.4 Trimetazydyna

## S5 DIURETYKII ŚRODKI MASKUJĄCE

### ZABRONIONE W KAŻDYM CZASIE (PODCZAS ZAWODÓW I POZA ZAWODAMI)

Wszystkie substancje zabronione w tej klasie są *substancjami określonymi*.

Zabronione są wszystkie diuretyki i środki maskujące, z uwzględnieniem wszystkich izomerów optycznych, np. *d-* i *l-*, jeśli takie występują.

W tym między innymi:

- Diuretyki, takie jak:  
Acetazolamid; amiloryd; bumetanid; kanrenon; chlortalidon; kwas etakrynowy; furosemid; indapamid; metolazon; spironolakton; tiazydy, np. bendroflumetiazyd, chlorotiazyd i hydrochlorotiazyd; torasemid; triamteren; ksypamid;
- Waptany, np. koniwaptan, mozawaptan, tolwaptan;
- Preparaty zwiększające objętość osocza podawane dożylnie, takie jak:  
Albumina, dekstran, hydroksyetyloskrobia, mannitol;
- Desmopresyna;
- Probenecyd;

i inne substancje o podobnej strukturze chemicznej lub podobnym działaniu biologicznym.

### WYJĄTKI

- Drospirenon; pamabrom; i inhibitory anhidrazy węglanowej (np. dorzolamid, brynzolamid) podawane miejscowo w okulistyce;
- Felypresyna stosowana w znieczuleniach miejscowych w stomatologii.

### UWAGA

Wykrycie w *próbce sportowca* pobranej, stosownie do okoliczności, w każdym czasie lub *podczas zawodów*, dowolnej ilości następujących substancji, dla których wyznaczono dopuszczalną wartość graniczną: formoterolu, salbutamolu, katyny, efedryny, metyloefedryny i pseudoefedryny, w połączeniu z diuretykiem lub środkiem maskującym (z wyjątkiem inhibitora anhidrazy węglanowej podawanego miejscowo w okulistyce i felypresyny stosowanej w znieczuleniu miejscowym w stomatologii), będzie uznawane za pozytywny wynik badań antydopingowych (*wynik niekorzystny analitycznie; AAF*), chyba że *sportowiec* otrzymał dodatkowo *Wyłączenie dla Celów Terapeutycznych (TUE)* dla tej substancji, oprócz *TUE* udzielonego na zastosowanie diuretyku lub środka maskującego.

## METODY ZABRONIONE

### ZABRONIONE W KAŻDYM CZASIE (PODCZAS ZAWODÓW I POZA ZAWODAMI)

Wszystkie metody zabronione w tej klasie są *metodami nieokreślonymi*, z wyjątkiem metod opisanych w punkcie M2.2., które są *metodami określonymi*.

#### M1. MANIPULACJE KRWIĄ I SKŁADNIKAMI KRWI

Zabronione są następujące metody:

- M1.1.** *Podawanie* lub ponowne wprowadzenie do układu krążenia dowolnej ilości autologicznej, alogenicznej (homologicznej) lub heterologicznej krwi, lub preparatów krwinek czerwonych jakiegokolwiek pochodzenia.
- Pobieranie krwi lub jej składników (w tym metodą aferezy), z wyjątkiem przypadków dotyczących 1) celów analitycznych (np. badań medycznych lub kontroli doping) oraz 2) oddawania krwi w punktach pobrań ośrodków akredytowanych przez odpowiedni organ regulacyjny kraju, w którym prowadzą działalność.
- M1.2.** Sztuczne zwiększanie poboru, transportu lub dostarczania tlenu.
- W tym między innymi: Związki perfluorochemiczne; efaproksiral (RSR13); wkselotor i zmodyfikowane produkty hemoglobiny, np. substytuty krwi oparte na hemoglobinie i mikrokapsułkowane produkty hemoglobiny, z wyłączeniem suplementacji tlenem poprzez wdychanie.
- M1.3.** Każda forma wewnątrznaczyniowej manipulacji krwi lub jej składników za pomocą środków fizycznych lub chemicznych.
- M1.4.** Użycie systemów lub przyrządów do oddychania zwrotnego tlenkiem węgla, chyba że w ramach procedur diagnostycznych wykonywanych pod nadzorem specjalisty medycznego lub naukowego.

#### M2. MANIPULACJE CHEMICZNE I FIZYCZNE

Zabronione są następujące metody:

- M2.1.** *Falszowanie* lub *zamiar sfalszowania* mający na celu zmianę właściwości i ważności *próbek* pobranych podczas *kontroli doping*.
- W tym między innymi: zamiana i/lub sfalszowanie *próbki*, np. dodanie proteaz do *próbki*.
- M2.2.** Infuzje i/lub iniekcje dożylnie o objętości większej niż 100 ml w okresie 12 godzin, z wyłączeniem tych przyjętych w uzasadnionych przypadkach w trakcie hospitalizacji, zabiegów chirurgicznych lub klinicznych badań diagnostycznych.

# METODY ZABRONIONE

## M3. DOPING GENOWY I KOMÓRKOWY

Następujące działania, mogące potencjalnie poprawić wyniki sportowe, są zabronione:

- M3.1.** Użycie kwasów nukleinowych lub analogów kwasu nukleinowego, które mogą wpływać na sekwencje genomu i/lub ekspresję genów za pomocą dowolnego mechanizmu. Obejmuje to między innymi edytowanie, wyciszenie i transfer genów.
- M3.2.** Użycie komórek prawidłowych lub zmodyfikowanych genetycznie komórek, lub składników komórkowych (np. jądra i organelle komórkowe, jak mitochondria i rybosomy).

## S6 STYMULANTY

### ZABRONIONE PODCZAS ZAWODÓW

Wszystkie substancje zabronione w tej klasie są *substancjami określonymi*, z wyjątkiem substancji wymienionych w punkcie S6.A, które są *substancjami nieokreślonymi*.

*Substancje nadużywane* ujęte w tej sekcji to: kokaina i metylenodioksymetamfetamina (MDMA / "ekstazy").

Zabronione są wszystkie stymulanty, z uwzględnieniem wszystkich izomerów optycznych, np. *d-* i *l-*, jeśli takie występują.

Do stymulantów zalicza się:

#### S6.A: STYMULANTY NIEOKREŚLONE

- Adrafinil
- Amfepramon
- Amfetamina
- Amfetaminil
- Amifenazol
- Benfluoreks
- Benzylopiperazyna
- Bromantan
- Klobenzoreks
- Kokaina
- Kropropamid
- Krotetamid
- Fenkamina
- Fenetylina
- Fenfluramina
- Fenproporeks
- Fladrafinil (2-[bis(4-fluorofenylo)metylosulfinylo]-N-hydroksyacetamid)
- Flmodafinil (2-[bis(4-fluorofenylo)metylosulfinylo]acetamid)
- Fonturacetam [4-fenylopiracetam (karfedon)]
- Furfenoreks
- Hydrafinil (fluorenol)
- Lisdeksamfetamina
- Mefenoreks
- Mefentermina
- Mezokarb
- Metamfetamina (*d-*)
- *p*-metyloamfetamina
- Modafinil
- Norfenfluramina
- Fendimetrazyn
- Fentermina
- Prenylamina
- Prolintan

Stymulant niewymieniony w tej sekcji jest uznawany za *substancję określoną*.

## S6 STYMULANTY (kontynuacja)

### S6.B: STYMULANTY OKREŚLONE

W tym między innymi:

- 2-fenylpropano-1-amina (β- metylofenetyloamina, BMPEA)
- 3-Metyloheksano-2-amina (1,2-dimetylopentyloamina)
- 4-Fluorometylofenidat
- 4-Metyloheksano-2-amina (metyloheksanoamina, 1,3 DMAA, 1,3-dimetyloaminyloamina)
- 4-Metylopentano-2-amina (1,3-dimetylobutyloamina)
- 5-Metyloheksano-2-amina (1,4-dimetylopentyloamina, 1,4-dimetyloaminyloamina, 1,4-DMAA)
- Benzfetamina
- Katyna\*\*
- Katynon i jego analogi, np. mefedron, metedron, i α-pirolidynowalerofenon
- Dimetamfetamina (dimetyloamfetamina)
- Efedryna\*\*\*
- Epinefryna\*\*\*\* (adrenalina)
- Etamiwan
- Etylofenidat
- Etyloamfetamina
- Etylefryna
- Famprofazon
- Fenbutrazat
- Fenkamfamina
- Heptaminol
- Hydroksyamfetamina (parahydroksyamfetamina)
- Izomethepten
- Lewometamfetamina
- Meklofenoksat
- Metylenodioksymetamfetamina
- Metyloefedryna\*\*\*
- Metylonafydat [((±)metylo-2- (naftalen-2-ylo)-2-(piperidyn-2-ylo)octan)]
- Metylofenidat
- Midodryna
- Niketamid
- Norfenefryna
- Oktodryna (1,5-dimetyloheksyloamina)
- Oktopamina
- Oksylofryna (metylosynefryna)
- Pemolina
- Pentetrazol
- Fenylloetyloamina i jej pochodne
- Fenmetrazyna
- Fenprometamina
- Propyloheksedryna
- Pseudoefedryna\*\*\*\*\*
- Selegilina
- Sybutramina
- Solriamfetol
- Strychnina
- Tenamfetamina (metylenodioksymetamfetamina)
- Tesofensyna
- Tuaminoheptan

i inne substancje o podobnej strukturze chemicznej lub podobnym działaniu biologicznym.

### **(i)** WYJĄTKI

- Klonidyna, Guanfacyna;
- Pochodne imidazoliny do stosowania dermatologicznego, donosowego okulistycznego lub doustnego (np. brymonidyna, klonazolina, fenoksazolina, indanazolina, nafazolina, oksymetazolina, tetryzolina, tramazolina, ksylometazolina) i stymulanty ujęte w Programie Monitorującym 2026\*.

\* Bupropion, fenylefryna, fenylpropanolamina, kofeina, nikotyna, pipradrol i synefryna: substancje te są ujęte w Programie Monitorującym 2026 i nie są traktowane jako *substancje zabronione*.

\*\* Katyna (d-norpseudoefedryna) i jej l-izomer: jest zabroniona, jeżeli jej stężenie w moczu przekroczy wartość 5 µg/ml

\*\*\* Efedryna i metyloefedryna: są zabronione, jeżeli stężenie którejkolwiek z wymienionych związków w moczu przekroczy wartość 10 µg/ml.

\*\*\*\* Epinefryna (adrenalina): nie jest zabroniona, jeżeli jest stosowana miejscowo, np. donosowo, oftalmologicznie, lub w połączeniu ze środkami miejscowo-znieczulającymi

\*\*\*\*\* Pseudoefedryna: jest zabroniona, jeżeli jej stężenie w moczu przekroczy wartość 150 µg/ml.

## S7 NARKOTYKI

### ZABRONIONE PODCZAS ZAWODÓW

Wszystkie substancje zabronione w tej klasie są *substancjami określonymi*.

*Substancja nadużywana* ujęta w tej sekcji to: diamorfina (heroina)

Zabronione są narkotyki wymienione poniżej, wraz ze wszystkimi izomerami optycznymi, np. *d-* i *l-*, jeśli takie występują.

- Buprenorfina
- Dekstromoramid
- Diamorfina (heroina)
- Fentanyl i jego pochodne
- Hydromorfon
- Metadon
- Morfina
- Nikomorfina
- Oksykodon
- Oksymorfon
- Pentazocyna
- Petydyna
- Tramadol

## S8 KANABINOIDY

### ZABRONIONE PODCZAS ZAWODÓW

Wszystkie substancje zabronione w tej klasie są *substancjami określonymi*.

*Substancja nadużywana* ujęta w tej sekcji to: tetrahydrokanabinol (THC)

Wszystkie naturalne i syntetyczne kanabinoidy są zabronione, np.

- Obecne w konopiach (haszysz, marihuana) i produktach z konopi
- Naturalne i syntetyczne tetrahydrokanabinoły (THCs)
- Syntetyczne kanabinoidy, które naśladują działanie THC

### WYJĄTKI

- Kanabidiol

## S9 GLIKOKORTYKOIDY

### ZABRONIONE PODCZAS ZAWODÓW

Wszystkie substancje zabronione w tej klasie są *substancjami określonymi*.

Wszystkie glikokortykoidy są zabronione, jeżeli są stosowane w postaci jakichkolwiek iniekcji, doustnie [w tym na śluzówkę jamy ustnej (np. dopoliczkowo, dodziąsłowo, podjęzykowo)] lub doodbytniczo.

W tym między innymi:

- Beklometazon
- Betametazon
- Budezonid
- Cyklezonid
- Kortyzon
- Deflazakort
- Deksametazo
- Flunizolid
- Flukortolon
- Flutykazon
- Hydrokortyzon
- Metylopredizol
- Mometazon
- Prednizolon
- Prednizon
- Acetonid triamcynolonu

#### UWAGA

- Inne drogi podawania (w tym wziewnie i miejscowo: dokanałowo w stomatologii, na skórę, donosowo, dousznie, oftalmologicznie i okołodbytowo) nie są zabronione, jeśli są stosowane w celach terapeutycznych, w dawkach zalecanych przez producentów leków.

# P1 BETA-BLOKERY

## ZABRONIONE W NIEKTÓRYCH SPORTACH

Wszystkie substancje zabronione w tej klasie są *substancjami określonymi*.

W wymienionych poniżej sportach beta-blokery są zabronione wyłącznie *podczas zawodów*, a w niektórych – tam gdzie zaznaczono (\*) – również *poza zawodami*.

- Łucznictwo (WA)\*
- Sporty samochodowe (FIA)
- Bilard (wszystkie dyscypliny) (WCBS)
- Dart (WDF)
- Golf (IGF)
- Minigolf (WMF)
- Strzelectwo (ISSF, IPC)\*
- Sporty podwodne (CMAS)\* we wszystkich dyscyplinach lub konkurencjach nurkowania swobodnego (freediving), łowiectwa podwodnego (spearfishing) i podwodnego strzelania do celu (target shooting)

\* Zabronione także *poza zawodami*

W tym między innymi:

- |              |              |                |               |
|--------------|--------------|----------------|---------------|
| • Acebutolol | • Bunolol    | • Labetalol    | • Oksprenolol |
| • Alprenolol | • Karteolol  | • Metipranolol | • Pindolol    |
| • Atenolol   | • Karwedilol | • Metoprolol   | • Propranolol |
| • Betaksolol | • Celiprolol | • Nadolol      | • Sotalol     |
| • Bisoprolol | • Esmolol    | • Nebivolol    | • Tymolol     |

# SKOROWIDZ

- (±)-Metylo-2-(naftalen-2-yl)-2-(piperidyn-2-yl)octan, 16  
 1-Androstendiol, 5  
 1-Androstenedion, 5  
 1-Androsteron, 5  
 1-Epiandrosteron, 5  
 1-Testosteron, 5  
 1,2-dimetylopentyloamina, 16  
 [1,2]okszazolo[4',5':2,3]pregn-4-en-20-yn-17 $\alpha$ -ol, 5  
 1,3-dimetyloaminyloamina (1,3 DMAA), 16  
 1,3-dimetylobutyloamina, 16  
 1,4-dimetyloaminyloamina (1,4-DMAA), 16  
 1,4-dimetylopentyloamina, 16  
 1,5-dimetyloheksyloamina, 16  
 2-Androstenol, 10  
 2-Androstenon, 10  
 2-[bis(4-fluorofenyl)metylo-sulfinyl]oacetamid, 15  
 2-[bis(4-fluorofenyl)metylo-sulfinyl]-N-hydroksyacetamid, 15  
 2-fenyl-benzo[h]chromen-4-on, 10  
 2-Fenylpropano-1-amina, 16  
 2,4-Dinitrofenol (DPN), 4  
 3 $\alpha$ -hydroksy-5 $\alpha$ -androst-1-en-17-on, 5  
 3 $\beta$ -hydroksy-5 $\alpha$ -androst-1-en-17-on, 5  
 3 $\beta$ -hydroksy-5 $\alpha$ -androst-17-on, 5  
 3 $\beta$ -hydroksyandrost-5-en-17-on, 6  
 3-Androstenol, 10  
 3-Androstenon, 10  
 3-Metyloheksano-2-amina, 16  
 4-Androsten-3,6,17-trion, 10  
 4-Androstendiol, 5  
 4-chloro-17 $\beta$ -hydroksy-17 $\alpha$ -metyloandrosta-1,4-dien-3-on, 5  
 4-chloro-17 $\beta$ -ol-estr-4-en-3-on, 6  
 4-Fluorometylofenidat, 16  
 4-Hydroksytestosteron, 5  
 4-Metyloheksano-2-amina, 16  
 4-Metylopentano-2-amina, 16  
 4-Fenylpiracetam, 15  
 4,17 $\beta$ -dihydroksyandrost-4-en-3-on, 5  
 5 $\alpha$ -androst-1-en-3,17-dion, 5  
 5 $\alpha$ -androst-1-en-3 $\beta$ ,17 $\beta$ -diol, 5  
 5 $\alpha$ -androst-2-en-17-ol, 10  
 5 $\alpha$ -androst-2-en-17-on, 10  
 5 $\alpha$ -androst-3-en-17-ol, 10  
 5 $\alpha$ -androst-3-en-17-on, 10  
 5 $\alpha$ -dihydrotestosteron, 5  
 5-Androstendiol, 5  
 5-Metyloheksano-2-amina, 16  
 5-N,6-N-bis(2-fluorofenyl)-[1,2,5]okszadiazolo[3,4-b]pirazyno-5,6-diamina, 11  
 6-okso, 10  
 7 $\alpha$ -hydroksy-DHEA, 5  
 7 $\alpha$ ,11 $\beta$ -dimetylo-19-nortestosteron, 5  
 7 $\alpha$ -metylo-19-nortestosteron, 6  
 7 $\beta$ -hydroksy-DHEA, 5  
 7-Keto-DHEA, 5  
 7,8-benzoflawon, 10  
 11 $\beta$ -metylo-19-nortestosteron, 5  
 11-ketoandrostendion, 5  
 17 $\alpha$ -metylo [1,2,5]okszadiazolo[3',4':2,3]-5 $\alpha$ -androst-17 $\beta$ -ol, 5  
 17 $\alpha$ -metylo-5 $\alpha$ -androst-2-en-17 $\beta$ -ol, 5  
 17 $\alpha$ -metylo-5 $\alpha$ -androst-3-en-17 $\beta$ -ol, 5  
 17 $\alpha$ -metyloepitiostanol, 5  
 17 $\beta$ -hydroksy-2 $\alpha$ ,17 $\alpha$ -dimetylo-5 $\alpha$ -androst-3-on, 6  
 17 $\beta$ -hydroksy-5 $\alpha$ -androst-1-en-3-on, 5  
 17 $\beta$ -hydroksy-5 $\alpha$ -androst-3-on, 5  
 17 $\beta$ -hydroksy-5 $\beta$ -androst-3-on, 5  
 17 $\beta$ -hydroksy-17 $\alpha$ -metylo-5 $\alpha$ -androst-1-en-3-on, 6  
 17 $\beta$ -hydroksy-17 $\alpha$ -metyloandrosta-1,4-dien-3-on, 6  
 17 $\beta$ -hydroksy-17 $\alpha$ -metyloestr-4-en-3-on, 6  
 17 $\beta$ -hydroksy-17 $\alpha$ -metyloestra-4,9-dien-3-on, 6  
 17 $\beta$ -hydroksy-17 $\alpha$ -metyloestra-4,9,11-trien-3-on, 6  
 17 $\beta$ -hydroksyestra-4,9,11-trien-3-one, 6  
 17 $\beta$ -[(tetrahydropyran-2-yl)oksy]-1'H-pyrazolo[3,4:2,3]-5 $\alpha$ -androst-17-on, 6  
 17-hydroksy-18 $\alpha$ -homo-19-nor-17 $\alpha$ -pregna-4,9,11-trien-3-one, 6  
 19-Norandrostendiol, 5  
 19-Norandrostendion, 5  
 19-norpregn-4-en-17 $\alpha$ -ol, 5  
 19-nortestosteron, 6  
 $\alpha$ -naftoflawon, 10  
 $\alpha$ -pirolidynowalerofenon, 16  
 $\beta$ -metylofenetyloamina, 16  
**A**  
 ACE-031, 11  
 Acebutolol, 19  
 Acetazolamid, 12  
 Aktywatory kinazy białkowej aktywowanej przez AMP (AMPK), 11  
 Przeciwciała neutralizujące aktywinę A, 11  
 Konkurenci receptora aktywiny IIB, 11  
 Adrafinil, 15  
 Adrenalina, 16  
 Adrenosteron, 5  
 AICAR, 11  
 Albumina, 12  
 Aleksamorelina, 8  
 Alprenolol, 20  
 Amfepramon, 15  
 Amfetamina, 15  
 Amfetaminil, 15  
 Amiloryd, 12  
 Aminoglutetymid, 10  
 Amifenazol, 15  
 AMP-aktywatory kinazy białkowej (AMPK), 11  
 Anamorelina, 8  
 Anastrozol, 10  
 Andaryna, 6  
 Androst-4-en-3 $\beta$ ,17 $\beta$ -diol, 5  
 Androst-4-en-3,11,17-trion, 5  
 Androst-4-en-3,17-dion, 5  
 Androst-5-en-3 $\beta$ ,17 $\beta$ -diol, 5  
 Androst-5-en-3,17-dion, 5  
 Androsta-1,4,6-trien-3,17-dion, 10  
 Androsta-1,4-dien-7,17-dion, 5  
 Androsta-3,5-dien-7,17-dion, 10  
 Androstanolol, 5  
 Androstatriendion, 10  
 Androstendiol, 5  
 Androstendion, 5  
 Przeciwciała przeciwko receptorowi aktywiny IIB, 11  
 AOD-9604, 8  
 Afereza, 13  
 Apitegromab, 11  
 Arformoterol, 9  
 Animistan, 10  
 ARM210, 4  
 Asialo EPO, 7  
 Atenolol, 20  
**B**  
 BAM15, 11  
 Bazedoksyfen, 10  
 Beklometazon, 19  
 Bendroflumetiazyl, 12  
 Benfluoreks, 15

# SKOROWIDZ

Benzfetamina, 16  
 Benzyloperazyna, 15  
 Betametazon, 19  
 Betaksolol, 20  
 Bimagrumab, 11  
 Bisoprolol, 19  
 Krew, 13  
 Krew (autologiczna), 13  
 Krew (składniki)  
 Krew (heterologiczna), 13  
 Krew (homologiczna), 13  
 Manipulacje krwią, 13  
 Pobieranie krwi, 13  
 BMPEA, 16  
 Bolasteron, 5  
 Boldenon, 5  
 Boldion, 5  
 BPC-157, 4  
 Brymonidyna, 16  
 Brynzolamid, 12  
 Bromantan, 15  
 Budesonide, 19  
 Bumetanide, 12  
 Bunolol, 20  
 Buprenorfina, 17  
 Bupropion, 16  
 Buserelina, 8

## C

Kofeina, 16  
 Kalusteron, 5  
 Kanabidiol, 18  
 Kanabinoidy, 18  
 Kanrenon, 12  
 Kapromorelina, 8  
 Karbamylowana EPO (CEPO), 7  
 Tlenek węgla, 13  
 Karfedon, 15  
 Karteolol, 20  
 Karwedilol, 20  
 Katyna, 12, 16  
 Katynon, 15  
 Celiprolol, 20  
 Doping komórkowy, 14  
 Komórki (zmodyfikowane genetycznie), 14  
 Komórki (prawidłowe), 14  
 Krwinki czerwone, 14  
 Składniki komórkowe (jądra), 14

Składniki komórkowe (mitochondria), 14  
 Składniki komórkowe (rybosomy), 14  
 Chlorotiazyd, 12  
 Chlortalidon, 12  
 Gonatropina kosówkowa (hCG), 8  
 Cyklezonid, 19  
 CJC-1293, 8  
 CJC-1295, 8  
 Klenbuterol, 6  
 Klobozoreks, 15  
 Klomifen, 10  
 Klonazolina, 16  
 Klonidyna, 16  
 Klostebol, 5  
 CNTO-530, 7  
 Kobalt, 7  
 Kokaina, 15  
 Koniwaptan, 12  
 Kortykorelina, 8  
 Kortykotrofiny, 8  
 Kortyzon, 19  
 Kropropamid, 15  
 Krotetamid, 15  
 Cyklofenil, 10

## D

Danazol, 5  
 Daprodustat, 7  
 Darbepoetyny (dEPO), 7  
 Deflazakort, 19  
 Dehydrochlorometylotestosteron, 5  
 Dehydroepiandrosteron (DHEA), 6  
 Deslorelina, 8  
 Desmopresyna, 12  
 Dezoksymetylotestosteron, 5  
 Deksametazon, 19  
 Dekstran, 12  
 Dekstromoramid, 17  
 Diamorfina, 17  
 Dimetamfetamina, 16  
 Dimetandrolon, 5  
 Dimetyloamfetamina, 16  
 Domagrozumab, 11  
 Dorzolamid, 12  
 Drospirenon, 12  
 Drostanolon, 5

## E

Ekstazy, 15  
 Efavoksirral (RSR13), 13  
 Elacestrant, 10  
 Enobosarm, 6  
 Efedryna, 12, 16  
 Epiandrosteron, 5  
 Epi-dihydrotestosteron, 5  
 Epinefryna, 16  
 Epistan, 5  
 Epitestosteron, 5  
 Substancje oparte na strukturze EPO, 7  
 EPO-Fc, 7  
 Mimetyki receptora EPO, 7  
 Agoniści receptora erytropoetyny, 7  
 Erytropoetyna (EPO), 7  
 Esmolol, 20  
 Estry sterydów anaboliczno-androgennych, 6  
 Estr-4-en-3,17-diol, 5  
 Estr-4-en-3,17-dion, 5  
 Kwas etakrynowy, 12  
 Etamiwan, 16  
 Etyloestrenol, 5  
 Etylofenidat, 16  
 Etyloamfetamina, 16  
 Etylfefryna, 16  
 Eksamorelina, 8  
 Eksemestan, 10

## F

Famprofazon, 16  
 Felypresyna, 12  
 Fenbutrazat, 16  
 Fenkamfamina, 16  
 Fenkamina, 15  
 Fenetylina, 15  
 Fenfluramina, 15  
 Fenoterol, 9  
 Fenoksazolina, 16  
 Fenproporeks, 15  
 Fentanyl, 17  
 Czynniki wzrostu fibroblastów (FGF), 8  
 Fladrafinil, 15  
 Flmodafinil, 15  
 Flunizolid, 19  
 Flukortolon, 19  
 Fluorenol, 15  
 Fluoksymesteron, 5  
 Flutikazon, 19

# SKOROWIDZ

Folistatyna, 11  
 Fonturacetam, 15  
 Formebolon, 5  
 Formestan, 10  
 Formoterol, 9, 12  
 Fulwestrant, 10  
 Furazabol, 5  
 Furfenoreks, 15  
 Furosemid, 12

## G

Inhibitory GATA, 7  
 Doping genowy, 14  
 Edytowanie genów, 14  
 Wyciszanie genów, 14  
 Transfer genów, 14  
 Gestrinon, 6  
 Grelina, 8  
 Peptydy uwalniające hormon wzrostu (GHRP), 8  
 Gonadorelina, 8  
 Hormon uwalniający gonadotropiny (GnRH), 8  
 Goserelina, 8  
 Hormon wzrostu (GH), 8  
 Związki pobudzające wydzielanie hormonu wzrostu (GHS), 8  
 Guanfacyna, 16  
 GW1516, 11  
 GW501516, 11

## H

Hemoglobina (produkty), 13  
 Hemoglobina (substytuty oparte na krwi), 13  
 Hemoglobina (produkty mikrokapsułkowane), 13  
 Haszysz, 18  
 Czynniki wzrostu hepatocytów (HGF), 8  
 Heptaminol, 16  
 Heroina, 17  
 Heksarelina, 8  
 hGH 176-191, 8  
 Higenamina, 9  
 Histrelina, 8  
 Hydrafnil, 15  
 Hydrochlorotiazyd, 12  
 Hydrokortyzon, 19  
 Hydromorfon, 17  
 Hydroksyamfetamina, 16  
 Hydroksyetyloskrobia, 12

Środki stymulujące czynnik transkrypcyjny indukowany przez hipoksję (HIF), 7

## I

Ibutamoren, 8  
 Imidazol, 16  
 Indakaterol, 9  
 Indanazolina, 16  
 Indapamid, 12  
 Infuzje, 13  
 Iniekcje (>100 ml), 13  
 Agoniści wrodzonych receptorów naprawy, 7  
 Insulino-podobny czynnik wzrostu-1(IGF-1), 8  
 Mimetyki insuliny, 11  
 Insuliny, 11  
 Infuzje/iniekcje dożylnie, 13  
 IOX2, 7  
 Ipamorelina, 8  
 Izomethepten, 16

## K

K-11706, 7  
 Kisspeptyna, 8

## L

Labetalol, 20  
 Landogrozumab, 11  
 Lenomorelina, 8  
 Letrozol, 10  
 Leuprorelina, 8  
 Lewometamfetamina, 16  
 Lewosalbutamol, 9  
 LGD-4033, 6  
 Ligandrol, 6  
 Lisdeksamfetamina, 15  
 Lonapegsomatropina, 8  
 Luspatercept, 7  
 Hormon luteinizujący (LH), 8

## M

Makimorelina, 8  
 Mannitol, 12  
 Marihuana, 18  
 Mekasermina, 8  
 Mechaniczne czynniki wzrostu (MGF), 8  
 Meklofenoksat, 16  
 Mefenoreks, 15  
 Meldonium, 11  
 MENT, 6

Mefedron, 16  
 Mefentermina, 15  
 Mezekarb, 15  
 Mestanolon, 6  
 Mesterolol, 6  
 Metamfetamina(d-), 15  
 Metandienon, 6  
 Metenolon, 6  
 Metadon, 17  
 Metandriol, 6  
 Metasteron, 6  
 Metedron, 16  
 Glikol metoksypolietylenowy epoetyny beta (CERA), 7  
 Metylo-1-testosteron, 6  
 Metyloklostebol, 6  
 Metylodienolon, 6  
 Metylenodioksyamfetamina, 16  
 Metylenodioksymetamfetamina, 16  
 Metyloefedryna, 12, 16  
 Metyloheksanoamina, 16  
 Metylonafydat, 16  
 Metylonortestosteron, 6  
 Metylofenidat, 16  
 Metyloprednizolon, 19  
 Metylosynefryna, 16  
 Metylotestosteron, 6  
 Metylotrienolon, 6  
 Metipranolol, 20  
 Metolazon, 12  
 Metoprolol, 20  
 Metribolon, 6  
 Miboleron, 6  
 Midodryna, 16  
 Mitochondria, 14  
 Peptyd kodowany przez otwartą ramkę odczytu w obrębie mitochondrialnego genu 12S rRNA-c, 11  
 MK-677, 8  
 Modafinil, 15  
 Molidustat, 7  
 Mometazon, 19  
 Morfina, 17  
 MOTS-c, 11  
 Mozawaptan, 12  
 Inhibitory miostatyny, 11  
 Przeciwciała neutralizujące miostatynę lub jej prekursorzy, 11  
 Propeptyd miostatyny, 11  
 Białka wiążące miostatynę, 11

# SKOROWIDZ

Przeciwciała neutralizujące  
miostatynę, 11

## N

Nadolol, 20  
Nafarelina, 8  
Nandrolon, 6  
Nafazolina, 16  
Nebivolol, 20  
Nikomorfina, 17  
Nikotyna, 16  
Niketamid, 16  
Norboleton, 6  
Norklostebol, 6  
Noretandrolon, 6  
Norfenefryna, 16  
Norfenfluramina, 15  
Jądra/jądro, 14  
Kwasy nukleinowe, 14  
Analogi kwasów nukleinowych,  
14

## O

Oktodryna, 16  
Oktopamina, 16  
Olodaterol, 9  
Organele (np. jądro,  
mitochondrium, rybosomy), 14  
Osilodrostat, 6  
Ospemifen, 10  
Ostaryna, 6  
Oksabolon, 6  
Oksandrolon, 6  
Oksylofryna, 16  
Oksprenolol, 20  
Oksykodon, 17  
Oksymesteron, 6  
Oksymetazolina, 16  
Oksymetolon, 6  
Oksymorfon, 17

## P

Pamabrom, 12  
Parahydroksyamfetamina, 16  
Peginezatyd, 7  
Pegmolezatyd, 7  
Pemolina, 16  
Pentazocyna, 17  
Pentetrazol, 16  
Związki perfluorochemiczne, 13  
Agoniści receptora  
aktywowanego

przez proliferatora peroksyosomów  
delta, 11

Petydyna, 17  
Fendimetrazyn, 15  
Fenyoetyloamina, 16  
Fenmetrazyna, 16  
Fenprometamina, 16  
Fentermina, 15  
Fenylefryna, 16  
Fenylpropanolamina, 16  
Pindolol, 20  
Pipradrol, 16  
Preparaty zwiększające objętość  
osocza, 12  
Płytko-pochodny czynnik wzrostu  
(PDGF), 8  
p-metyloamfetamina, 15  
Pralmorelina, 8  
Prasteron, 6  
Prednizolon, 19  
Prednizon, 19  
Prenylamina, 15  
Probenecyd, 12  
Prokaterol, 9  
Prolintan, 15  
Propranolol, 20  
Propyloheksedryna, 16  
Prostanazol, 6  
Proteazy, 13  
Pseudoefedryna, 12, 16

## Q

Chinbolon, 6

## R

RAD140, 6  
Raktopamina, 6  
Raloksyfen, 10  
Reldesemtyw, 4  
Reproterol, 9  
Agoniści receptora jądrowych Rev-  
Erb- $\alpha$ , 11  
Roksadustat, 7  
Stabilizatory kompleksu receptora  
rianodynowego 1 z kalstabiną, 4  
Użycie systemów lub przyrządów do  
oddychania zwrotnego tlenkiem węgla,  
13  
Rybosomy, 14

## S

S-107, 4  
S-23, 6  
S48168, 4

S519, 11  
S597, 11  
Salbutamol, 9, 12  
Salmeterol, 9  
selektywne modulatory  
receptora androgenowego  
(SARM), 6  
Selegilina, 16  
Sermorelina, 8  
Sybutramina, 16  
Solriamfetol, 16  
Somapacytan, 8  
Somatrogon, 8  
Sotalol, 20  
Sotatercept, 7  
Spirolonaktol, 12  
SR9009, 11  
SR9011, 11  
Stamulumab, 11  
Stanozolol, 6  
Stenbolon, 6  
Strychnina, 16  
Synefryna, 16

## T

Tabimorelina, 8  
Tamoksyfen, 10  
Falszowanie, 13  
TB-500, 8  
Tenamfetamina, 16  
Terbutalina, 9  
Tesamorelina, 8  
Tesofensyna, 16  
Testolakton, 10  
Testosteron, 6  
Peptydy stymulujące testosteron, 8  
Tetrakozaktyd, 8  
Tetrahydrokanabinole, 18  
Tetrahydrogestrinon, 6  
Tetryzolina, 16  
Tiazyd, 12  
Tymozyna- $\beta$ 4, 8  
Tybolon, 6  
Tymolol, 20  
Tyrasemtyw, 4  
Tolwaptan, 12  
Torasemid, 12  
Toremifen, 10  
Tramadol, 17  
Tramazolina, 16



## SKOROWIDZ

Inhibitory sygnalizacji transformującego czynnika wzrostu beta (TGF- $\beta$ ), 7

Trenbolon, 6

Trestolon, 6

Tretochinol, 9

Acetonid triamcynolonu, 19

Triamteren, 12

Trimetazydyna, 11

Trimetochinol, 9

Triptorelina, 8

Aktywatory troponiny, 4

Tuaminoheptan, 16

Tulobuterol, 9

### V

Wadadustat (AKB-6548), 7

Waptany, 12

Naczyniowo-śródbłonkowy czynnik wzrostu (VEGF), 8

Wılanterol, 9

Wokselotor, 13

### X

Ksenon, 7

Ksypamid, 12

Ksylometazolina, 16

### Y

YK-11, 6

### Z

Zeranol, 6

Zilpaterol, 6



This List shall come into effect on 1 January 2026.

# TABLE OF CONTENTS

Please note that the list of examples of medical conditions below is not inclusive.

## SUBSTANCES & METHODS PROHIBITED AT ALL TIMES

<b>S0 Non-approved substances</b> .....	4
<b>S1 Anabolic agents</b> .....	5
Some of these substance(s) may be found, without limitation, in medications used for the treatment of e.g. male hypogonadism.	
<b>S2 Peptide hormones, growth factors, related substances, and mimetics</b> .....	7
Some of these substance(s) may be found, without limitation, in medications used for the treatment of e.g. anaemia, male hypogonadism, growth hormone deficiency.	
<b>S3 Beta-2 agonists</b> .....	9
Some of these substance(s) may be found, without limitation, in medications used for the treatment of e.g. asthma and other respiratory disorders.	
<b>S4 Hormone and metabolic modulators</b> .....	10
Some of these substance(s) may be found, without limitation, in medications used for the treatment of e.g. breast cancer, diabetes, infertility (female), polycystic ovarian syndrome.	
<b>S5 Diuretics and masking agents</b> .....	12
Some of these substance(s) may be found, without limitation, in medications used for the treatment of e.g. heart failure, hypertension.	
<b>M1 – M2 – M3 Prohibited Methods</b> .....	13

## SUBSTANCES & METHODS PROHIBITED IN-COMPETITION

<b>S6 Stimulants</b> .....	15
Some of these substance(s) may be found, without limitation, in medications used for the treatment of e.g. anaphylaxis, attention deficit hyperactivity disorders (ADHD), cold and influenza symptoms.	
<b>S7 Narcotics</b> .....	17
Some of these substance(s) may be found, without limitation, in medications used for the treatment of e.g. pain, including from musculoskeletal injuries.	
<b>S8 Cannabinoids</b> .....	18
<b>S9 Glucocorticoids</b> .....	19
Some of these substance(s) may be found, without limitation, in medications used for the treatment of e.g. allergy, anaphylaxis, asthma, inflammatory bowel disease.	

## SUBSTANCES PROHIBITED IN PARTICULAR SPORTS

<b>P1 Beta-blockers</b> .....	20
Some of these substance(s) may be found, without limitation, in medications used for the treatment of e.g. heart failure, hypertension.	

<b>INDEX</b> .....	21
--------------------	----

# THE 2026 PROHIBITED LIST WORLD ANTI-DOPING CODE

VALID 1 JANUARY 2026

## Introduction

The *Prohibited List* is a mandatory *International Standard* as part of the World Anti-Doping Program.

The *List* is updated annually following an extensive consultation process facilitated by WADA. The effective date of the *List* is 01 January 2026.

The official text of the *Prohibited List* shall be maintained by WADA and shall be published in English and French. In the event of any conflict between the English and French versions, the English version shall prevail.

Below are some terms used in this *List of Prohibited Substances and Prohibited Methods*.

### **Prohibited In-Competition**

Subject to a different period having been approved by WADA for a given sport, the *In-Competition* period shall in principle be the period commencing just before midnight (at 11:59 p.m.) on the day before a *Competition* in which the *Athlete* is scheduled to participate until the end of the *Competition* and the *Sample* collection process.

### **Prohibited at all times**

This means that the substance or method is prohibited *In-* and *Out-of-Competition* as defined in the *Code*.

### **Specified and non-Specified**

As per Article 4.2.2 of the *World Anti-Doping Code*, “for purposes of the application of Article 10, all *Prohibited Substances* shall be *Specified Substances* except as identified on the *Prohibited List*. No *Prohibited Method* shall be a *Specified Method* unless it is specifically identified as a *Specified Method* on the *Prohibited List*”. As per the comment to the article, “the *Specified Substances and Methods* identified in Article 4.2.2 should not in any way be considered less important or less dangerous than other doping substances or methods. Rather, they are simply substances and methods which are more likely to have been consumed or used by an *Athlete* for a purpose other than the enhancement of sport performance.”

### **Substances of Abuse**

Pursuant to Article 4.2.3 of the *Code*, *Substances of Abuse* are substances that are identified as such because they are frequently abused in society outside of the context of sport. The following are designated *Substances of Abuse*: cocaine, diamorphine (heroin), methylenedioxyamphetamine (MDMA/“ecstasy”), tetrahydrocannabinol (THC).

Published by:  
World Anti-Doping Agency  
Place Victoria, 800, rue du  
Square-Victoria, bureau 1700  
Montréal (Québec)  
H3C 0B4 Canada

URL: [www.wada-ama.org](http://www.wada-ama.org)  
Tel: +1 514 904 9232  
Fax: +1 514 904 8650  
E-mail: [code@wada-ama.org](mailto:code@wada-ama.org)

## S0 NON-APPROVED SUBSTANCES

### PROHIBITED AT ALL TIMES (IN- AND OUT-OF-COMPETITION)

All prohibited substances in this class are *Specified Substances*.

Any pharmacological substance which is not addressed by any of the subsequent sections of the *List* and with no current approval by any governmental regulatory health authority for human therapeutic use (e.g. drugs under pre-clinical or clinical development or discontinued, designer drugs, substances approved only for veterinary use) is prohibited at all times.

This class covers many different substances including but not limited to BPC-157, 2,4-dinitrophenol (DNP), ryanodine receptor-1-calstabin complex stabilizers [e.g. S-107, S48168 (ARM210)] and troponin activators (e.g. reldesemtiv and tirasemtiv).

# S1 ANABOLIC AGENTS

## PROHIBITED AT ALL TIMES (IN- AND OUT-OF-COMPETITION)

All prohibited substances in this class are non-*Specified Substances*.

Anabolic agents are prohibited.

### S1.1. ANABOLIC ANDROGENIC STEROIDS (AAS)

When administered exogenously, including but not limited to:

- 1-Androstenediol (5 $\alpha$ -androst-1-ene-3 $\beta$ , 17 $\beta$ -diol)
- 1-Androstenedione (5 $\alpha$ -androst-1-ene-3, 17-dione)
- 1-Androsterone (3 $\alpha$ -hydroxy-5 $\alpha$ -androst-1-ene-17-one)
- 1-Epiandrosterone (3 $\beta$ -hydroxy-5 $\alpha$ -androst-1-ene-17-one)
- 1-Testosterone (17 $\beta$ -hydroxy-5 $\alpha$ -androst-1-en-3-one)
- 4-Androstenediol (androst-4-ene-3 $\beta$ , 17 $\beta$ -diol)
- 4-Hydroxytestosterone (4,17 $\beta$ -dihydroxyandrost-4-en-3-one)
- 5-Androstenedione (androst-5-ene-3,17-dione)
- 7 $\alpha$ -Hydroxy-DHEA
- 7 $\beta$ -Hydroxy-DHEA
- 7-Keto-DHEA
- 11 $\beta$ -Methyl-19-nortestosterone
- 17 $\alpha$ -Methylepithiostanol (epistane)
- 19-Norandrostenediol (estr-4-ene-3,17-diol)
- 19-Norandrostenedione (estr-4-ene-3,17-dione)
- Androst-4-ene-3,11,17- trione (11-ketoandrostenedione, adrenosterone)
- Androstanolone (5 $\alpha$ -dihydrotestosterone, 17 $\beta$ -hydroxy-5 $\alpha$ -androstan-3-one)
- Androstenediol (androst-5-ene-3 $\beta$ ,17 $\beta$ -diol)
- Androstenedione (androst-4-ene-3,17-dione)
- Bolasterone
- Boldenone
- Boldione (androsta-1,4-diene-3,17-dione)
- Calusterone
- Clostebol
- Danazol ([1,2]oxazolo[4',5':2,3]pregna-4-en-20-yn-17 $\alpha$ -ol)
- Dehydrochlormethyltestosterone (4-chloro-17 $\beta$ -hydroxy-17 $\alpha$ -methylandrosta-1,4-dien-3-one)
- Desoxymethyltestosterone (17 $\alpha$ -methyl-5 $\alpha$ -androst-2-en-17 $\beta$ -ol and 17 $\alpha$ -methyl-5 $\alpha$ -androst-3-en-17 $\beta$ -ol)
- Dimethandrolone (7 $\alpha$ ,11 $\beta$ -Dimethyl-19-nortestosterone)
- Drostanolone
- Epiandrosterone (3 $\beta$ -hydroxy-5 $\alpha$ -androstan-17-one)
- Epi-dihydrotestosterone (17 $\beta$ -hydroxy-5 $\beta$ -androstan-3-one)
- Epitestosterone
- Ethylestrenol (19-norpregna-4-en-17 $\alpha$ -ol)
- Fluoxymesterone
- Formebolone
- Furazabol (17 $\alpha$ -methyl [1,2,5]oxadiazolo[3',4':2,3]-5 $\alpha$ -androstan-17 $\beta$ -ol)

# S1 ANABOLIC AGENTS (continued)

## S1.1. ANABOLIC ANDROGENIC STEROIDS (AAS) (continued)

- Gestrinone
- Mestanolone
- Mesterolone
- Metandienone (17 $\beta$ -hydroxy-17 $\alpha$ -methylandrosta-1,4-dien-3-one)
- Metenolone
- Methandriol
- Methasterone (17 $\beta$ -hydroxy-2 $\alpha$ ,17 $\alpha$ -dimethyl-5 $\alpha$ -androstan-3-one)
- Methyl-1-testosterone (17 $\beta$ -hydroxy-17 $\alpha$ -methyl-5 $\alpha$ -androst-1-en-3-one)
- Methylclostebol
- Methyldienolone (17 $\beta$ -hydroxy-17 $\alpha$ -methylestra-4,9-dien-3-one)
- Methylnortestosterone (17 $\beta$ -hydroxy-17 $\alpha$ -methylestr-4-en-3-one)
- Methyltestosterone
- Metribolone (methyltrienolone, 17 $\beta$ -hydroxy-17 $\alpha$ -methylestra-4,9,11-trien-3-one)
- Mibolerone
- Nandrolone (19-nortestosterone)
- Norboletone
- Norclostebol (4-chloro-17 $\beta$ -ol-estr-4-en-3-one)
- Norethandrolone
- Oxabolone
- Oxandrolone
- Oxymesterone
- Oxymetholone
- Prasterone (dehydroepiandrosterone, DHEA, 3 $\beta$ -hydroxyandrost-5-en-17-one)
- Prostanazol (17 $\beta$ -[(tetrahydropyran-2-yl)oxy]-1'H-pyrazolo[3,4:2,3]-5 $\alpha$ -androstane)
- Quinbolone
- Stanozolol
- Stenbolone
- Testosterone
- Tetrahydrogestrinone (17-hydroxy-18 $\alpha$ -homo-19-nor-17 $\alpha$ -pregna-4,9,11-trien-3-one)
- Tibolone
- Trenbolone (17 $\beta$ -hydroxyestr-4,9,11-trien-3-one)
- Trestolone (7 $\alpha$ -Methyl-19-nortestosterone, MENT)

and other substances with a similar chemical structure or similar biological effect(s) including their esters.

## S1.2. OTHER ANABOLIC AGENTS

Including, but not limited to:

Clenbuterol, osilodrostat, ractopamine, selective androgen receptor modulators [SARMs, e.g. andarine, enobosarm (ostarine), LGD-4033 (ligandrol), RAD140, S-23 and YK-11], zeranol and zilpaterol.

## S2 PEPTIDE HORMONES, GROWTH FACTORS, RELATED SUBSTANCES, AND MIMETICS

### PROHIBITED AT ALL TIMES (IN- AND OUT-OF-COMPETITION)

All prohibited substances in this class are non-*Specified Substances*.

The following substances, and other substances with similar chemical structure or similar biological effect(s), are prohibited.

#### S2.1. ERYTHROPOIETINS (EPO) AND AGENTS AFFECTING ERYTHROPOIESIS

Including, but not limited to:

- S2.1.1 Erythropoietin receptor agonists, e.g. darbepoetins (dEPO); erythropoietins (EPO); EPO-based constructs [e.g. EPO-Fc, methoxy polyethylene glycol-epoetin beta (CERA)]; EPO-mimetic agents and their constructs (e.g. CNTO-530, peginesatide, pegmolesatide).
- S2.1.2 Hypoxia-inducible factor (HIF) activating agents, e.g. cobalt; daprodustat (GSK1278863); IOX2; molidustat (BAY 85-3934); roxadustat (FG-4592); vadadustat (AKB-6548); xenon.
- S2.1.3 GATA inhibitors, e.g. K-11706.
- S2.1.4 Transforming growth factor beta (TGF- $\beta$ ) signalling inhibitors, e.g. luspatercept; sotatercept.
- S2.1.5 Innate repair receptor agonists, e.g. asialo EPO; carbamylated EPO (CEPO).

## S2 PEPTIDE HORMONES, GROWTH FACTORS, RELATED SUBSTANCES, AND MIMETICS (continued)

### S2.2. PEPTIDE HORMONES AND THEIR RELEASING FACTORS

S2.2.1 Testosterone-stimulating peptides in males including, but not limited to:

- chorionic gonadotrophin (CG)
- luteinizing hormone (LH)
- gonadotrophin-releasing hormone (GnRH, gonadorelin) and its agonist analogues (e.g. buserelin, deslorelin, goserelin, histrelin, leuprorelin, nafarelin and triptorelin)
- kisspeptin and its agonist analogues

S2.2.2 Corticotrophins and their releasing factors, e.g. corticorelin and tetracosactide

S2.2.3 Growth hormone (GH), its analogues and fragments including, but not limited to:

- growth hormone analogues, e.g. lonapegsomatropin, somapacitan and somatrogen
- growth hormone fragments, e.g. AOD-9604 and hGH 176-191

S2.2.4 Growth hormone releasing factors, including, but not limited to:

- growth hormone-releasing hormone (GHRH) and its analogues (e.g. CJC-1293, CJC-1295, sermorelin and tesamorelin)
- growth hormone secretagogues (GHS) and their mimetics [e.g. anamorelin, capromorelin, ibutamoren (MK-677), ipamorelin, lenomorelin (ghrelin), macimorelin and tabimorelin]
- GH-releasing peptides (GHRPs) [e.g. alexamorelin, examorelin (hexarelin), GHRP-1, GHRP-2 (pralmorelin), GHRP-3, GHRP-4, GHRP-5 and GHRP-6]

### S2.3. GROWTH FACTORS AND GROWTH FACTOR MODULATORS

Including, but not limited to:

- Fibroblast growth factors (FGFs)
- Hepatocyte growth factor (HGF)
- Insulin-like growth factor 1 (IGF-1, mecasermin) and its analogues
- Mechano growth factors (MGFs)
- Platelet-derived growth factor (PDGF)
- Thymosin- $\beta$ 4 and its derivatives e.g. TB-500
- Vascular endothelial growth factor (VEGF)

and other growth factors or growth factor modulators affecting muscle, tendon or ligament protein synthesis/degradation, vascularisation, energy utilization, regenerative capacity or fibre type switching.

## S3 BETA-2 AGONISTS

### PROHIBITED AT ALL TIMES (IN- AND OUT-OF-COMPETITION)

All prohibited substances in this class are *Specified Substances*.

All selective and non-selective beta-2 agonists, including all optical isomers, are prohibited.

Including, but not limited to:

- |                |                  |               |                                 |
|----------------|------------------|---------------|---------------------------------|
| • Arformoterol | • Indacaterol    | • Reproterol  | • Tretinoquinol (trimetoquinol) |
| • Fenoterol    | • Levosalbutamol | • Salbutamol  | • Tulobuterol                   |
| • Formoterol   | • Olodaterol     | • Salmeterol  | • Vilanterol                    |
| • Higenamine   | • Procaterol     | • Terbutaline |                                 |

### EXCEPTIONS

- Inhaled salbutamol: maximum 1600 micrograms over 24 hours in divided doses not to exceed 600 micrograms over 8 hours starting from any dose
- Inhaled formoterol: maximum delivered dose of 54 micrograms over 24 hours in divided doses not to exceed 36 micrograms over 12 hours starting from any dose
- Inhaled salmeterol: maximum 200 micrograms over 24 hours in divided doses not to exceed 100 micrograms over 8 hours starting from any dose
- Inhaled vilanterol: maximum 25 micrograms over 24 hours

### NOTE

The presence in urine of salbutamol in excess of 1000 ng/mL or formoterol in excess of 40 ng/mL is not consistent with therapeutic use of the substance and will be considered as an *Adverse Analytical Finding (AAF)* unless the *Athlete* proves, through a controlled pharmacokinetic study, that the abnormal result was the consequence of a therapeutic dose (by inhalation) up to the maximum dose indicated above.

## S4 HORMONE AND METABOLIC MODULATORS

### PROHIBITED AT ALL TIMES (IN- AND OUT-OF-COMPETITION)

Prohibited substances in classes S4.1 and S4.2 are *Specified Substances*. Those in classes S4.3 and S4.4 are non-*Specified Substances*.

The following hormone and metabolic modulators are prohibited.

#### S4.1. AROMATASE INHIBITORS

Including, but not limited to:

- 2-Androstenol (5 $\alpha$ -androst-2-en-17-ol)
- 2-Androstenone (5 $\alpha$ -androst-2-en-17-one)
- 2-Phenylbenzo[h]chromen-4-one ( $\alpha$ -naphthoflavone; 7,8-benzoflavone)
- 3-Androstenol (5 $\alpha$ -androst-3-en-17-ol)
- 3-Androstenone (5 $\alpha$ -androst-3-en-17-one)
- 4-Androstene-3,6,17 trione (6-oxo)
- Aminoglutethimide
- Anastrozole
- Androsta-1,4,6-triene-3,17-dione (androstatrienedione)
- Androsta-3,5-diene-7,17-dione (arimistane)
- Exemestane
- Formestane
- Letrozole
- Testolactone

#### S4.2. ANTI-ESTROGENIC SUBSTANCES [ANTI-ESTROGENS AND SELECTIVE ESTROGEN RECEPTOR MODULATORS (SERMS)]

Including, but not limited to:

- Bazedoxifene
- Clomifene
- Cyclofenil
- Elacestrant
- Fulvestrant
- Ospemifene
- Raloxifene
- Tamoxifen
- Toremifene

# S4 HORMONE AND METABOLIC MODULATORS

(continued)

## S4.3. AGENTS PREVENTING ACTIVIN RECEPTOR IIB ACTIVATION

Including, but not limited to:

- Activin A-neutralizing antibodies
- Activin receptor IIB competitors such as:
  - Decoy activin receptors (e.g. ACE-031)
- Anti-activin receptor IIB antibodies (e.g. bimagrumab)
- Myostatin inhibitors such as:
  - Agents reducing or ablating myostatin expression
  - Myostatin-binding proteins (e.g. follistatin, myostatin propeptide)
  - Myostatin- or precursor-neutralizing antibodies (e.g. apitegromab, domagrozumab, landogrozumab, stamulumab)

## S4.4. METABOLIC MODULATORS

### S4.4.1

- Activators of the AMP-activated protein kinase (AMPK), e.g. 5-*N*,6-*N*-bis(2-fluorophenyl)-[1,2,5]oxadiazolo[3,4-*b*]pyrazine-5,6-diamine (BAM15), AICAR, mitochondrial open reading frame of the 12S rRNA-c (MOTS-c)
- Peroxisome proliferator-activated receptor delta (PPAR $\delta$ ) agonists, e.g. 2-(2-methyl-4-((4-methyl-2-(4-(trifluoromethyl)phenyl)thiazol-5-yl)methylthio)phenoxy) acetic acid (GW1516, GW501516)
- Rev-erba agonists, e.g. SR9009, SR9011

S4.4.2 Insulins and insulin-mimetics, e.g. S519, S597

S4.4.3 Meldonium

S4.4.4 Trimetazidine

## S5 DIURETICS AND MASKING AGENTS

### PROHIBITED AT ALL TIMES (IN- AND OUT-OF-COMPETITION)

All prohibited substances in this class are *Specified Substances*.

All diuretics and masking agents, including all optical isomers, e.g. *d*- and *l*- where relevant, are prohibited.

Including, but not limited to:

- Diuretics such as:  
Acetazolamide; amiloride; bumetanide; canrenone; chlortalidone; etacrynic acid; furosemide; indapamide; metolazone; spironolactone; thiazides, e.g. bendroflumethiazide, chlorothiazide and hydrochlorothiazide; torasemide; triamterene; xipamide
  - Vaptans, e.g. conivaptan, mozavaptan, tolvaptan
  - Plasma expanders by intravenous administration such as:  
Albumin, dextran, hydroxyethyl starch, mannitol
  - Desmopressin
  - Probenecid
- and other substances with a similar chemical structure or similar biological effect(s).

### EXCEPTIONS

- Drospirenone; pamabrom; and topical ophthalmic administration of carbonic anhydrase inhibitors (e.g. dorzolamide, brinzolamide)
- Local administration of felypressin in dental anaesthesia

### NOTE

The detection in an *Athlete's Sample* at all times or *In-Competition*, as applicable, of any quantity of the following substances subject to threshold limits: formoterol, salbutamol, cathine, ephedrine, methylephedrine and pseudoephedrine, in conjunction with a diuretic or masking agent (except topical ophthalmic administration of a carbonic anhydrase inhibitor or local administration of felypressin in dental anaesthesia), will be considered as an *Adverse Analytical Finding (AAF)* unless the *Athlete* has an approved *Therapeutic Use Exemption (TUE)* for that substance in addition to the one granted for the diuretic or masking agent.

# PROHIBITED METHODS

## PROHIBITED AT ALL TIMES (IN- AND OUT-OF-COMPETITION)

All prohibited methods in this class are non-*Specified* except methods in M2.2. which are *Specified Methods*.

### M1. MANIPULATION OF BLOOD AND BLOOD COMPONENTS

The following are prohibited:

**M1.1.** The *Administration* or reintroduction of any quantity of autologous, allogenic (homologous) or heterologous blood, or red blood cell products of any origin into the circulatory system.

The withdrawal of blood or blood components (including by apheresis), unless performed for 1) analytical purposes including medical tests or *Doping Control*, or for 2) donation purposes in a collection center accredited by the relevant regulatory authority of the country in which it operates.

**M1.2.** Artificially enhancing the uptake, transport or delivery of oxygen.

Including, but not limited to:

Perfluorochemicals; efaproxiral (RSR13); voxelator and modified haemoglobin products, e.g. haemoglobin-based blood substitutes and microencapsulated haemoglobin products, excluding supplemental oxygen by inhalation.

**M1.3.** Any form of intravascular manipulation of the blood or blood components by physical or chemical means.

**M1.4.** The use of re-breathing systems or equipment to deliver carbon monoxide, unless performed as a diagnostic procedure under the supervision of a medical or scientific professional.

### M2. CHEMICAL AND PHYSICAL MANIPULATION

The following are prohibited:

**M2.1.** *Tampering, or Attempting to Tamper*, to alter the integrity and validity of *Samples* collected during *Doping Control*.

Including, but not limited to:

*Sample* substitution and/or adulteration, e.g. addition of proteases to *Sample*.

**M2.2.** Intravenous infusions and/or injections of more than a total of 100 mL per 12-hour period except for those legitimately received in the course of hospital treatments, surgical procedures or clinical diagnostic investigations.

# PROHIBITED METHODS

(continued)

## M3. GENE AND CELL DOPING

The following, with the potential to enhance sport performance, are prohibited:

- M3.1.** The use of nucleic acids or nucleic acid analogues that may alter genome sequences and/or gene expression by any mechanism. This includes but is not limited to gene editing, gene silencing and gene transfer technologies.
- M3.2.** The use of normal or genetically modified cells or cell components (e.g. nuclei and organelles such as mitochondria and ribosomes).

## S6 STIMULANTS

### PROHIBITED IN-COMPETITION

All prohibited substances in this class are *Specified Substances* except those in S6.A, which are non-*Specified Substances*.

*Substances of Abuse* in this section: cocaine and methylenedioxyamphetamine (MDMA / "ecstasy")

All stimulants, including all optical isomers, e.g. *d*- and *l*- where relevant, are prohibited.

Stimulants include:

#### S6.A: NON-SPECIFIED STIMULANTS

- Adrafinil
- Amfepramone
- Amfetamine
- Amfetaminil
- Amiphenazole
- Benfluorex
- Benzylpiperazine
- Bromantan
- Clobenzorex
- Cocaine
- Cropropamide
- Crotetamide
- Fencamine
- Fenetylline
- Fenfluramine
- Fenproporex
- Fladrafinil (2-[Bis(4-fluorophenyl) methylsulfinyl]-N-hydroxyacetamide)
- Flmodafinil (2-[Bis(4-fluorophenyl) methylsulfinyl]acetamide)
- Fonturacetam [4-phenylpiracetam (carphedon)]
- Furfenorex
- Hydrafinit (fluorenol)
- Lisdexamfetamine
- Mefenorex
- Mephentermine
- Mesocarb
- Metamfetamine(*d*-)
- *p*-methylamfetamine
- Modafinil
- Norfenfluramine
- Phendimetrazine
- Phentermine
- Prenylamine
- Prolintane

A stimulant not expressly listed in this section is a *Specified Substance*.

## S6 STIMULANTS (continued)

### S6.B: SPECIFIED STIMULANTS

Including, but not limited to:

- 2-phenylpropan-1-amine (β-methylphenylethylamine, BMPEA)
- 3-Methylhexan-2-amine (1,2-dimethylpentylamine)
- 4-Fluoromethylphenidate
- 4-Methylhexan-2-amine (1,3-dimethylamylamine, 1,3 DMAA, methylhexanamine)
- 4-Methylpentan-2-amine (1,3-dimethylbutylamine)
- 5-Methylhexan-2-amine (1,4-dimethylamylamine, 1,4-dimethylpentylamine, 1,4-DMAA)
- Benzfetamine
- Cathine\*\*
- Cathinone and its analogues, e.g. mephedrone, methedrone, and α-pyrrolidinovalerophenone
- Dimetamfetamine (dimethylamphetamine)
- Ephedrine\*\*\*
- Epinephrine\*\*\*\* (adrenaline)
- Etamivan
- Ethylphenidate
- Etilamfetamine
- Etilefrine
- Famprofazone
- Fenbutrazate
- Fencamfamin
- Heptaminol
- Hydroxyamfetamine (parahydroxyamphetamine)
- Isometheptene
- Levmetamfetamine
- Meclofenoxate
- Methylenedioxyamphetamine
- Methylephedrine\*\*\*
- Methylnaphthidate [(±)-methyl-2-(naphthalen-2-yl)-2-(piperidin-2-yl)acetate]
- Methylphenidate
- Midodrine
- Nikethamide
- Norfenefrine
- Octodrine (1,5-dimethylhexylamine)
- Octopamine
- Oxilofrine (methylsynephrine)
- Pemoline
- Pentetrazol
- Phenethylamine and its derivatives
- Phenmetrazine
- Phenpromethamine
- Propylhexedrine
- Pseudoephedrine\*\*\*\*\*
- Selegiline
- Sibutramine
- Solriamfetol
- Strychnine
- Tenamfetamine (methylenedioxyamphetamine)
- Tesofensine
- Tuaminoheptane

and other substances with a similar chemical structure or similar biological effect(s).

### **i** EXCEPTIONS

- Clonidine, guanfacine
- Imidazoline derivatives for dermatological, nasal, ophthalmic or otic use (e.g. brimonidine, clonazoline, fenoxazoline, indanazoline, naphazoline, oxymetazoline, tetrazyline, tramazoline, xylometazoline) and those stimulants included in the 2026 Monitoring Program\*

\* Bupropion, caffeine, nicotine, phenylephrine, phenylpropanolamine, pipradrol, and synephrine: These substances are included in the 2026 Monitoring Program and are not considered *Prohibited Substances*.

\*\* Cathine (d-norpseudoephedrine) and its l-isomer: Prohibited when its concentration in urine is greater than 5 micrograms per millilitre.

\*\*\* Ephedrine and methylephedrine: Prohibited when the concentration of either in urine is greater than 10 micrograms per millilitre.

\*\*\*\* Epinephrine (adrenaline): Not prohibited in local administration, e.g. nasal, ophthalmologic, or co-administration with local anaesthetic agents.

\*\*\*\*\* Pseudoephedrine: Prohibited when its concentration in urine is greater than 150 micrograms per millilitre.

# S7 NARCOTICS

## PROHIBITED IN-COMPETITION

All prohibited substances in this class are *Specified Substances*.

*Substance of Abuse* in this section: diamorphine (heroin)

The following narcotics, including all optical isomers, e.g. *d*- and *l*- where relevant, are prohibited.

- Buprenorphine
- Dextromoramide
- Diamorphine (heroin)
- Fentanyl and its derivatives
- Hydromorphone
- Methadone
- Morphine
- Nicomorphine
- Oxycodone
- Oxymorphone
- Pentazocine
- Pethidine
- Tramadol

## S8 CANNABINOIDS

### PROHIBITED IN-COMPETITION

All prohibited substances in this class are *Specified Substances*.

*Substance of Abuse* in this section: tetrahydrocannabinol (THC)

All natural and synthetic cannabinoids are prohibited, e.g.

- In cannabis (hashish, marijuana) and cannabis products
- Natural and synthetic tetrahydrocannabinols (THCs)
- Synthetic cannabinoids that mimic the effects of THC

### EXCEPTIONS

- Cannabidiol

## S9 GLUCOCORTICOIDS

### PROHIBITED IN-COMPETITION

All prohibited substances in this class are *Specified Substances*.

All glucocorticoids are prohibited when administered by any injectable, oral [including oromucosal (e.g. buccal, gingival, sublingual)] or rectal route.

Including, but not limited to:

- Beclometasone
- Betamethasone
- Budesonide
- Ciclesonide
- Cortisone
- Deflazacort
- Dexamethasone
- Flunisolide
- Fluocortolone
- Fluticasone
- Hydrocortisone
- Methylprednisolone
- Mometasone
- Prednisolone
- Prednisone
- Triamcinolone acetonide

#### NOTE

- Other routes of administration (including inhaled, and topical: dental-intracanal, dermal, intranasal, ophthalmological, otic and perianal) are not prohibited when used within the manufacturer's licensed doses and therapeutic indications.

# P1 BETA-BLOCKERS

## PROHIBITED IN PARTICULAR SPORTS

All prohibited substances in this class are *Specified Substances*.

Beta-blockers are prohibited *In-Competition* only, in the following sports, and also prohibited *Out-of-Competition* where indicated (\*).

- Archery (WA)\*
- Automobile (FIA)
- Billiards (all disciplines) (WCBS)
- Darts (WDF)
- Golf (IGF)
- Mini-Golf (WMF)
- Shooting (ISSF, IPC)\*
- Underwater sports (CMAS)\* in all subdisciplines of freediving, spearfishing and target shooting

\*Also prohibited *Out-of-Competition*

Including, but not limited to:

- |              |              |                |               |
|--------------|--------------|----------------|---------------|
| • Acebutolol | • Bunolol    | • Labetalol    | • Oxprenolol  |
| • Alprenolol | • Carteolol  | • Metipranolol | • Pindolol    |
| • Atenolol   | • Carvedilol | • Metoprolol   | • Propranolol |
| • Betaxolol  | • Celiprolol | • Nadolol      | • Sotalol     |
| • Bisoprolol | • Esmolol    | • Nebivolol    | • Timolol     |

# INDEX

- (±)-Methyl-2-(naphthalen-2-yl)-2-(piperidin-2-yl)acetate, 16
- 1-Androstenediol, 5
- 1-Androstenedione, 5
- 1-Androsterone, 5
- 1-Epiandrosterone, 5
- 1-Testosterone, 5
- 1,2-Dimethylpentylamine, 16
- [1,2]Oxazolo[4',5':2,3]pregna-4-en-20-yn-17 $\alpha$ -ol, 5
- 1,3-Dimethylamylamine (1,3 DMAA), 16
- 1,3-Dimethylbutylamine, 16
- 1,4-Dimethylamylamine (1,4-DMAA), 16
- 1,4-Dimethylpentylamine, 16
- 1,5-Dimethylhexylamine, 16
- 2-Androstenol, 10
- 2-Androstenone, 10
- 2-[Bis(4-fluorophenyl)methylsulfinyl]acetamide, 15
- 2-[Bis(4-fluorophenyl)methylsulfinyl]-N-hydroxyacetamide, 15
- 2-Phenylbenzo[h]chromen-4-one, 10
- 2-Phenylpropan-1-amine, 16
- 2,4-Dinitrophenol (DNP), 4
- 3 $\alpha$ -Hydroxy-5 $\alpha$ -androst-1-ene-17-one, 5
- 3 $\beta$ -Hydroxy-5 $\alpha$ -androst-1-ene-17-one, 5
- 3 $\beta$ -Hydroxy-5 $\alpha$ -androstan-17-one, 5
- 3 $\beta$ -Hydroxyandrost-5-en-17-one, 6
- 3-Androstenol, 10
- 3-Androstenone, 10
- 3-Methylhexan-2-amine, 16
- 4-Androstene-3,6,17-trione, 10
- 4-Androstenediol, 5
- 4-Chloro-17 $\beta$ -hydroxy-17 $\alpha$ -methylandrosta-1,4-dien-3-one, 5
- 4-Chloro-17 $\beta$ -ol-estr-4-en-3-one, 6
- 4-Fluoromethylphenidate, 16
- 4-Hydroxytestosterone, 5
- 4-Methylhexan-2-amine, 16
- 4-Methylpentan-2-amine, 16
- 4-Phenylpiracetam, 15
- 4,17 $\beta$ -Dihydroxyandrost-4-en-3-one, 5
- 5 $\alpha$ -Androst-1-ene-3, 17-dione, 5
- 5 $\alpha$ -Androst-1-ene-3 $\beta$ , 17 $\beta$ -diol, 5
- 5 $\alpha$ -Androst-2-en-17-ol, 10
- 5 $\alpha$ -Androst-2-en-17-one, 10
- 5 $\alpha$ -Androst-3-en-17-ol, 10
- 5 $\alpha$ -Androst-3-en-17-one, 10
- 5 $\alpha$ -Dihydrotestosterone, 5
- 5-Androstenedione, 5
- 5-Methylhexan-2-amine, 16
- 5-N,6-N-bis(2-fluorophenyl)-[1,2,5]oxadiazolo[3,4-b]pyrazine-5,6-diamine, 11
- 6-Oxo, 10
- 7 $\alpha$ -Hydroxy-DHEA, 5
- 7 $\alpha$ ,11 $\beta$ -Dimethyl-19-nortestosterone, 5
- 7 $\alpha$ -Methyl-19-nortestosterone, 6
- 7 $\beta$ -Hydroxy-DHEA, 5
- 7-Keto-DHEA, 5
- 7,8-Benzoflavone, 10
- 11 $\beta$ -Methyl-19-nortestosterone, 5
- 11-Ketoandrostenedione, 5
- 17 $\alpha$ -Methyl [1,2,5]oxadiazolo[3',4':2,3]-5 $\alpha$ -androstan-17 $\beta$ -ol, 5
- 17 $\alpha$ -Methyl-5 $\alpha$ -androst-2-en-17 $\beta$ -ol, 5
- 17 $\alpha$ -Methyl-5 $\alpha$ -androst-3-en-17 $\beta$ -ol, 5
- 17 $\alpha$ -Methylepithiostanol, 5
- 17 $\beta$ -Hydroxy-2 $\alpha$ ,17 $\alpha$ -dimethyl-5 $\alpha$ -androstan-3-one, 6
- 17 $\beta$ -Hydroxy-5 $\alpha$ -androst-1-en-3-one, 5
- 17 $\beta$ -Hydroxy-5 $\alpha$ -androstan-3-one, 5
- 17 $\beta$ -Hydroxy-5 $\beta$ -androstan-3-one, 5
- 17 $\beta$ -hydroxy-17 $\alpha$ -methyl-5 $\alpha$ -androst-1-en-3-one, 6
- 17 $\beta$ -Hydroxy-17 $\alpha$ -methylandrosta-1,4-dien-3-one, 6
- 17 $\beta$ -Hydroxy-17 $\alpha$ -methylestr-4-en-3-one, 6
- 17 $\beta$ -Hydroxy-17 $\alpha$ -methylestra-4,9-dien-3-one, 6
- 17 $\beta$ -Hydroxy-17 $\alpha$ -methylestra-4,9,11-trien-3-one, 6
- 17 $\beta$ -Hydroxyestr-4,9,11-trien-3-one, 6
- 17 $\beta$ -[(Tetrahydropyran-2-yl)oxy]-1'H-pyrazolo[3,4:2,3]-5 $\alpha$ -androstan-3-one, 6
- 17-Hydroxy-18 $\alpha$ -homo-19-nor-17 $\alpha$ -pregna-4,9,11-trien-3-one, 6
- 19-Norandrostenediol, 5
- 19-Norandrostenedione, 5
- 19-Norpregna-4-en-17 $\alpha$ -ol, 5
- 19-Nortestosterone, 6
- $\alpha$ -Naphthoflavone, 10
- $\alpha$ -Pyrrolidinovalerophenone, 16
- $\beta$ -Methylphenylethylamine, 16
- Activators of the AMP-activated protein kinase (AMPK), 11
- Activin A-neutralizing antibodies, 11
- Activin receptor IIB competitors, 11
- Adrafinil, 15
- Adrenaline, 16
- Adrenosterone, 5
- AICAR, 11
- Albumin, 12
- Alexamorelin, 8
- Alprenolol, 20
- Amfepramone, 15
- Amfetamine, 15
- Amfetaminil, 15
- Amiloride, 12
- Aminoglutethimide, 10
- Amiphenazole, 15
- AMP-activated protein kinase (AMPK), 11
- Anamorelin, 8
- Anastrozole, 10
- Andarine, 6
- Androst-4-ene-3 $\beta$ ,17 $\beta$ -diol, 5
- Androst-4-ene-3,11,17-trione, 5
- Androst-4-ene-3,17-dione, 5
- Androst-5-ene-3 $\beta$ ,17 $\beta$ -diol, 5
- Androst-5-ene-3,17-dione, 5
- Androsta-1,4,6-triene-3,17-dione, 10
- Androsta-1,4-diene-3,17-dione, 5
- Androsta-3,5-diene-7,17-dione, 10
- Androstanolone, 5
- Androstatrienedione, 10
- Androstenediol, 5
- Androstenedione, 5
- Anti-activin receptor IIB antibodies, 11
- AOD-9604, 8
- Apheresis, 13
- Apitegromab, 11
- Arformoterol, 9
- Arimistane, 10
- ARM210, 4
- Asialo EPO, 7
- Atenolol, 20
- ## B
- BAM15, 11
- Bazedoxifene, 10
- Beclometasone, 19
- Bendroflumethiazide, 12
- Benfluorex, 15

# INDEX

- Benzfetamine, 16  
 Benzylpiperazine, 15  
 Betamethasone, 19  
 Betaxolol, 20  
 Bimagrumab, 11  
 Bisoprolol, 20  
 Blood, 13  
 Blood (autologous), 13  
 Blood (components), 13  
 Blood (heterologous), 13  
 Blood (homologous), 13  
 Blood manipulation, 13  
 Blood withdrawal, 13  
 BMPEA, 16  
 Bolasterone, 5  
 Boldenone, 5  
 Boldione, 5  
 BPC-157, 4  
 Brimonidine, 16  
 Brinzolamide, 12  
 Bromantan, 15  
 Budesonide, 19  
 Bumetanide, 12  
 Bunolol, 20  
 Buprenorphine, 17  
 Bupropion, 16  
 Buserelin, 8
- C**
- Caffeine, 16  
 Calusterone, 5  
 Cannabidiol, 18  
 Cannabis, 18  
 Canrenone, 12  
 Capromorelin, 8  
 Carbamylated EPO (CEPO), 7  
 Carbon monoxide, 13  
 Carphedon, 15  
 Carteolol, 20  
 Carvedilol, 20  
 Cathine, 12, 16  
 Cathinone, 16  
 Celiprolol, 20  
 Cell (doping), 14  
 Cell (genetically modified), 14  
 Cell (normal), 14  
 Cell (red blood), 13  
 Cell components (nuclei), 14
- Cell components (mitochondria), 14  
 Cell components (ribosomes), 14  
 Chlorothiazide, 12  
 Chlortalidone, 12  
 Chorionic Gonadotrophin (CG), 8  
 Ciclesonide, 19  
 CJC-1293, 8  
 CJC-1295, 8  
 Clenbuterol, 6  
 Clobenzorex, 15  
 Clomifene, 10  
 Clonazoline, 16  
 Clonidine, 16  
 Clostebol, 5  
 CNTO-530, 7  
 Cobalt, 7  
 Cocaine, 15  
 Conivaptan, 12  
 Corticorelin, 8  
 Corticotrophins, 8  
 Cortisone, 19  
 Cropropamide, 15  
 Crotetamide, 15  
 Cyclofenil, 10
- D**
- Danazol, 5  
 Daprodustat, 7  
 Darbeopetins (dEPO), 7  
 Deflazacort, 19  
 Dehydrochlormethyltestosterone, 5  
 Dehydroepiandrosterone (DHEA), 6  
 Deslorelin, 8  
 Desmopressin, 12  
 Desoxymethyltestosterone, 5  
 Dexamethasone, 19  
 Dextran, 12  
 Dextromoramide, 17  
 Diamorphine, 17  
 Dimetamfetamine, 16  
 Dimethandrolone, 5  
 Dimethylamphetamine, 16  
 Domagrozumab, 11  
 Dorzolamide, 12  
 Drospirenone, 12  
 Drostanolone, 5
- E**
- Ecstasy, 15  
 Efavoxiral (RSR13), 13  
 Elacestrant, 10  
 Enobosarm, 6  
 Ephedrine, 12, 16  
 Epiandrosterone, 5  
 Epi-dihydrotestosterone, 5  
 Epinephrine, 16  
 Epistane, 5  
 Epitestosterone, 5  
 EPO-based constructs, 7  
 EPO-Fc, 7  
 EPO-mimetic agents, 7  
 Erythropoietin receptor agonists, 7  
 Erythropoietins (EPO), 7  
 Esmolol, 20  
 Esters of anabolic androgenic steroids, 6  
 Estr-4-ene-3,17-diol, 5  
 Estr-4-ene-3,17-dione, 5  
 Etacrynic acid, 12  
 Etamivan, 16  
 Ethylestrenol, 5  
 Ethylphenidate, 16  
 Etilamfetamine, 16  
 Etilefrine, 16  
 Examorelin, 8  
 Exemestane, 10
- F**
- Famprofazone, 16  
 Felypressin, 12  
 Fenbutrazate, 16  
 Fencamfamin, 16  
 Fencamine, 15  
 Fenetylline, 15  
 Fenfluramine, 15  
 Fenoterol, 9  
 Fenoxazoline, 16  
 Fenproporex, 15  
 Fentanyl, 17  
 Fibroblast growth factors (FGFs), 8  
 Fladrafinil, 15  
 Flmodafinil, 15  
 Flunisolid, 19  
 Fluocortolone, 19  
 Fluorenol, 15  
 Fluoxymesterone, 5  
 Fluticasone, 19

# INDEX

- Follistatin, 11  
 Fonturacetam, 15  
 Formebolone, 5  
 Formestane, 10  
 Formoterol, 9, 12  
 Fulvestrant, 10  
 Furazabol, 5  
 Furfenorex, 15  
 Furosemide, 12
- G**
- GATA inhibitors, 7  
 Gene doping, 14  
 Gene editing, 14  
 Gene silencing, 14  
 Gene transfer, 14  
 Gestrinone, 6  
 Ghrelin, 8  
 GH-releasing peptides (GHRPs), 8  
 Gonadorelin, 8  
 Gonadotrophin-releasing hormone (GnRH), 8  
 Goserelin, 8  
 Growth hormone (GH), 8  
 Growth hormone secretagogues (GHS), 8  
 Guanfacine, 16  
 GW1516, 11  
 GW501516, 11
- H**
- Haemoglobin (products), 13  
 Haemoglobin (based blood substitutes), 13  
 Haemoglobin (microencapsulated products), 13  
 Hashish, 18  
 Hepatocyte growth factor (HGF), 8  
 Heptaminol, 16  
 Heroin, 17  
 Hexarelin, 8  
 hGH 176-191, 8  
 Higenamine, 9  
 Histrelin, 8  
 Hydrafenil, 15  
 Hydrochlorothiazide, 12  
 Hydrocortisone, 19  
 Hydromorphone, 17  
 Hydroxyamfetamine, 16  
 Hydroxyethyl starch, 12
- Hypoxia-inducible factor (HIF) activating agents, 7
- I**
- Ibutamoren, 8  
 Imidazoline, 16  
 Indacaterol, 9  
 Indanazoline, 16  
 Indapamide, 12  
 Infusions, 13  
 Injections (>100 mL), 13  
 Innate repair receptor agonists, 7  
 Insulin-like growth factor-1 (IGF-1), 8  
 Insulin-mimetics, 11  
 Insulins, 11  
 Intravenous infusions/injections, 13  
 IOX2, 7  
 Ipamorelin, 8  
 Isometheptene, 16
- K**
- K-11706, 7  
 Kisspeptin, 8
- L**
- Labetalol, 20  
 Landogrozumab, 11  
 Lenomorelin, 8  
 Letrozole, 10  
 Leuprorelin, 8  
 Levmetamfetamine, 16  
 Levosalbutamol, 9  
 LGD-4033, 6  
 Ligandrol, 6  
 Lisdexamfetamine, 15  
 Lonapegsomatropin, 8  
 Luspatercept, 7  
 Luteinizing hormone (LH), 8
- M**
- Macimorelin, 8  
 Mannitol, 12  
 Marijuana, 18  
 Mecasermin, 8  
 Mechano growth factors (MGFs), 8  
 Meclofenoxate, 16  
 Mefenorex, 15  
 Meldonium, 11  
 MENT, 6  
 Mephedrone, 16  
 Mephentermine, 15  
 Mesocarb, 15  
 Mestanolone, 6  
 Mesterolone, 6  
 Metamfetamine(*d*-), 15  
 Metandienone, 6  
 Metenolone, 6  
 Methadone, 17  
 Methandriol, 6  
 Methasterone, 6  
 Methedrone, 16  
 Methoxy polyethylene glycol-epoetin beta (CERA), 7  
 Methyl-1-testosterone, 6  
 Methylclostebol, 6  
 Methyldienolone, 6  
 Methylenedioxymphetamine, 16  
 Methylenedioxymethamphetamine, 16  
 Methylephedrine, 12, 16  
 Methylhexaneamine, 16  
 Methylnaphtidate, 16  
 Methylnortestosterone, 6  
 Methylphenidate, 16  
 Methylprednisolone, 19  
 Methylsynephrine, 16  
 Methyltestosterone, 6  
 Methyltrienolone, 6  
 Metipranolol, 20  
 Metolazone, 12  
 Metoprolol, 20  
 Metribolone, 6  
 Mibolerone, 6  
 Midodrine, 16  
 Mitochondria, 14  
 Mitochondrial open reading frame of the 12S rRNA-c, 11  
 MK-677, 8  
 Modafinil, 15  
 Molidustat, 7  
 Mometasone, 19  
 Morphine, 17  
 MOTS-c, 11  
 Mozavaptan, 12  
 Myostatin inhibitors, 11  
 Myostatin precursor-neutralizing antibodies, 11  
 Myostatin propeptide, 11  
 Myostatin-binding proteins, 11

# INDEX

- Myostatin-neutralizing antibodies, 11
- ## N
- Nadolol, 20  
 Nafarelin, 8  
 Nandrolone, 6  
 Naphazoline, 16  
 Nebivolol, 20  
 Nicomorphine, 17  
 Nicotine, 16  
 Nikethamide, 16  
 Norbolestone, 6  
 Norclostebol, 6  
 Norethandrolone, 6  
 Norfenefrine, 16  
 Norfenfluramine, 15  
 Nuclei/nucleus, 14  
 Nucleic acids, 14  
 Nucleic acid analogues, 14
- ## O
- Octodrine, 16  
 Octopamine, 16  
 Olodaterol, 9  
 Organelles (e.g. nuclei, mitochondria, ribosomes), 14  
 Osilodrostat, 6  
 Ospemifene, 10  
 Ostarine, 6  
 Oxabolone, 6  
 Oxandrolone, 6  
 Oxilofrine, 16  
 Oxprenolol, 20  
 Oxycodone, 17  
 Oxymesterone, 6  
 Oxymetazoline, 16  
 Oxymetholone, 6  
 Oxymorphone, 17
- ## P
- Pamabrom, 12  
 Parahydroxyamphetamine, 16  
 Peginesatide, 7  
 Pegmolesatide, 7  
 Pemoline, 16  
 Pentazocine, 17  
 Pentetrazol, 16  
 Perfluorochemicals, 13  
 Peroxisome proliferator activated  
 receptor delta agonists, 11  
 Pethidine, 17  
 Phendimetrazine, 15  
 Phenethylamine, 16  
 Phenmetrazine, 16  
 Phenpromethamine, 16  
 Phentermine, 15  
 Phenylephrine, 16  
 Phenylpropanolamine, 16  
 Pindolol, 20  
 Pipradrol, 16  
 Plasma expanders, 12  
 Platelet-derived growth factor (PDGF), 8  
 p-methylamphetamine, 15  
 Pralmorelin, 8  
 Prasterone, 6  
 Prednisolone, 19  
 Prednisone, 19  
 Prenylamine, 15  
 Probenecid, 12  
 Procateterol, 9  
 Prolintane, 15  
 Propranolol, 20  
 Propylhexedrine, 16  
 Prostanazol, 6  
 Proteases, 13  
 Pseudoephedrine, 12, 16
- ## Q
- Quinbolone, 6
- ## R
- RAD140, 6  
 Ractopamine, 6  
 Raloxifene, 10  
 Reldesemtiv, 4  
 Reproterol, 9  
 Rev-erba agonists, 11  
 Roxadustat, 7  
 Ryanodine receptor-1-calstabin  
 complex stabilizers, 4  
 Re-breathing systems or equipment  
 to deliver carbon monoxide, 13  
 Ribosomes, 14
- ## S
- S-107, 4  
 S-23, 6  
 S48168, 4  
 S519, 11  
 S597, 11  
 Salbutamol, 9, 12  
 Salmeterol, 9  
 Selective androgen receptor  
 modulators (SARMs), 6  
 Selegiline, 16  
 Sermorelin, 8  
 Sibutramine, 16  
 Solriamfetol, 16  
 Somapacitan, 8  
 Somatogon, 8  
 Sotalol, 20  
 Sotatercept, 7  
 Spironolactone, 12  
 SR9009, 11  
 SR9011, 11  
 Stamulumab, 11  
 Stanozolol, 6  
 Stenbolone, 6  
 Strychnine, 16  
 Synephrine, 16
- ## T
- Tabimorelin, 8  
 Tamoxifen, 10  
 Tampering, 13  
 TB-500, 8  
 Tenamfetamine, 16  
 Terbutaline, 9  
 Tesamorelin, 8  
 Tesofensine, 16  
 Testolactone, 10  
 Testosterone, 6  
 Testosterone-stimulating peptides 8  
 Tetracosactide, 8  
 Tetrahydrocannabinols, 18  
 Tetrahydrogestrinone, 6  
 Tetryzoline, 16  
 Thiazides, 12  
 Thymosin-β4, 8  
 Tibolone, 6  
 Timolol, 20  
 Tirasemtiv, 4  
 Tolvaptan, 12  
 Torasemide, 12  
 Toremfene, 10  
 Tramadol, 17  
 Tramazoline, 16



# INDEX

Transforming growth factor beta  
(TGF- $\beta$ ) signalling inhibitors, 7

Trenbolone, 6

Trestolone, 6

Tretoquinol, 9

Triamcinolone acetonide, 19

Triamterene, 12

Trimetazidine, 11

Trimetoquinol, 9

Triptorelin, 8

Troponin activators, 4

Tuaminoheptane, 16

Tulobuterol, 9

## V

Vadadustat (AKB-6548), 7

Vaptans, 12

Vascular endothelial growth factor  
(VEGF), 8

Vilanterol, 9

Voxelotor, 13

## X

Xenon, 7

Xipamide, 12

Xylometazoline, 16

## Y

YK-11, 6

## Z

Zeranol, 6

Zilpaterol, 6