



ROZPORZĄDZENIE WYKONAWCZE KOMISJI (UE) 2025/2263

z dnia 12 listopada 2025 r.

zmieniające rozporządzenie wykonawcze (UE) 2015/2378 w odniesieniu do standardowych formularzy i formatów elektronicznych na potrzeby obowiązkowej automatycznej wymiany informacji o raportowanych kryptoaktywach, przekazywania rocznej oceny i wykazu danych statystycznych przez państwa członkowskie na podstawie dyrektywy Rady 2011/16/UE

KOMISJA EUROPEJSKA,

uwzględniając Traktat o funkcjonowaniu Unii Europejskiej,

uwzględniając dyrektywę Rady 2011/16/UE z dnia 15 lutego 2011 r. w sprawie współpracy administracyjnej w dziedzinie opodatkowania i uchylającą dyrektywę 77/799/EWG ⁽¹⁾, w szczególności jej art. 8ad ust. 4 i 9, art. 20 ust. 5 lit. c) oraz art. 23 ust. 3 i 4,

a także mając na uwadze, co następuje:

- (1) Dyrektywą Rady (UE) 2023/2226 ⁽²⁾ zmieniono dyrektywę 2011/16/UE, aby zapewnić obowiązkową automatyczną wymianę informacji, które mają być zgłaszane przez raportujących dostawców usług w zakresie kryptoaktywów.
- (2) Zgodnie z art. 8ad ust. 4 dyrektywy 2011/16/UE konieczne jest przyjęcie praktycznych ustaleń ułatwiających przekazywanie informacji, o czym mowa w ust. 3 tego artykułu. W szczególności automatyczna wymiana informacji zgodnie z art. 8ad ust. 6 dyrektywy 2011/16/UE powinna odbywać się przy użyciu standardowego formatu elektronicznego.
- (3) Zgodnie z art. 8ad ust. 9 dyrektywy 2011/16/UE konieczne jest przyjęcie praktycznych ustaleń niezbędnych do rejestracji i identyfikacji operatorów kryptoaktywów będących raportującymi dostawcami usług w zakresie kryptoaktywów, aby państwa członkowskie dysponowały odpowiednimi informacjami na temat operatora kryptoaktywów podlegającego obowiązkowi sprawozdawczym w danym państwie członkowskim.
- (4) W celu zapewnienia, aby państwa członkowskie przekazywały te same informacje na temat operatorów kryptoaktywów, konieczne jest ustanowienie standardowego formularza, który ma być stosowany do przekazywania informacji o takich operatorach do rejestru operatorów kryptoaktywów.
- (5) Art. 2c rozporządzenia wykonawczego Komisji (UE) 2015/2378 ⁽³⁾ i załącznik X do tego rozporządzenia należy zaktualizować o nowe informacje, aby uwzględnić obecne zmiany w dyrektywie 2011/16/UE.
- (6) Należy zatem odpowiednio zmienić rozporządzenie wykonawcze (UE) 2015/2378.
- (7) Zgodnie z art. 42 ust. 1 rozporządzenia Parlamentu Europejskiego i Rady (UE) 2018/1725 ⁽⁴⁾ przeprowadzono konsultacje z Europejskim Inspektorem Ochrony Danych.
- (8) Ze względu na spójność i pewność prawa datę wejścia w życie niniejszego rozporządzenia należy dostosować do daty rozpoczęcia stosowania określonej w art. 2 ust. 1 akapit drugi dyrektywy (UE) 2023/2226.

⁽¹⁾ Dz.U. L 64 z 11.3.2011, s. 1, ELI: <http://data.europa.eu/eli/dir/2011/16/oj>.

⁽²⁾ Dyrektywa Rady (UE) 2023/2226 z dnia 17 października 2023 r. zmieniająca dyrektywę 2011/16/UE w sprawie współpracy administracyjnej w dziedzinie opodatkowania (Dz.U. L, 2023/2226, 24.10.2023, ELI: <http://data.europa.eu/eli/dir/2023/2226/oj>).

⁽³⁾ Rozporządzenie wykonawcze Komisji (UE) 2015/2378 z dnia 15 grudnia 2015 r. ustanawiające szczegółowe zasady wykonywania niektórych przepisów dyrektywy Rady 2011/16/UE w sprawie współpracy administracyjnej w dziedzinie opodatkowania i uchylające rozporządzenie wykonawcze (UE) nr 1156/2012 (Dz.U. L 332 z 18.12.2015, s. 19, ELI: http://data.europa.eu/eli/reg_impl/2015/2378/oj).

⁽⁴⁾ Rozporządzenie Parlamentu Europejskiego i Rady (UE) 2018/1725 z dnia 23 października 2018 r. w sprawie ochrony osób fizycznych w związku z przetwarzaniem danych osobowych przez instytucje, organy i jednostki organizacyjne Unii i swobodnego przepływu takich danych oraz uchylenia rozporządzenia (WE) nr 45/2001 i decyzji nr 1247/2002/WE (Dz.U. L 295 z 21.11.2018, s. 39, ELI: <http://data.europa.eu/eli/reg/2018/1725/oj>).

- (9) Środki przewidziane w niniejszym rozporządzeniu są zgodne z opinią Komitetu ds. Współpracy Administracyjnej w Dziedzinie Opodatkowania,

PRZYJMUJE NINIEJSZE ROZPORZĄDZENIE:

Artykuł 1

W rozporządzeniu wykonawczym (UE) 2015/2378 wprowadza się następujące zmiany:

- 1) w art. 2 dodaje się ust. 5 w brzmieniu:

„5. Format elektroniczny, który ma być stosowany do obowiązkowej automatycznej wymiany informacji na podstawie art. 8a d ust. 6 dyrektywy 2011/16/UE, jest zgodny z załącznikiem XVIII do niniejszego rozporządzenia.”;

- 2) art. 2c ust. 2 otrzymuje brzmienie:

„2. Przed dniem 1 maja każdego roku państwa członkowskie przekazują Komisji w formie elektronicznej roczną ocenę w formacie, o którym mowa w ust. 1. Ocena obejmuje poprzedni rok kalendarzowy.”;

- 3) dodaje się art. 2g w brzmieniu:

„Artykuł 2g

Standardowe formularze, w tym ustalenia językowe, służące do przekazywania informacji o operatorach kryptoaktywów oraz okres zatrzymywania informacji usuniętych z rejestru operatorów kryptoaktywów

1. Formularz, który ma służyć do przekazywania informacji na temat operatorów kryptoaktywów do rejestru operatorów kryptoaktywów zgodnie z art. 8a d ust. 9 dyrektywy 2011/16/UE, jest zgodny z załącznikiem XIX do niniejszego rozporządzenia.
 2. Kluczowymi elementami, które należy ewidencjonować w rejestrze operatorów kryptoaktywów zgodnie z art. 8a d ust. 9 dyrektywy 2011/16/UE, są informacje wymienione w sekcji V część F pkt 2 załącznika VI do dyrektywy 2011/16/UE oraz w załączniku XIX do niniejszego rozporządzenia. Ustanowienie rejestru operatorów kryptoaktywów i przetwarzanie danych osobowych w ramach tego rejestru przez Komisję w imieniu właściwych organów państw członkowskich jest zgodne z rozporządzeniami (UE) 2016/679 i (UE) 2018/1725. Właściwe organy państw członkowskich uznaje się za administratorów danych, a Komisję – za podmiot przetwarzający dane zgodnie z rozporządzeniem (UE) 2016/679.
 3. Format indywidualnego numeru identyfikacyjnego zgodnie z art. 8a d ust. 7 określono w załączniku XIX do niniejszego rozporządzenia.
 4. Okres zatrzymywania informacji wykreślonych z rejestru operatorów kryptoaktywów zgodnie z sekcją V część F pkt 5 lit. d) załącznika VI do dyrektywy 2011/16/UE określono w załączniku XIX do niniejszego rozporządzenia.
 5. Przepisy dotyczące zmiany państwa członkowskiego, w którym dokonywana jest jednorazowa rejestracja, i przekazywania informacji dotyczących raportującego dostawcy usług w zakresie kryptoaktywów do nowego państwa członkowskiego, w którym dokonywana jest jednorazowa rejestracja, określono w załączniku XIX do niniejszego rozporządzenia.”;
- 4) załącznik VIII zastępuje się tekstem znajdującym się w załączniku I do niniejszego rozporządzenia;
- 5) w załączniku X wprowadza się zmiany określone w załączniku II do niniejszego rozporządzenia;
- 6) tekst załącznika III do niniejszego rozporządzenia dodaje się jako załącznik XVIII;
- 7) tekst załącznika IV do niniejszego rozporządzenia dodaje się jako załącznik XIX.

Artykuł 2

Niniejsze rozporządzenie wchodzi w życie dwudziestego dnia po jego opublikowaniu w *Dzienniku Urzędowym Unii Europejskiej*.

Niniejsze rozporządzenie stosuje się od dnia 1 stycznia 2026 r.

Niniejsze rozporządzenie wiąże w całości i jest bezpośrednio stosowane we wszystkich państwach członkowskich.

Sporządzono w Brukseli dnia 12 listopada 2025 r.

W imieniu Komisji
Przewodnicząca
Ursula VON DER LEYEN

ZAŁĄCZNIK I

„ZAŁĄCZNIK VIII

Format, o którym mowa w art. 2c

Format przekazywania informacji zgodnie z art. 23 ust. 3 dyrektywy 2011/16/UE obejmuje następujące informacje:

- a) wskazanie państwa członkowskiego, które wypełnia kwestionariusz;
- b) ogólne informacje na temat organizacji i zasobów do celów automatycznej wymiany informacji, w tym kosztów administracyjnych i innych istotnych kosztów opracowania i wdrożenia; kosztów administracyjnych powtarzających się działań; innych istotnych kosztów działań dotyczących przestrzegania przepisów prawa podatkowego;
- c) spory i postępowania sądowe;
- d) dostępność informacji w państwie członkowskim, w tym opis procesu zarządzania w celu zapewnienia gromadzenia danych, w tym elementów identyfikacyjnych, oraz terminowość wysyłanych informacji;
- e) skuteczność wymiany informacji prowadzonej jako otrzymujące państwo członkowskie, w tym przetwarzanie otrzymanych informacji, całkowity odsetek wskaźnika dopasowania oraz odsetek zidentyfikowanych z powodzeniem zgłoszeń;
- f) jakość uzyskanych informacji, w tym identyfikacja odpowiednich podatników/podmiotów, odsetek ważnych numerów identyfikacji podatkowej (NIP) przekazanych przez wysyłające państwo członkowskie;
- g) wykorzystanie uzyskanych informacji, w tym informacji o kategoriach wykorzystania, obszarze podatkowym, innej zainicjowanej współpracy administracyjnej;
- h) oszacowanie wyniku wykorzystania informacji, w tym zwiększenia naliczonego podatku lub zwiększenia skorygowanej podstawy opodatkowania, odsetek sprawozdań wykorzystywanych w dochodzeniach podatkowych;
- i) monitorowanie, czy raz w roku strony przekazywały sobie informacje zwrotne zgodnie z art. 14 ust. 2 dyrektywy 2011/16/UE,
- j) monitorowanie, wdrażanie i wyniki działań następczych związanych z konkretnymi projektami mającymi znaczenie dla funkcjonowania dyrektywy oraz
- k) wszelkie inne istotne informacje związane z lit. a) – j) lub problemy napotkane przez państwa członkowskie.”

ZAŁĄCZNIK II

W załączniku X do rozporządzenia wykonawczego (UE) 2015/2378 do wykazu dodaje się tiret w brzmieniu:

- „— W przypadku dywidend niepowierniczych: dane statystyczne na temat wiadomości i odbiorcy, wiadomości i płatnika, odbiorcy i relacji, płatnika i relacji, odbiorcy i dochodów.”.

—

ZAŁĄCZNIK III

„ZAŁĄCZNIK XVIII

Format elektroniczny, o którym mowa w art. 2 ust. 5

Format elektroniczny służący do obowiązkowej automatycznej wymiany informacji na podstawie art. 8ad ust. 6 dyrektywy 2011/16/UE jest zgodny z następującą strukturą drzewa i zawiera następujące elementy i atrybuty (!):

CARF XML

```
<?xml version="1.0" encoding="UTF-8"?>

<xsd:schema xmlns:carf="urn:oecd:ties:carf:v1" xmlns:xsd="http://www.w3.org/2001/
XMLSchema" xmlns:stf="urn:oecd:ties:carfstf:v5" xmlns:iso="urn:oecd:ties:
isocarftypes:v1" targetNamespace="urn:oecd:ties:carf:v1" elementFormDefault="
qualified" attributeFormDefault="unqualified" version="1.3">

<xsd:import namespace="urn:oecd:ties:isocarftypes:v1" schemaLocation="isocarf
types_v1.1.xsd"/>

<xsd:import namespace="urn:oecd:ties:carfstf:v5" schemaLocation="oecdcarf
types_v5.0.xsd"/>

<!--+++++ Reusable Simple types +++++>
+++++ -->

<!-- Message type definitions -->

<xsd:simpleType name="MessageType_EnumType">

  <xsd:annotation>

    <xsd:documentation xml:lang="en">Message type defines the type of reporting
    </xsd:documentation>

  </xsd:annotation>

  <xsd:restriction base="xsd:string">

    <xsd:enumeration value="CARF"/>

  </xsd:restriction>

</xsd:simpleType>

<!-- -->

<!--Transfer Type - 401 to 404-->

<xsd:simpleType name="ExchangeType_EnumType">

  <xsd:annotation>

    <xsd:documentation xml:lang="en">Transfer Type</xsd:documentation>

  </xsd:annotation>

  <xsd:restriction base="xsd:string">
```

(!) W wykorzystanym w danej sprawie formacie elektronicznym muszą znaleźć się jednak wyłącznie elementy i atrybuty mające faktycznie zastosowanie w tej sprawie, w związku z wykonaniem zasad dotyczących należytej staranności i sprawozdawczości zawartych w sekcjach II i III załącznika VI do dyrektywy Rady 2011/16/UE.

```
<xsd:enumeration value="CARF401">
  <xsd:annotation>
    <xsd:documentation>Staking</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CARF402">
  <xsd:annotation>
    <xsd:documentation>Crypto Loan</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CARF403">
  <xsd:annotation>
    <xsd:documentation>Wrapping</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CARF404">
  <xsd:annotation>
    <xsd:documentation>Collateral</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
</xsd:restriction>
</xsd:simpleType>
<!-- -->
<!--Transfer Type - 501 to 507-->
<xsd:simpleType name="TransferType_EnumType">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Transfer Type</xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:string">
    <xsd:enumeration value="CARF501">
      <xsd:annotation>
        <xsd:documentation>Airdrop</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
```

```
<xsd:enumeration value="CARF502">
  <xsd:annotation>
    <xsd:documentation>Staking income</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CARF503">
  <xsd:annotation>
    <xsd:documentation>Mining income</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CARF504">
  <xsd:annotation>
    <xsd:documentation>Crypto loan</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CARF505">
  <xsd:annotation>
    <xsd:documentation>Transfer from another RCASP</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CARF506">
  <xsd:annotation>
    <xsd:documentation>Sale of goods or services</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CARF507">
  <xsd:annotation>
    <xsd:documentation>Collateral</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CARF508">
  <xsd:annotation>
    <xsd:documentation>Other</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
```

```
</xsd:enumeration>

<xsd:enumeration value="CARF509">

  <xsd:annotation>

    <xsd:documentation>Unknown (to be selected as the default value where the
    Reporting Crypto-Asset Service Provider has no knowledge on the Transfer Type)
    </xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

</xsd:restriction>

</xsd:simpleType>

<!-- -->

<!-- Account Number Type - 601 to 604-->

<xsd:simpleType name="TransferOutType_EnumType">

  <xsd:annotation>

    <xsd:documentation xml:lang="en">Account Number Type</xsd:documentation>

  </xsd:annotation>

  <xsd:restriction base="xsd:string">

    <xsd:enumeration value="CARF601">

      <xsd:annotation>

        <xsd:documentation>Transfer to another RCASP</xsd:documentation>

      </xsd:annotation>

    </xsd:enumeration>

    <xsd:enumeration value="CARF602">

      <xsd:annotation>

        <xsd:documentation>Crypto Loan</xsd:documentation>

      </xsd:annotation>

    </xsd:enumeration>

    <xsd:enumeration value="CARF603">

      <xsd:annotation>

        <xsd:documentation>Purchase of goods or services, to be used in respect of
        transactions other than those already reported as Reportable Retail Payment
        Transactions</xsd:documentation>

      </xsd:annotation>

    </xsd:enumeration>

    <xsd:enumeration value="CARF604">
```

```
<xsd:annotation>

  <xsd:documentation>Collateral</xsd:documentation>

</xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="CARF605">

  <xsd:annotation>

    <xsd:documentation>Other</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="CARF606">

  <xsd:annotation>

    <xsd:documentation>Unknown (to be selected as the default value where the
    Reporting Crypto-Asset Service Provider has no knowledge on the Transfer Type)
  </xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

</xsd:restriction>

</xsd:simpleType>

<!-- -->

<!-- MessageTypeIndic - 701 to 703 -->

<xsd:simpleType name="CarfMessageTypeIndic_EnumType">

  <xsd:annotation>

    <xsd:documentation xml:lang="en">The MessageTypeIndic defines the type of
    message sent</xsd:documentation>

  </xsd:annotation>

  <xsd:restriction base="xsd:string">

    <xsd:enumeration value="CARF701">

      <xsd:annotation>

        <xsd:documentation>The message contains new information</xsd:
        documentation>

      </xsd:annotation>

    </xsd:enumeration>

    <xsd:enumeration value="CARF702">

      <xsd:annotation>
```

```
<xsd:documentation>The message contains corrections/deletions for
previously sent information. When the MessageTypeIndic is CARF702, the
DocTypeIndic can contain either Corrections (OECD2) or Deletions (OECD3) or
both, but new data (OECD1) cannot be contained. Note that OECD0 can be included
for RCASP's DocTypeIndic.</xsd:documentation>

</xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="CARF703">

  <xsd:annotation>

    <xsd:documentation>The message advises there is no data to report</xsd:
documentation>

  </xsd:annotation>

</xsd:enumeration>

</xsd:restriction>

</xsd:simpleType>

<!-- -->

<!-- Controlling Person Type - 801 to 813 -->

<xsd:simpleType name="CarfCtrlgPersonType_EnumType">

  <xsd:annotation>

    <xsd:documentation xml:lang="en">Controlling Person Type</xsd:documentation>

  </xsd:annotation>

  <xsd:restriction base="xsd:string">

    <xsd:enumeration value="CARF801">

      <xsd:annotation>

        <xsd:documentation>CP of legal person - ownership</xsd:documentation>

      </xsd:annotation>

    </xsd:enumeration>

    <xsd:enumeration value="CARF802">

      <xsd:annotation>

        <xsd:documentation>CP of legal person - other means</xsd:documentation>

      </xsd:annotation>

    </xsd:enumeration>

    <xsd:enumeration value="CARF803">

      <xsd:annotation>

        <xsd:documentation>CP of legal person - senior managing official</xsd:
documentation>
```

```
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CARF804">
  <xsd:annotation>
    <xsd:documentation>CP of legal arrangement - trust - settlor</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CARF805">
  <xsd:annotation>
    <xsd:documentation>CP of legal arrangement - trust - trustee</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CARF806">
  <xsd:annotation>
    <xsd:documentation>CP of legal arrangement - trust - protector</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CARF807">
  <xsd:annotation>
    <xsd:documentation>CP of legal arrangement - trust - beneficiary</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CARF808">
  <xsd:annotation>
    <xsd:documentation>CP of legal arrangement - trust - other</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CARF809">
  <xsd:annotation>
    <xsd:documentation>CP of legal arrangement - other - settlor-equivalent</
    xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
```

```
<xsd:enumeration value="CARF810">
  <xsd:annotation>
    <xsd:documentation>CP of legal arrangement - other - trustee-equivalent</
    xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>

<xsd:enumeration value="CARF811">
  <xsd:annotation>
    <xsd:documentation>CP of legal arrangement - other - protector-equivalent</
    xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>

<xsd:enumeration value="CARF812">
  <xsd:annotation>
    <xsd:documentation>CP of legal arrangement - other - beneficiary-
    equivalent</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>

<xsd:enumeration value="CARF813">
  <xsd:annotation>
    <xsd:documentation>CP of legal arrangement - other - other-equivalent</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
</xsd:restriction>
</xsd:simpleType>
<!-- -->
<!--CARF Nexus Type - 901 to 907 -->
<xsd:simpleType name="Nexus_EnumType">
  <xsd:restriction base="xsd:string">
    <xsd:enumeration value="CARF901">
      <xsd:annotation>
        <xsd:documentation>Tax Residence</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="CARF902">
      <xsd:annotation>
```

```
<xsd:documentation>Incorporation</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CARF903">
  <xsd:annotation>
    <xsd:documentation>Management</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CARF904">
  <xsd:annotation>
    <xsd:documentation>Place of Business</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CARF905">
  <xsd:annotation>
    <xsd:documentation>Branch</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CARF906">
  <xsd:annotation>
    <xsd:documentation>Authorisation</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CARF907">
  <xsd:annotation>
    <xsd:documentation>Remote Services</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
</xsd:restriction>
</xsd:simpleType>
<!-- -->
<!--CARF Alt Valuation Type - 1001 to 1004 -->
<xsd:simpleType name="AltValuation_EnumType">
  <xsd:restriction base="xsd:string">
    <xsd:enumeration value="CARF1001">
```

```
<xsd:annotation>

  <xsd:documentation>Book value</xsd:documentation>

</xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="CARF1002">

  <xsd:annotation>

    <xsd:documentation>Third-party value</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="CARF1003">

  <xsd:annotation>

    <xsd:documentation>Recent RCASP valuation</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="CARF1004">

  <xsd:annotation>

    <xsd:documentation>Reasonable estimate by RCASP</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

</xsd:restriction>

</xsd:simpleType>

<!-- -->

<xsd:simpleType name="TwoDigFract_Type">

  <xsd:annotation>

    <xsd:documentation xml:lang="en">Data type for any kind of numeric data with two
    decimal fraction digits, especially monetary amounts.

  </xsd:documentation>

  </xsd:annotation>

  <xsd:restriction base="xsd:decimal">

    <xsd:fractionDigits value="2"/>

  </xsd:restriction>

</xsd:simpleType>

<!-- -->
```

```
<xsd:simpleType name="SixDigFract_Type">

  <xsd:annotation>

    <xsd:documentation xml:lang="en">Data type for any kind of numeric data with six
    decimal fraction digits, especially monetary amounts.

  </xsd:documentation>

</xsd:annotation>

<xsd:restriction base="xsd:decimal">

  <xsd:fractionDigits value="6"/>

</xsd:restriction>

</xsd:simpleType>

<!-- -->

<!--+++++++ Reusable Complex types ++++++>
+++ -->

<!-- Message specification: Data identifying and describing the message as
a whole -->

<xsd:complexType name="RCASP_Type">

  <xsd:sequence>

<xsd:element name="RCASP_ID">

  <xsd:complexType>

    <xsd:choice>

      <xsd:element name="Individual" type="carf:PersonParty_Type"/>

      <xsd:element name="Entity" type="carf:OrganisationParty_Type"/>

    </xsd:choice>

  </xsd:complexType>

</xsd:element>

<xsd:element name="Nexus" type="carf:Nexus_EnumType" minOccurs="0"/>

<xsd:element name="OtherNexus" minOccurs="0">

  <xsd:complexType>

    <xsd:attribute name="Nexus" type="carf:Nexus_EnumType" use="required"/>

    <xsd:attribute name="ResCountryCode" type="iso:CountryCode_Type"
    use="required"/>

  </xsd:complexType>

</xsd:element>

<xsd:element name="DocSpec" type="stf:DocSpec_Type"/>
```

```

    </xsd:sequence>

</xsd:complexType>

<!-- -->

<xsd:complexType name="CryptoUsers_Type">

    <xsd:sequence>

<xsd:element name="UserID">

    <xsd:complexType>

        <xsd:choice>

            <xsd:element name="Entity" type="carf:OrganisationParty_Type"/>

            <xsd:element name="Individual" type="carf:PersonParty_Type"/>

        </xsd:choice>

    </xsd:complexType>

</xsd:element>

<xsd:element name="ControllingPerson" type="carf:ControllingPerson_Type"
minOccurs="0" maxOccurs="unbounded"/>

<xsd:element name="RelevantTransactions" type="carf:RelevantTransactions_Type"
maxOccurs="unbounded"/>

<xsd:element name="DocSpec" type="stf:DocSpec_Type"/>

    </xsd:sequence>

</xsd:complexType>

<!-- -->

<xsd:complexType name="RelevantTransactions_Type">

    <xsd:sequence>

<xsd:element name="CryptoAsset" type="stf:StringMin1Max200_Type"/>

    <xsd:choice>

        <xsd:element name="CryptoToCryptoIn" minOccurs="0" maxOccurs="unbounded">

            <xsd:complexType>

                <xsd:sequence>

                    <xsd:element name="ExchangeType" type="carf:ExchangeType_EnumType"
minOccurs="0"/>

                    <xsd:element name="NumberofTransactions" type="xsd:integer"/>

                    <xsd:element name="Amount" type="carf:MonAmnt_Type"/>

                    <xsd:element name="NumberofUnits" type="xsd:decimal"/>

```

```
</xsd:sequence>

</xsd:complexType>

</xsd:element>

<xsd:element name="CryptoToCryptoOut" minOccurs="0" maxOccurs="unbounded">

  <xsd:complexType>

    <xsd:sequence>

      <xsd:element name="ExchangeType" type="carf:ExchangeType_EnumType"
        minOccurs="0"/>

      <xsd:element name="NumberofTransactions" type="xsd:integer"/>

      <xsd:element name="Amount" type="carf:MonAmnt_Type"/>

      <xsd:element name="NumberofUnits" type="xsd:decimal"/>

    </xsd:sequence>

  </xsd:complexType>

</xsd:element>

<xsd:element name="CryptoFiatIn" minOccurs="0" maxOccurs="unbounded">

  <xsd:complexType>

    <xsd:sequence>

      <xsd:element name="ExchangeType" type="carf:ExchangeType_EnumType"
        minOccurs="0"/>

      <xsd:element name="NumberofTransactions" type="xsd:integer"/>

      <xsd:element name="Amount" type="carf:MonAmnt_Type"/>

      <xsd:element name="NumberofUnits" type="xsd:decimal"/>

    </xsd:sequence>

  </xsd:complexType>

</xsd:element>

<xsd:element name="CryptoFiatOut" minOccurs="0" maxOccurs="unbounded">

  <xsd:complexType>

    <xsd:sequence>

      <xsd:element name="ExchangeType" type="carf:ExchangeType_EnumType"
        minOccurs="0"/>

      <xsd:element name="NumberofTransactions" type="xsd:integer"/>

      <xsd:element name="Amount" type="carf:MonAmnt_Type"/>
```

```
<xsd:element name="NumberofUnits" type="xsd:decimal"/>

</xsd:sequence>

</xsd:complexType>

</xsd:element>

<xsd:element name="CryptoTransferIn" minOccurs="0" maxOccurs="unbounded">

  <xsd:complexType>

    <xsd:sequence>

      <xsd:element name="TransferType" type="carf:TransferType_EnumType"/>

      <xsd:element name="NumberofTransactions" type="xsd:integer"/>

      <xsd:element name="Amount" type="carf:MonAmnt_Type"/>

      <xsd:element name="NumberofUnits" type="xsd:decimal"/>

      <xsd:element name="AltValuation" type="carf:AltValuation_EnumType"
        minOccurs="0"/>

    </xsd:sequence>

  </xsd:complexType>

</xsd:element>

<xsd:element name="CryptoTransferOut" minOccurs="0" maxOccurs="unbounded">

  <xsd:complexType>

    <xsd:sequence>

      <xsd:element name="TransferType" type="carf:TransferOutTy
        pe_EnumType"/>

      <xsd:element name="NumberofTransactions" type="xsd:integer"/>

      <xsd:element name="Amount" type="carf:MonAmnt_Type"/>

      <xsd:element name="NumberofUnits" type="xsd:decimal"/>

      <xsd:element name="AltValuation" type="carf:AltValuation_EnumType"
        minOccurs="0"/>

    </xsd:sequence>

  </xsd:complexType>

</xsd:element>

<xsd:element name="TransferWallet" minOccurs="0" maxOccurs="unbounded">

  <xsd:complexType>

    <xsd:sequence>
```

```
<xsd:element name="Amount" type="carf:MonAmnt_Type"/>

<xsd:element name="NumberofUnits" type="xsd:decimal"/>

<xsd:element name="AltValuation" type="carf:AltValuation_EnumType"
minOccurs="0"/>

</xsd:sequence>

</xsd:complexType>

</xsd:element>

<xsd:element name="RRPT" minOccurs="0" maxOccurs="unbounded">

  <xsd:annotation>

    <xsd:documentation>Reportable Retail Payment Transactions (Relevant Crypto
Assets)</xsd:documentation>

  </xsd:annotation>

  <xsd:complexType>

    <xsd:sequence>

      <xsd:element name="NumberofTransactions" type="xsd:integer"/>

      <xsd:element name="Amount" type="carf:MonAmnt_Type"/>

      <xsd:element name="NumberofUnits" type="xsd:decimal"/>

    </xsd:sequence>

  </xsd:complexType>

</xsd:element>

</xsd:choice>

</xsd:sequence>

</xsd:complexType>

<!-- -->

<xsd:complexType name="ControllingPerson_Type">

  <xsd:sequence>

<xsd:element name="Individual" type="carf:PersonParty_Type"/>

<xsd:element name="CtrlgPersonType" type="carf:CarfCtrlgPersonType_EnumType"
maxOccurs="unbounded"/>

  </xsd:sequence>

</xsd:complexType>

<!-- -->

<xsd:complexType name="Identity_Type">

  <xsd:choice>
```

```
<xsd:element name="Individual" type="carf:PersonParty_Type"/>

<xsd:element name="Entity" type="carf:OrganisationParty_Type"/>

    </xsd:choice>

</xsd:complexType>

<!--Message specification: Data identifying and describing the message as a whole-->

<xsd:complexType name="MessageSpec_Type">

    <xsd:annotation>

        <xsd:documentation xml:lang="en">Information in the message header identifies
the Tax Administration that is sending the message. It specifies when the message
was created, what period (normally a year) the report is for, and the nature of the
report (original, corrected, supplemental, etc).</xsd:documentation>

    </xsd:annotation>

    <xsd:sequence>

<xsd:element name="SendingEntityIN" type="stf:StringMin1Max200_Type"
minOccurs="0"/>

<xsd:element name="TransmittingCountry" type="iso:CountryCode_Type"/>

<xsd:element name="ReceivingCountry" type="iso:CountryCode_Type"/>

        <!-- modified for CARF -->

<xsd:element name="MessageType" type="carf:MessageType_EnumType"/>

<xsd:element name="Warning" type="stf:StringMin1Max4000_Type" minOccurs="0"/>

<xsd:element name="Contact" type="stf:StringMin1Max4000_Type" minOccurs="0"/>

<xsd:element name="MessageRefId" type="stf:StringMin1Max170_Type"/>

<xsd:element name="MessageTypeIndic" type="carf:CarfMessageTypeIndic_EnumType"/>

<xsd:element name="ReportingPeriod" type="xsd:date"/>

<xsd:element name="Timestamp" type="xsd:dateTime"/>

    </xsd:sequence>

</xsd:complexType>

<!-- -->

<!-- The Name of a Party, given in fixed Form-->

<xsd:complexType name="NamePerson_Type">
```

```
<xsd:annotation>

  <xsd:documentation xml:lang="en">The user must spread the data about the name of
  a party over up to six elements. The container element for this will be 'NameFix'.
  </xsd:documentation>

</xsd:annotation>

<xsd:sequence>

<xsd:element name="PrecedingTitle" type="stf:StringMin1Max200_Type"
minOccurs="0"/>

<xsd:element name="Title" type="stf:StringMin1Max200_Type" minOccurs="0"
maxOccurs="unbounded"/>

<xsd:element name="FirstName">

  <xsd:complexType>

    <xsd:simpleContent>

      <xsd:extension base="stf:StringMin1Max200_Type">

        <xsd:attribute name="xnlNameType" type="stf:StringMin1Max200_Type">

          <xsd:annotation>

            <xsd:documentation xml:lang="en">Defines the name type of FirstName.
            Example: Given Name, Forename, Christian Name, Father's Name, etc. In
            some countries, FirstName could be a Family Name or a SurName. Use this
            attribute to define the type for this name.

            </xsd:documentation>

          </xsd:annotation>

        </xsd:attribute>

      </xsd:extension>

    </xsd:simpleContent>

  </xsd:complexType>

</xsd:element>

<xsd:element name="MiddleName" minOccurs="0" maxOccurs="unbounded">

  <xsd:complexType>

    <xsd:simpleContent>

      <xsd:extension base="stf:StringMin1Max200_Type">

        <xsd:attribute name="xnlNameType" type="stf:StringMin1Max200_Type">

          <xsd:annotation>

            <xsd:documentation xml:lang="en">Defines the name type of Middle Name.
            Example: First name, middle name, maiden name, father's name, given
            name, etc.

            </xsd:documentation>

          </xsd:annotation>

        </xsd:attribute>

      </xsd:extension>

    </xsd:simpleContent>

  </xsd:complexType>

</xsd:element>
```

```

        </xsd:annotation>

        </xsd:attribute>

    </xsd:extension>

</xsd:simpleContent>

</xsd:complexType>

</xsd:element>

<xsd:element name="NamePrefix" minOccurs="0">

    <xsd:complexType>

        <xsd:simpleContent>

            <xsd:extension base="stf:StringMin1Max200_Type">

                <xsd:attribute name="xnlNameType" type="stf:StringMin1Max200_Type">

                    <xsd:annotation>

                        <xsd:documentation xml:lang="en">Defines the type of name associated
                        with the NamePrefix. For example the type of name is LastName and this
                        prefix is the prefix for this last name.

                    </xsd:documentation>

                </xsd:annotation>

            </xsd:attribute>

        </xsd:extension>

    </xsd:simpleContent>

</xsd:complexType>

</xsd:element>

<xsd:element name="LastName">

    <xsd:complexType>

        <xsd:simpleContent>

            <xsd:extension base="stf:StringMin1Max200_Type">

                <xsd:attribute name="xnlNameType" type="stf:StringMin1Max200_Type">

                    <xsd:annotation>

                        <xsd:documentation xml:lang="en">Defines the name type of LastName.
                        Example: Father's name, Family name, Sur Name, Mother's Name, etc. In
                        some countries, LastName could be the given name or first name.

                    </xsd:documentation>

                </xsd:annotation>

            </xsd:attribute>

        </xsd:extension>

```

```
</xsd:simpleContent>

</xsd:complexType>

</xsd:element>

<xsd:element name="GenerationIdentifier" type="stf:StringMin1Max200_Type"
minOccurs="0" maxOccurs="unbounded"/>

<xsd:element name="Suffix" type="stf:StringMin1Max200_Type" minOccurs="0"
maxOccurs="unbounded"/>

<xsd:element name="GeneralSuffix" type="stf:StringMin1Max200_Type"
minOccurs="0"/>

</xsd:sequence>

<xsd:attribute name="nameType" type="stf:OECDNameType_EnumType"
use="optional"/>

</xsd:complexType>

<!-- -->

<!-- Collection of all Data describing a person as a Party -->

<xsd:complexType name="PersonParty_Type">

  <xsd:sequence>

    <xsd:element name="ResCountryCode" type="iso:CountryCode_Type"
maxOccurs="unbounded"/>

    <xsd:element name="TIN" type="carf:TIN_Type" maxOccurs="unbounded"/>

    <xsd:element name="IIN" type="carf:IndividualIN_Type" minOccurs="0"
maxOccurs="unbounded">

      <xsd:annotation>

        <xsd:documentation xml:lang="en">Entity Identification Number</xsd:
documentation>

      </xsd:annotation>

    </xsd:element>

    <xsd:element name="Name" type="carf:NamePerson_Type" maxOccurs="unbounded"/>

    <xsd:element name="Address" type="carf:Address_Type" maxOccurs="unbounded"/>

    <xsd:element name="Nationality" type="iso:CountryCode_Type" minOccurs="0"
maxOccurs="unbounded"/>

    <xsd:element name="BirthInfo">

      <xsd:annotation>

        <xsd:documentation>.</xsd:documentation>

      </xsd:annotation>

      <xsd:complexType>

        <xsd:sequence>
```

```

        <xsd:element name="BirthDate" type="xsd:date"/>

        <xsd:element name="BirthPlace" type="carf:BirthPlace_Type"
minOccurs="0"/>

    </xsd:sequence>

</xsd:complexType>

</xsd:element>

</xsd:sequence>

</xsd:complexType>

<!-- -->

<!--General Type for Monetary Amounts -->

<xsd:complexType name="MonAmnt_Type">

    <xsd:annotation>

        <xsd:documentation xml:lang="en">This data type is to be used whenever monetary
amounts are to be communicated. Such amounts shall be given in with full amounts and
two decimals. The code for the currency in which the value is expressed has to be
taken from the ISO codelist 4217 and added in attribute currCode.

    </xsd:documentation>

    </xsd:annotation>

    <xsd:simpleContent>

        <xsd:extension base="xsd:decimal">

            <xsd:attribute name="currCode" type="iso:currCode_Type" use="required"/>

        </xsd:extension>

    </xsd:simpleContent>

</xsd:complexType>

<!-- -->

<!-- Organisation Identification Number -->

<xsd:complexType name="OrganisationIN_Type">

    <xsd:annotation>

        <xsd:documentation xml:lang="en">This is the identification number/
identification code for the Entity in question. As the identifier may be not
strictly numeric, it is just defined as a string of characters. Attribute
'issuedBy' is required to designate the issuer of the identifier. Attribute
'INType' defines the type of identification number. </xsd:documentation>

    </xsd:annotation>

    <xsd:simpleContent>

        <xsd:extension base="stf:StringMin1Max200_Type">

```

```
<xsd:attribute name="issuedBy" type="iso:CountryCode_Type" use="optional">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Country code of issuing country,
    indicating country of Residence (to taxes and other)</xsd:documentation>
  </xsd:annotation>
</xsd:attribute>
<xsd:attribute name="INType" use="optional">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Identification Number Type</xsd:
    documentation>
  </xsd:annotation>
  <xsd:simpleType>
    <xsd:restriction base="stf:StringMin1Max200_Type">
      <xsd:enumeration value="LEI"/>
      <xsd:enumeration value="EIN"/>
      <xsd:enumeration value="BRN"/>
      <xsd:enumeration value="Other"/>
    </xsd:restriction>
  </xsd:simpleType>
</xsd:attribute>
</xsd:extension>
</xsd:simpleContent>
</xsd:complexType>
<!-- -->
<!-- Individual Identification Number -->
<xsd:complexType name="IndividualIN_Type">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">This is the identification number/
    identification code for the Entity in question. As the identifier may be not
    strictly numeric, it is just defined as a string of characters. Attribute
    'issuedBy' is required to designate the issuer of the identifier. Attribute
    'INType' defines the type of identification number. </xsd:documentation>
  </xsd:annotation>
  <xsd:simpleContent>
    <xsd:extension base="stf:StringMin1Max200_Type">
```

```

    <xsd:attribute name="issuedBy" type="iso:CountryCode_Type" use="optional">
      <xsd:annotation>
        <xsd:documentation xml:lang="en">Country code of issuing country,
          indicating country of Residence (to taxes and other)</xsd:documentation>
      </xsd:annotation>
    </xsd:attribute>
  </xsd:extension>
</xsd:simpleContent>
</xsd:complexType>
<!-- -->
<!-- Collection of all Data describing an organisation as party-->
<xsd:complexType name="OrganisationParty_Type">
  <xsd:sequence>
    <xsd:element name="ResCountryCode" type="iso:CountryCode_Type"
      maxOccurs="unbounded"/>
    <xsd:element name="TIN" maxOccurs="unbounded">
      <xsd:complexType>
        <xsd:simpleContent>
          <xsd:restriction base="carf:TIN_Type">
            <xsd:minLength value="1"/>
            <xsd:attribute name="issuedBy" type="iso:CountryCode_Type"
              use="optional"/>
            <xsd:attribute name="unknown" type="xsd:boolean" use="optional"/>
          </xsd:restriction>
        </xsd:simpleContent>
      </xsd:complexType>
    </xsd:element>
    <xsd:element name="IN" type="carf:OrganisationIN_Type" minOccurs="0"
      maxOccurs="unbounded">
      <xsd:annotation>
        <xsd:documentation xml:lang="en">Entity Identification Number</xsd:
          documentation>
      </xsd:annotation>
    </xsd:element>
    <xsd:element name="IIN" type="carf:IndividualIN_Type" minOccurs="0"
      maxOccurs="unbounded">

```

```
<xsd:annotation>

  <xsd:documentation xml:lang="en">Entity Identification Number</xsd:
  documentation>

</xsd:annotation>

</xsd:element>

<xsd:element name="Name" type="carf:NameOrganisation_Type"
maxOccurs="unbounded"/>

<xsd:element name="Address" type="carf:Address_Type" maxOccurs="unbounded"/>

  </xsd:sequence>

</xsd:complexType>

<!-- -->

<!-- Address Fix -->

<xsd:complexType name="AddressFix_Type">

  <xsd:annotation>

    <xsd:documentation xml:lang="en">

  </xsd:documentation>

  </xsd:annotation>

  <xsd:sequence>

<xsd:element name="Street" type="stf:StringMin1Max200_Type" minOccurs="0"/>

<xsd:element name="BuildingIdentifier" type="stf:StringMin1Max200_Type"
minOccurs="0"/>

<xsd:element name="SuiteIdentifier" type="stf:StringMin1Max200_Type"
minOccurs="0"/>

<xsd:element name="FloorIdentifier" type="stf:StringMin1Max200_Type"
minOccurs="0"/>

<xsd:element name="DistrictName" type="stf:StringMin1Max200_Type" minOccurs="0"/>

<xsd:element name="POB" type="stf:StringMin1Max200_Type" minOccurs="0"/>

<xsd:element name="PostCode" type="stf:StringMin1Max200_Type" minOccurs="0"/>

<xsd:element name="City" type="stf:StringMin1Max200_Type"/>

<xsd:element name="CountrySubentity" type="stf:StringMin1Max200_Type"
minOccurs="0"/>

  </xsd:sequence>

</xsd:complexType>

<!-- -->

<!-- The Address of a Party, given in fixed or free Form, possibly in both Forms -->
```

```

<xsd:complexType name="Address_Type">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">
</xsd:documentation>
  </xsd:annotation>
  <xsd:sequence>
<xsd:element name="CountryCode" type="iso:CountryCode_Type"/>
    <xsd:sequence>
      <xsd:element name="AddressFix" type="carf:AddressFix_Type"/>
      <xsd:element name="AdditionalAddressInfo" type="stf:StringMin1Max4000_Type"
        minOccurs="0"/>
    </xsd:sequence>
  </xsd:sequence>
  <xsd:attribute name="legalAddressType" type="stf:OECDLegalAddressTy
    pe_EnumType" use="optional"/>
</xsd:complexType>
<!-- -->
<!-- Organisation name -->
<xsd:complexType name="NameOrganisation_Type">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Name of organisation</xsd:documentation>
  </xsd:annotation>
  <xsd:simpleContent>
    <xsd:extension base="stf:StringMin1Max200_Type">
      <xsd:attribute name="nameType" type="stf:OECDNameType_EnumType"
        use="optional"/>
    </xsd:extension>
  </xsd:simpleContent>
</xsd:complexType>
<!-- -->
<!-- TIN -->
<xsd:complexType name="TIN_Type">
  <xsd:simpleContent>
    <xsd:extension base="stf:StringMin0Max200_Type">
      <xsd:attribute name="issuedBy" type="iso:CountryCode_Type" use="optional"/>
    </xsd:extension>
  </xsd:simpleContent>
</xsd:complexType>

```

```
<xsd:attribute name="unknown" type="xsd:boolean" use="optional"/>

</xsd:extension>

</xsd:simpleContent>

</xsd:complexType>

<!-- -->

<!--The place of birth -->

<xsd:complexType name="BirthPlace_Type">

  <xsd:annotation>

    <xsd:documentation>This element provides information about the place of birth.
    This element must be filled in at least with the city and the country of birth
    (either the current jurisdiction identified by 2-characters country code or
    a former jurisdiction identified by a name) .</xsd:documentation>

  </xsd:annotation>

  <xsd:sequence>

<xsd:element name="City" type="stf:StringMin1Max200_Type"/>

<xsd:element name="CitySubentity" type="stf:StringMin1Max200_Type"
minOccurs="0"/>

<xsd:element name="CountryInfo">

  <xsd:complexType>

    <xsd:choice>

      <xsd:element name="CountryCode" type="iso:CountryCode_Type"/>

      <xsd:element name="FormerCountryName" type="stf:StringMin1Max200_Type"/>

    </xsd:choice>

  </xsd:complexType>

</xsd:element>

</xsd:sequence>

</xsd:complexType>

<!-- -->

<!-- CARF Body Type - CARF Report -->

<xsd:complexType name="CARFBody_Type">

  <xsd:sequence>

<xsd:element name="RCASP" type="carf:RCASP_Type"/>

<xsd:element name="CryptoUsers" type="carf:CryptoUsers_Type" minOccurs="0"
maxOccurs="unbounded"/>

  </xsd:sequence>
```

```

</xsd:complexType>

<!--+++++++ Schema element +++
+++++++ -->

<!-- CarfOECD File Message structure -->

<!-- -->

<!-- CARF Message structure -->

<xsd:element name="CARF_OECD">

  <xsd:complexType>

    <xsd:sequence>

      <xsd:element name="MessageSpec" type="carf:MessageSpec_Type"/>

      <xsd:element name="CARFBody" type="carf:CARFBody_Type" minOccurs="0"
        maxOccurs="unbounded"/>

    </xsd:sequence>

    <xsd:attribute name="version" type="stf:StringMin1Max10_Type">

      <xsd:annotation>

        <xsd:documentation xml:lang="en">CARF Version</xsd:documentation>

      </xsd:annotation>

    </xsd:attribute>

  </xsd:complexType>

</xsd:element>

</xsd:schema>

```

ISO CARF TYPES

```

<?xml version="1.0" encoding="UTF-8"?>

<xsd:schema xmlns:iso="urn:oe.cd:ties:isocarftypes:v1" xmlns:xsd="http://www.w3.
org/2001/XMLSchema" targetNamespace="urn:oe.cd:ties:isocarftypes:v1" elementForm
Default="qualified" attributeFormDefault="unqualified" version="1.1">

  <xsd:simpleType name="CountryCode_Type">

    <xsd:annotation>

      <xsd:documentation xml:lang="en">ISO-3166 Alpha 2 country codes</xsd:
documentation>

    </xsd:annotation>

    <xsd:restriction base="xsd:string">

      <xsd:enumeration value="AF">

        <xsd:annotation>

```

```
<xsd:documentation>AFGHANISTAN</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AX">
  <xsd:annotation>
    <xsd:documentation>ALAND ISLANDS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AL">
  <xsd:annotation>
    <xsd:documentation>ALBANIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DZ">
  <xsd:annotation>
    <xsd:documentation>ALGERIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AS">
  <xsd:annotation>
    <xsd:documentation>AMERICAN SAMOA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AD">
  <xsd:annotation>
    <xsd:documentation>ANDORRA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AO">
  <xsd:annotation>
    <xsd:documentation>ANGOLA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AI">
  <xsd:annotation>
```

```
<xsd:documentation>ANGUILLA</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AQ">
  <xsd:annotation>
    <xsd:documentation>ANTARCTICA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AG">
  <xsd:annotation>
    <xsd:documentation>ANTIGUA AND BARBUDA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AR">
  <xsd:annotation>
    <xsd:documentation>ARGENTINA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AM">
  <xsd:annotation>
    <xsd:documentation>ARMENIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AW">
  <xsd:annotation>
    <xsd:documentation>ARUBA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AU">
  <xsd:annotation>
    <xsd:documentation>AUSTRALIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AT">
```

```
<xsd:annotation>
  <xsd:documentation>AUSTRIA</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AZ">
  <xsd:annotation>
    <xsd:documentation>AZERBAIJAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BS">
  <xsd:annotation>
    <xsd:documentation>BAHAMAS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BH">
  <xsd:annotation>
    <xsd:documentation>BAHRAIN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BD">
  <xsd:annotation>
    <xsd:documentation>BANGLADESH</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BB">
  <xsd:annotation>
    <xsd:documentation>BARBADOS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BY">
  <xsd:annotation>
    <xsd:documentation>BELARUS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BE">
```

```
<xsd:annotation>
  <xsd:documentation>BELGIUM</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BZ">
  <xsd:annotation>
    <xsd:documentation>BELIZE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BJ">
  <xsd:annotation>
    <xsd:documentation>BENIN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BM">
  <xsd:annotation>
    <xsd:documentation>BERMUDA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BT">
  <xsd:annotation>
    <xsd:documentation>BHUTAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BO">
  <xsd:annotation>
    <xsd:documentation>BOLIVIA, PLURINATIONAL STATE OF</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BQ">
  <xsd:annotation>
    <xsd:documentation>BONAIRE, SINT EUSTATIUS AND SABA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
```

```
<xsd:enumeration value="BA">
  <xsd:annotation>
    <xsd:documentation>BOSNIA AND HERZEGOVINA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BW">
  <xsd:annotation>
    <xsd:documentation>BOTSWANA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BV">
  <xsd:annotation>
    <xsd:documentation>BOUVET ISLAND</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BR">
  <xsd:annotation>
    <xsd:documentation>BRAZIL</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IO">
  <xsd:annotation>
    <xsd:documentation>BRITISH INDIAN OCEAN TERRITORY</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BN">
  <xsd:annotation>
    <xsd:documentation>BRUNEI DARUSSALAM</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BG">
  <xsd:annotation>
    <xsd:documentation>BULGARIA</xsd:documentation>
```

```
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BF">
  <xsd:annotation>
    <xsd:documentation>BURKINA FASO</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BI">
  <xsd:annotation>
    <xsd:documentation>BURUNDI</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KH">
  <xsd:annotation>
    <xsd:documentation>CAMBODIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CM">
  <xsd:annotation>
    <xsd:documentation>CAMEROON</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CA">
  <xsd:annotation>
    <xsd:documentation>CANADA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CV">
  <xsd:annotation>
    <xsd:documentation>CABO VERDE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KY">
  <xsd:annotation>
    <xsd:documentation>CAYMAN ISLANDS</xsd:documentation>
```

```
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CF">
  <xsd:annotation>
    <xsd:documentation>CENTRAL AFRICAN REPUBLIC</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TD">
  <xsd:annotation>
    <xsd:documentation>CHAD</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CL">
  <xsd:annotation>
    <xsd:documentation>CHILE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CN">
  <xsd:annotation>
    <xsd:documentation>CHINA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CX">
  <xsd:annotation>
    <xsd:documentation>CHRISTMAS ISLAND</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CC">
  <xsd:annotation>
    <xsd:documentation>COCOS (KEELING) ISLANDS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CO">
  <xsd:annotation>
```

```
<xsd:documentation>COLOMBIA</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KM">
  <xsd:annotation>
    <xsd:documentation>COMOROS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CG">
  <xsd:annotation>
    <xsd:documentation>CONGO</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CD">
  <xsd:annotation>
    <xsd:documentation>CONGO, THE DEMOCRATIC REPUBLIC OF THE</xsd:
documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CK">
  <xsd:annotation>
    <xsd:documentation>COOK ISLANDS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CR">
  <xsd:annotation>
    <xsd:documentation>COSTA RICA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CI">
  <xsd:annotation>
    <xsd:documentation>COTE D'IVOIRE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HR">
```

```
<xsd:annotation>
  <xsd:documentation>CROATIA</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CU">
  <xsd:annotation>
    <xsd:documentation>CUBA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CW">
  <xsd:annotation>
    <xsd:documentation>CURACAO</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CY">
  <xsd:annotation>
    <xsd:documentation>CYPRUS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CZ">
  <xsd:annotation>
    <xsd:documentation>CZECHIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DK">
  <xsd:annotation>
    <xsd:documentation>DENMARK</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DJ">
  <xsd:annotation>
    <xsd:documentation>DJIBOUTI</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DM">
```

```
<xsd:annotation>
  <xsd:documentation>DOMINICA</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DO">
  <xsd:annotation>
    <xsd:documentation>DOMINICAN REPUBLIC</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="EC">
  <xsd:annotation>
    <xsd:documentation>ECUADOR</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="EG">
  <xsd:annotation>
    <xsd:documentation>EGYPT</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SV">
  <xsd:annotation>
    <xsd:documentation>EL SALVADOR</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GQ">
  <xsd:annotation>
    <xsd:documentation>EQUATORIAL GUINEA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ER">
  <xsd:annotation>
    <xsd:documentation>ERITREA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
```

```
<xsd:enumeration value="EE">
  <xsd:annotation>
    <xsd:documentation>ESTONIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ET">
  <xsd:annotation>
    <xsd:documentation>ETHIOPIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FK">
  <xsd:annotation>
    <xsd:documentation>FALKLAND ISLANDS (MALVINAS)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FO">
  <xsd:annotation>
    <xsd:documentation>FAROE ISLANDS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FJ">
  <xsd:annotation>
    <xsd:documentation>FIJI</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FI">
  <xsd:annotation>
    <xsd:documentation>FINLAND</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FR">
  <xsd:annotation>
    <xsd:documentation>FRANCE</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>

<xsd:enumeration value="GF">

  <xsd:annotation>

    <xsd:documentation>FRENCH GUIANA</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="PF">

  <xsd:annotation>

    <xsd:documentation>FRENCH POLYNESIA</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="TF">

  <xsd:annotation>

    <xsd:documentation>FRENCH SOUTHERN TERRITORIES</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="GA">

  <xsd:annotation>

    <xsd:documentation>GABON</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="GM">

  <xsd:annotation>

    <xsd:documentation>GAMBIA</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="GE">

  <xsd:annotation>

    <xsd:documentation>GEORGIA</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="DE">

  <xsd:annotation>

    <xsd:documentation>GERMANY</xsd:documentation>
```

```
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GH">
  <xsd:annotation>
    <xsd:documentation>GHANA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GI">
  <xsd:annotation>
    <xsd:documentation>GIBRALTAR</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GR">
  <xsd:annotation>
    <xsd:documentation>GREECE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GL">
  <xsd:annotation>
    <xsd:documentation>GREENLAND</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GD">
  <xsd:annotation>
    <xsd:documentation>GRENADA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GP">
  <xsd:annotation>
    <xsd:documentation>GUADELOUPE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GU">
  <xsd:annotation>
    <xsd:documentation>GUAM</xsd:documentation>
```

```
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GT">
  <xsd:annotation>
    <xsd:documentation>GUATEMALA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GG">
  <xsd:annotation>
    <xsd:documentation>GUERNSEY</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GN">
  <xsd:annotation>
    <xsd:documentation>GUINEA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GW">
  <xsd:annotation>
    <xsd:documentation>GUINEA-BISSAU</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GY">
  <xsd:annotation>
    <xsd:documentation>GUYANA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HT">
  <xsd:annotation>
    <xsd:documentation>HAITI</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HM">
  <xsd:annotation>
```

```
<xsd:documentation>HEARD ISLAND AND MCDONALD ISLANDS</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="VA">
  <xsd:annotation>
    <xsd:documentation>HOLY SEE (VATICAN CITY STATE)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HN">
  <xsd:annotation>
    <xsd:documentation>HONDURAS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HK">
  <xsd:annotation>
    <xsd:documentation>HONG KONG</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HU">
  <xsd:annotation>
    <xsd:documentation>HUNGARY</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IS">
  <xsd:annotation>
    <xsd:documentation>ICELAND</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IN">
  <xsd:annotation>
    <xsd:documentation>INDIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ID">
```

```
<xsd:annotation>
  <xsd:documentation>INDONESIA</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IR">
  <xsd:annotation>
    <xsd:documentation>IRAN, ISLAMIC REPUBLIC OF</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IQ">
  <xsd:annotation>
    <xsd:documentation>IRAQ</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IE">
  <xsd:annotation>
    <xsd:documentation>IRELAND</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IM">
  <xsd:annotation>
    <xsd:documentation>ISLE OF MAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IL">
  <xsd:annotation>
    <xsd:documentation>ISRAEL</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IT">
  <xsd:annotation>
    <xsd:documentation>ITALY</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
```

```
<xsd:enumeration value="JM">
  <xsd:annotation>
    <xsd:documentation>JAMAICA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="JP">
  <xsd:annotation>
    <xsd:documentation>JAPAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="JE">
  <xsd:annotation>
    <xsd:documentation>JERSEY</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="JO">
  <xsd:annotation>
    <xsd:documentation>JORDAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KZ">
  <xsd:annotation>
    <xsd:documentation>KAZAKHSTAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KE">
  <xsd:annotation>
    <xsd:documentation>KENYA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KI">
  <xsd:annotation>
    <xsd:documentation>KIRIBATI</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
```

```
<xsd:enumeration value="KP">
  <xsd:annotation>
    <xsd:documentation>KOREA, DEMOCRATIC PEOPLE'S REPUBLIC OF</xsd:
documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KR">
  <xsd:annotation>
    <xsd:documentation>KOREA, REPUBLIC OF</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KW">
  <xsd:annotation>
    <xsd:documentation>KUWAIT</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KG">
  <xsd:annotation>
    <xsd:documentation>KYRGYZSTAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LA">
  <xsd:annotation>
    <xsd:documentation>LAO PEOPLE'S DEMOCRATIC REPUBLIC</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LV">
  <xsd:annotation>
    <xsd:documentation>LATVIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LB">
  <xsd:annotation>
    <xsd:documentation>LEBANON</xsd:documentation>
```

```
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LS">
  <xsd:annotation>
    <xsd:documentation>LESOTHO</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LR">
  <xsd:annotation>
    <xsd:documentation>LIBERIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LY">
  <xsd:annotation>
    <xsd:documentation>LIBYA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LI">
  <xsd:annotation>
    <xsd:documentation>LIECHTENSTEIN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LT">
  <xsd:annotation>
    <xsd:documentation>LITHUANIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LU">
  <xsd:annotation>
    <xsd:documentation>LUXEMBOURG</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MO">
  <xsd:annotation>
    <xsd:documentation>MACAO</xsd:documentation>
```

```
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MK">
  <xsd:annotation>
    <xsd:documentation>NORTH MACEDONIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MG">
  <xsd:annotation>
    <xsd:documentation>MADAGASCAR</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MW">
  <xsd:annotation>
    <xsd:documentation>MALAWI</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MY">
  <xsd:annotation>
    <xsd:documentation>MALAYSIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MV">
  <xsd:annotation>
    <xsd:documentation>MALDIVES</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ML">
  <xsd:annotation>
    <xsd:documentation>MALI</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MT">
  <xsd:annotation>
    <xsd:documentation>MALTA</xsd:documentation>
```

```
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MH">
  <xsd:annotation>
    <xsd:documentation>MARSHALL ISLANDS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MQ">
  <xsd:annotation>
    <xsd:documentation>MARTINIQUE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MR">
  <xsd:annotation>
    <xsd:documentation>MAURITANIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MU">
  <xsd:annotation>
    <xsd:documentation>MAURITIUS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="YT">
  <xsd:annotation>
    <xsd:documentation>MAYOTTE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MX">
  <xsd:annotation>
    <xsd:documentation>MEXICO</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FM">
  <xsd:annotation>
```

```
<xsd:documentation>MICRONESIA, FEDERATED STATES OF</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MD">
  <xsd:annotation>
    <xsd:documentation>MOLDOVA, REPUBLIC OF</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MC">
  <xsd:annotation>
    <xsd:documentation>MONACO</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MN">
  <xsd:annotation>
    <xsd:documentation>MONGOLIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ME">
  <xsd:annotation>
    <xsd:documentation>MONTENEGRO</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MS">
  <xsd:annotation>
    <xsd:documentation>MONTserrat</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MA">
  <xsd:annotation>
    <xsd:documentation>MOROCCO</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MZ">
```

```
<xsd:annotation>
  <xsd:documentation>MOZAMBIQUE</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MM">
  <xsd:annotation>
    <xsd:documentation>MYANMAR</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NA">
  <xsd:annotation>
    <xsd:documentation>NAMIBIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NR">
  <xsd:annotation>
    <xsd:documentation>NAURU</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NP">
  <xsd:annotation>
    <xsd:documentation>NEPAL</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NL">
  <xsd:annotation>
    <xsd:documentation>NETHERLANDS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NC">
  <xsd:annotation>
    <xsd:documentation>NEW CALEDONIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NZ">
```

```
<xsd:annotation>
  <xsd:documentation>NEW ZEALAND</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NI">
  <xsd:annotation>
    <xsd:documentation>NICARAGUA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NE">
  <xsd:annotation>
    <xsd:documentation>NIGER</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NG">
  <xsd:annotation>
    <xsd:documentation>NIGERIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NU">
  <xsd:annotation>
    <xsd:documentation>NIUE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NF">
  <xsd:annotation>
    <xsd:documentation>NORFOLK ISLAND</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MP">
  <xsd:annotation>
    <xsd:documentation>NORTHERN MARIANA ISLANDS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
```

```
<xsd:enumeration value="NO">
  <xsd:annotation>
    <xsd:documentation>NORWAY</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="OM">
  <xsd:annotation>
    <xsd:documentation>OMAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PK">
  <xsd:annotation>
    <xsd:documentation>PAKISTAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PW">
  <xsd:annotation>
    <xsd:documentation>PALAU</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PS">
  <xsd:annotation>
    <xsd:documentation>PALESTINE, STATE OF</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PA">
  <xsd:annotation>
    <xsd:documentation>PANAMA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PG">
  <xsd:annotation>
    <xsd:documentation>PAPUA NEW GUINEA</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="PY">
  <xsd:annotation>
    <xsd:documentation>PARAGUAY</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PE">
  <xsd:annotation>
    <xsd:documentation>PERU</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PH">
  <xsd:annotation>
    <xsd:documentation>PHILIPPINES</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PN">
  <xsd:annotation>
    <xsd:documentation>PITCAIRN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PL">
  <xsd:annotation>
    <xsd:documentation>POLAND</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PT">
  <xsd:annotation>
    <xsd:documentation>PORTUGAL</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PR">
  <xsd:annotation>
    <xsd:documentation>PUERTO RICO</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="QA">
  <xsd:annotation>
    <xsd:documentation>QATAR</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RE">
  <xsd:annotation>
    <xsd:documentation>REUNION</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RO">
  <xsd:annotation>
    <xsd:documentation>ROMANIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RU">
  <xsd:annotation>
    <xsd:documentation>RUSSIAN FEDERATION</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RW">
  <xsd:annotation>
    <xsd:documentation>RWANDA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BL">
  <xsd:annotation>
    <xsd:documentation>SAINT BARTHELEMY</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SH">
  <xsd:annotation>
    <xsd:documentation>SAINT HELENA, ASCENSION AND TRISTAN DA CUNHA</xsd:
documentation>
```

```
</xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="KN">

  <xsd:annotation>

    <xsd:documentation>SAINT KITTS AND NEVIS</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="LC">

  <xsd:annotation>

    <xsd:documentation>SAINT LUCIA</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="MF">

  <xsd:annotation>

    <xsd:documentation>SAINT MARTIN (FRENCH PART)</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="PM">

  <xsd:annotation>

    <xsd:documentation>SAINT PIERRE AND MIQUELON</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="VC">

  <xsd:annotation>

    <xsd:documentation>SAINT VINCENT AND THE GRENADINES</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="WS">

  <xsd:annotation>

    <xsd:documentation>SAMOA</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="SM">
```

```
<xsd:annotation>
  <xsd:documentation>SAN MARINO</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ST">
  <xsd:annotation>
    <xsd:documentation>SAO TOME AND PRINCIPE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SA">
  <xsd:annotation>
    <xsd:documentation>SAUDI ARABIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SN">
  <xsd:annotation>
    <xsd:documentation>SENEGAL</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RS">
  <xsd:annotation>
    <xsd:documentation>SERBIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SC">
  <xsd:annotation>
    <xsd:documentation>SEYCHELLES</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SL">
  <xsd:annotation>
    <xsd:documentation>SIERRA LEONE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
```

```
<xsd:enumeration value="SG">
  <xsd:annotation>
    <xsd:documentation>SINGAPORE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SX">
  <xsd:annotation>
    <xsd:documentation>SINT MAARTEN (DUTCH PART)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SK">
  <xsd:annotation>
    <xsd:documentation>SLOVAKIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SI">
  <xsd:annotation>
    <xsd:documentation>SLOVENIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SB">
  <xsd:annotation>
    <xsd:documentation>SOLOMON ISLANDS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SO">
  <xsd:annotation>
    <xsd:documentation>SOMALIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ZA">
  <xsd:annotation>
    <xsd:documentation>SOUTH AFRICA</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>

<xsd:enumeration value="GS">

  <xsd:annotation>

    <xsd:documentation>SOUTH GEORGIA AND THE SOUTH SANDWICH ISLANDS</xsd:
    documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="SS">

  <xsd:annotation>

    <xsd:documentation>SOUTH SUDAN</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="ES">

  <xsd:annotation>

    <xsd:documentation>SPAIN</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="LK">

  <xsd:annotation>

    <xsd:documentation>SRI LANKA</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="SD">

  <xsd:annotation>

    <xsd:documentation>SUDAN</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="SR">

  <xsd:annotation>

    <xsd:documentation>SURINAME</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="SJ">

  <xsd:annotation>

    <xsd:documentation>SVALBARD AND JAN MAYEN</xsd:documentation>
```

```
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SZ">
  <xsd:annotation>
    <xsd:documentation>ESWATINI</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SE">
  <xsd:annotation>
    <xsd:documentation>SWEDEN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CH">
  <xsd:annotation>
    <xsd:documentation>SWITZERLAND</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SY">
  <xsd:annotation>
    <xsd:documentation>SYRIAN ARAB REPUBLIC</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TW">
  <xsd:annotation>
    <xsd:documentation>TAIWAN, PROVINCE OF CHINA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TJ">
  <xsd:annotation>
    <xsd:documentation>TAJIKISTAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TZ">
  <xsd:annotation>
```

```
<xsd:documentation>TANZANIA, UNITED REPUBLIC OF</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TH">
  <xsd:annotation>
    <xsd:documentation>THAILAND</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TL">
  <xsd:annotation>
    <xsd:documentation>TIMOR-LESTE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TG">
  <xsd:annotation>
    <xsd:documentation>TOGO</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TK">
  <xsd:annotation>
    <xsd:documentation>TOKELAU</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TO">
  <xsd:annotation>
    <xsd:documentation>TONGA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TT">
  <xsd:annotation>
    <xsd:documentation>TRINIDAD AND TOBAGO</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TN">
```

```
<xsd:annotation>
  <xsd:documentation>TUNISIA</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TR">
  <xsd:annotation>
    <xsd:documentation>TURKEY</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TM">
  <xsd:annotation>
    <xsd:documentation>TURKMENISTAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TC">
  <xsd:annotation>
    <xsd:documentation>TURKS AND CAICOS ISLANDS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TV">
  <xsd:annotation>
    <xsd:documentation>TUVALU</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="UG">
  <xsd:annotation>
    <xsd:documentation>UGANDA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="UA">
  <xsd:annotation>
    <xsd:documentation>UKRAINE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
```

```
<xsd:enumeration value="AE">
  <xsd:annotation>
    <xsd:documentation>UNITED ARAB EMIRATES</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GB">
  <xsd:annotation>
    <xsd:documentation>UNITED KINGDOM OF GREAT BRITAIN AND NORTHERN IRELAND</
    xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="US">
  <xsd:annotation>
    <xsd:documentation>UNITED STATES</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="UM">
  <xsd:annotation>
    <xsd:documentation>UNITED STATES MINOR OUTLYING ISLANDS</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="UY">
  <xsd:annotation>
    <xsd:documentation>URUGUAY</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="UZ">
  <xsd:annotation>
    <xsd:documentation>UZBEKISTAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="VU">
  <xsd:annotation>
    <xsd:documentation>VANUATU</xsd:documentation>
```

```
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="VE">
  <xsd:annotation>
    <xsd:documentation>VENEZUELA, BOLIVARIAN REPUBLIC OF</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="VN">
  <xsd:annotation>
    <xsd:documentation>VIET NAM</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="VG">
  <xsd:annotation>
    <xsd:documentation>VIRGIN ISLANDS, BRITISH</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="VI">
  <xsd:annotation>
    <xsd:documentation>VIRGIN ISLANDS, U.S.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="WF">
  <xsd:annotation>
    <xsd:documentation>WALLIS AND FUTUNA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="EH">
  <xsd:annotation>
    <xsd:documentation>WESTERN SAHARA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="YE">
```

```

    <xsd:annotation>
      <xsd:documentation>YEMEN</xsd:documentation>
    </xsd:annotation>
  </xsd:enumeration>
  <xsd:enumeration value="ZM">
    <xsd:annotation>
      <xsd:documentation>ZAMBIA</xsd:documentation>
    </xsd:annotation>
  </xsd:enumeration>
  <xsd:enumeration value="ZW">
    <xsd:annotation>
      <xsd:documentation>ZIMBABWE</xsd:documentation>
    </xsd:annotation>
  </xsd:enumeration>
  <xsd:enumeration value="XK">
    <xsd:annotation>
      <xsd:documentation>KOSOVO</xsd:documentation>
    </xsd:annotation>
  </xsd:enumeration>
</xsd:restriction>
</xsd:simpleType>
<!-- -->
<!-- ISO 4217 alpha 3 Currency Code

```

The following disclaimer refers to all uses of the ISO currency code list in the CARF schema: For practical reasons, the list is based on the ISO 4217 Alpha 3 currency list which is currently used by banks and other financial institutions, and hence by tax administrations. The use of this list does not imply the expression by the OECD of any opinion whatsoever concerning the legal status of the territories listed. Its content is without prejudice to the status of or sovereignty over any territory, to the delimitation of international frontiers and boundaries and to the name of any territory, city or area.

-->

```

<xsd:simpleType name="currCode_Type">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">
      The appropriate currency code from the ISO 4217 three-byte alpha version for the
      currency in which a monetary amount is expressed.
    </xsd:documentation>
  </xsd:annotation>

```

```
<xsd:restriction base="xsd:string">

  <xsd:enumeration value="AED">

    <xsd:annotation>

      <xsd:documentation>UAE Dirham: UNITED ARAB EMIRATES</xsd:documentation>

    </xsd:annotation>

  </xsd:enumeration>

  <xsd:enumeration value="AFN">

    <xsd:annotation>

      <xsd:documentation>Afghani: AFGHANISTAN</xsd:documentation>

    </xsd:annotation>

  </xsd:enumeration>

  <xsd:enumeration value="ALL">

    <xsd:annotation>

      <xsd:documentation>Lek: ALBANIA</xsd:documentation>

    </xsd:annotation>

  </xsd:enumeration>

  <xsd:enumeration value="AMD">

    <xsd:annotation>

      <xsd:documentation>Armenian Dram: ARMENIA </xsd:documentation>

    </xsd:annotation>

  </xsd:enumeration>

  <xsd:enumeration value="ANG">

    <xsd:annotation>

      <xsd:documentation>Netherlands Antillean Guilder: CURACAO; SINT MAARTEN
      (DUTCH PART) </xsd:documentation>

    </xsd:annotation>

  </xsd:enumeration>

  <xsd:enumeration value="AOA">

    <xsd:annotation>

      <xsd:documentation>Kwanza: ANGOLA</xsd:documentation>

    </xsd:annotation>

  </xsd:enumeration>

  <xsd:enumeration value="ARS">

    <xsd:annotation>
```

```
<xsd:documentation>Argentine Peso: ARGENTINA</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AUD">
  <xsd:annotation>
    <xsd:documentation>Australian Dollar: AUSTRALIA; CHRISTMAS ISLAND; COCOS
      (KEELING) ISLANDS; HEARD ISLAND AND McDONALD ISLANDS; KIRIBATI; NAURU; NORFOLK
      ISLAND; TUVALU</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AWG">
  <xsd:annotation>
    <xsd:documentation>Aruban Florin: ARUBA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AZN">
  <xsd:annotation>
    <xsd:documentation>Azerbaijan Manat: AZERBAIJAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BAM">
  <xsd:annotation>
    <xsd:documentation>Convertible Mark: BOSNIA AND HERZEGOVINA</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BBD">
  <xsd:annotation>
    <xsd:documentation>Barbados Dollar: BARBADOS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BDT">
  <xsd:annotation>
    <xsd:documentation>Taka: BANGLADESH</xsd:documentation>
```

```
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BGN">
  <xsd:annotation>
    <xsd:documentation>Bulgarian Lev: BULGARIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BHD">
  <xsd:annotation>
    <xsd:documentation>Bahraini Dinar: BAHRAIN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BIF">
  <xsd:annotation>
    <xsd:documentation>Burundi Franc: BURUNDI</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BMD">
  <xsd:annotation>
    <xsd:documentation>Bermudian Dollar: BERMUDA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BND">
  <xsd:annotation>
    <xsd:documentation>Brunei Dollar: BRUNEI DARUSSALAM</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BOB">
  <xsd:annotation>
    <xsd:documentation>Boliviano: BOLIVIA, PLURINATIONAL STATE OF</xsd:
documentation>
  </xsd:annotation>
</xsd:enumeration>
```

```
<xsd:enumeration value="BOV">

  <xsd:annotation>

    <xsd:documentation>Mvdol: BOLIVIA, PLURINATIONAL STATE OF</xsd:
documentation>

  </xsd:annotation>
</xsd:enumeration>

<xsd:enumeration value="BRL">

  <xsd:annotation>

    <xsd:documentation>Brazilian Real: BRAZIL</xsd:documentation>

  </xsd:annotation>
</xsd:enumeration>

<xsd:enumeration value="BSD">

  <xsd:annotation>

    <xsd:documentation>Bahamian Dollar: BAHAMAS</xsd:documentation>

  </xsd:annotation>
</xsd:enumeration>

<xsd:enumeration value="BTN">

  <xsd:annotation>

    <xsd:documentation>Ngultrum: BHUTAN</xsd:documentation>

  </xsd:annotation>
</xsd:enumeration>

<xsd:enumeration value="BWP">

  <xsd:annotation>

    <xsd:documentation>Pula: BOTSWANA</xsd:documentation>

  </xsd:annotation>
</xsd:enumeration>

<xsd:enumeration value="BYN">

  <xsd:annotation>

    <xsd:documentation>Belarusian Ruble: BELARUS</xsd:documentation>

  </xsd:annotation>
</xsd:enumeration>

<xsd:enumeration value="BYR">

  <xsd:annotation>
```

```
<xsd:documentation>Historic use: Belarussian Ruble: BELARUS</xsd:documentation>

</xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="BZD">

  <xsd:annotation>

    <xsd:documentation>Belize Dollar: BELIZE</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="CAD">

  <xsd:annotation>

    <xsd:documentation>Canadian Dollar: CANADA</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="CDF">

  <xsd:annotation>

    <xsd:documentation>Congolese Franc: CONGO, THE DEMOCRATIC REPUBLIC OF</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="CHE">

  <xsd:annotation>

    <xsd:documentation>WIR Euro: SWITZERLAND</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="CHF">

  <xsd:annotation>

    <xsd:documentation>Swiss Franc: LIECHTENSTEIN; SWITZERLAND</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="CHW">

  <xsd:annotation>

    <xsd:documentation>WIR Franc: SWITZERLAND</xsd:documentation>
```

```
</xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="CLF">

  <xsd:annotation>

    <xsd:documentation>Unidad de Fomento: CHILE</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="CLP">

  <xsd:annotation>

    <xsd:documentation>Chilean Peso: CHILE</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="CNY">

  <xsd:annotation>

    <xsd:documentation>Yuan Renminbi: CHINA</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="COP">

  <xsd:annotation>

    <xsd:documentation>Colombian Peso: COLOMBIA</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="COU">

  <xsd:annotation>

    <xsd:documentation>Unidad de Valor Real: COLOMBIA</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="CRC">

  <xsd:annotation>

    <xsd:documentation>Costa Rican Colon: COSTA RICA</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>
```

```
<xsd:enumeration value="CUC">
  <xsd:annotation>
    <xsd:documentation>Peso Convertible: CUBA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CUP">
  <xsd:annotation>
    <xsd:documentation>Cuban Peso: CUBA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CVE">
  <xsd:annotation>
    <xsd:documentation>Cabo Verde Escudo: CABO VERDE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CZK">
  <xsd:annotation>
    <xsd:documentation>Czech Koruna: CZECHIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DJF">
  <xsd:annotation>
    <xsd:documentation>Djibouti Franc: DJIBOUTI</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DKK">
  <xsd:annotation>
    <xsd:documentation>Danish Krone: DENMARK; FAROE ISLANDS; GREENLAND</xsd:
documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DOP">
  <xsd:annotation>
```

```
<xsd:documentation>Dominican Peso: DOMINICAN REPUBLIC</xsd:documentation>

</xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="DZD">

  <xsd:annotation>

    <xsd:documentation>Algerian Dinar: ALGERIA</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="EGP">

  <xsd:annotation>

    <xsd:documentation>Egyptian Pound: EGYPT</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="ERN">

  <xsd:annotation>

    <xsd:documentation>Nakfa: ERITREA</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="ETB">

  <xsd:annotation>

    <xsd:documentation>Ethiopian Birr: ETHIOPIA</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="EUR">

  <xsd:annotation>

    <xsd:documentation>Euro: ALAND ISLANDS; ANDORRA; AUSTRIA; BELGIUM; CYPRUS;
    ESTONIA; EUROPEAN UNION; FINLAND; FRANCE; FRENCH GUIANA; FRENCH SOUTHERN
    TERRITORIES; GERMANY; GREECE; GUADELOUPE; HOLY SEE (VATICAN CITY STATE);
    IRELAND; ITALY; LATVIA; LITHUANIA; LUXEMBOURG; MALTA; MARTINIQUE; MAYOTTE;
    MONACO; MONTENEGRO; NETHERLANDS; PORTUGAL; REUNION; SAINT BARTHELEMY; SAINT
    MARTIN (FRENCH PART); SAINT PIERRE AND MIQUELON; SAN MARINO; SLOVAKIA;
    SLOVENIA; SPAIN; Vatican City State (HOLY SEE)</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="FJD">
```

```
<xsd:annotation>

  <xsd:documentation>Fiji Dollar: FIJI</xsd:documentation>

</xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="FKP">

  <xsd:annotation>

    <xsd:documentation>Falkland Islands Pound: FALKLAND ISLANDS (MALVINAS)
    </xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="GBP">

  <xsd:annotation>

    <xsd:documentation>Pound Sterling: GUERNSEY; ISLE OF MAN; JERSEY; UNITED
    KINGDOM OF GREAT BRITAIN AND NORTHERN IRELAND</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="GEL">

  <xsd:annotation>

    <xsd:documentation>Lari: GEORGIA</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="GHS">

  <xsd:annotation>

    <xsd:documentation>Ghana Cedi: GHANA</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="GIP">

  <xsd:annotation>

    <xsd:documentation>Gibraltar Pound: GIBRALTAR</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="GMD">

  <xsd:annotation>

    <xsd:documentation>Dalasi: GAMBIA</xsd:documentation>

  </xsd:annotation>
```

```
</xsd:enumeration>

<xsd:enumeration value="GNF">

  <xsd:annotation>

    <xsd:documentation>Guinean Franc: GUINEA</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="GTQ">

  <xsd:annotation>

    <xsd:documentation>Quetzal: GUATEMALA</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="GYD">

  <xsd:annotation>

    <xsd:documentation>Guyana Dollar: GUYANA</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="HKD">

  <xsd:annotation>

    <xsd:documentation>Hong Kong Dollar: HONG KONG</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="HNL">

  <xsd:annotation>

    <xsd:documentation>Lempira: HONDURAS</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="HRK">

  <xsd:annotation>

    <xsd:documentation>Kuna: CROATIA</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="HTG">
```

```
<xsd:annotation>
  <xsd:documentation>Gourde: HAITI</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HUF">
  <xsd:annotation>
    <xsd:documentation>Forint: HUNGARY</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IDR">
  <xsd:annotation>
    <xsd:documentation>Rupiah: INDONESIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ILS">
  <xsd:annotation>
    <xsd:documentation>New Israeli Sheqel: ISRAEL</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="INR">
  <xsd:annotation>
    <xsd:documentation>Indian Rupee: BHUTAN; INDIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IQD">
  <xsd:annotation>
    <xsd:documentation>Iraqi Dinar: IRAQ</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IRR">
  <xsd:annotation>
    <xsd:documentation>Iranian Rial: IRAN, ISLAMIC REPUBLIC OF</xsd:
documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>

<xsd:enumeration value="ISK">

  <xsd:annotation>

    <xsd:documentation>Iceland Krona: ICELAND</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="JMD">

  <xsd:annotation>

    <xsd:documentation>Jamaican Dollar: JAMAICA</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="JOD">

  <xsd:annotation>

    <xsd:documentation>Jordanian Dinar: JORDAN</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="JPY">

  <xsd:annotation>

    <xsd:documentation>Yen: JAPAN</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="KES">

  <xsd:annotation>

    <xsd:documentation>Kenyan Shilling: KENYA</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="KGS">

  <xsd:annotation>

    <xsd:documentation>Som: KYRGYZSTAN</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="KHR">

  <xsd:annotation>
```

```
<xsd:documentation>Riel: CAMBODIA</xsd:documentation>

</xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="KMF">

  <xsd:annotation>

    <xsd:documentation>Comorian Franc: COMOROS</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="KPW">

  <xsd:annotation>

    <xsd:documentation>North Korean Won: KOREA, DEMOCRATIC PEOPLE'S REPUBLIC
    OF</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="KRW">

  <xsd:annotation>

    <xsd:documentation>Won: KOREA, REPUBLIC OF</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="KWD">

  <xsd:annotation>

    <xsd:documentation>Kuwaiti Dinar: KUWAIT</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="KYD">

  <xsd:annotation>

    <xsd:documentation>Cayman Islands Dollar: CAYMAN ISLANDS</xsd:
    documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="KZT">

  <xsd:annotation>

    <xsd:documentation>Tenge: KAZAKHSTAN</xsd:documentation>

  </xsd:annotation>
```

```
</xsd:enumeration>

<xsd:enumeration value="LAK">

  <xsd:annotation>

    <xsd:documentation>Lao Kip: LAO PEOPLE' S DEMOCRATIC REPUBLIC</xsd:
documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="LBP">

  <xsd:annotation>

    <xsd:documentation>Lebanese Pound: LEBANON</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="LKR">

  <xsd:annotation>

    <xsd:documentation>Sri Lanka Rupee: SRI LANKA</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="LRD">

  <xsd:annotation>

    <xsd:documentation>Liberian Dollar: LIBERIA</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="LSL">

  <xsd:annotation>

    <xsd:documentation>Loti: LESOTHO</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="LTL">

  <xsd:annotation>

    <xsd:documentation>Historic use: Lithuanian Litas: LITHUANIA</xsd:
documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="LVL">
```

```
<xsd:annotation>

  <xsd:documentation>Historic use: Latvian Lats: LATVIA</xsd:documentation>

</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LYD">

  <xsd:annotation>

    <xsd:documentation>Libyan Dinar: LIBYA</xsd:documentation>

  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MAD">

  <xsd:annotation>

    <xsd:documentation>Moroccan Dirham: MOROCCO; WESTERN SAHARA</xsd:
documentation>

  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MDL">

  <xsd:annotation>

    <xsd:documentation>Moldovan Leu: MOLDOVA, REPUBLIC OF</xsd:documentation>

  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MGA">

  <xsd:annotation>

    <xsd:documentation>Malagasy Ariary: MADAGASCAR</xsd:documentation>

  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MKD">

  <xsd:annotation>

    <xsd:documentation>Denar: MACEDONIA, THE FORMER YUGOSLAV REPUBLIC OF</xsd:
documentation>

  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MMK">

  <xsd:annotation>

    <xsd:documentation>Kyat: MYANMAR</xsd:documentation>
```

```
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MNT">
  <xsd:annotation>
    <xsd:documentation>Tugrik: MONGOLIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MOP">
  <xsd:annotation>
    <xsd:documentation>Pataca: MACAO</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MRO">
  <xsd:annotation>
    <xsd:documentation>Historic use: Ouguiya: MAURITANIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MRU">
  <xsd:annotation>
    <xsd:documentation>Ouguiya: MAURITANIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MUR">
  <xsd:annotation>
    <xsd:documentation>Mauritius Rupee: MAURITIUS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MVR">
  <xsd:annotation>
    <xsd:documentation>Rufiyaa: MALDIVES</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MWK">
```

```
<xsd:annotation>

  <xsd:documentation>Malawi Kwacha: MALAWI</xsd:documentation>

</xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="MXN">

  <xsd:annotation>

    <xsd:documentation>Mexican Peso: MEXICO</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="MXV">

  <xsd:annotation>

    <xsd:documentation>Mexican Unidad de Inversion (UDI): MEXICO</xsd:
documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="MYR">

  <xsd:annotation>

    <xsd:documentation>Malaysian Ringgit: MALAYSIA</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="MZN">

  <xsd:annotation>

    <xsd:documentation>Mozambique Metical: MOZAMBIQUE</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="NAD">

  <xsd:annotation>

    <xsd:documentation>Namibia Dollar: NAMIBIA</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="NGN">

  <xsd:annotation>

    <xsd:documentation>Naira: NIGERIA</xsd:documentation>
```

```
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NIO">
  <xsd:annotation>
    <xsd:documentation>Cordoba Oro: NICARAGUA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NOK">
  <xsd:annotation>
    <xsd:documentation>Norwegian Krone: BOUVET ISLAND; NORWAY; SVALBARD AND JAN
    MAYEN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NPR">
  <xsd:annotation>
    <xsd:documentation>Nepalese Rupee: NEPAL</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NZD">
  <xsd:annotation>
    <xsd:documentation>New Zealand Dollar: COOK ISLANDS; NEW ZEALAND; NIUE;
    PITCAIRN; TOKELAU</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="OMR">
  <xsd:annotation>
    <xsd:documentation>Rial Omani: OMAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PAB">
  <xsd:annotation>
    <xsd:documentation>Balboa: PANAMA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PEN">
```

```
<xsd:annotation>

  <xsd:documentation>Sol: PERU</xsd:documentation>

</xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="PGK">

  <xsd:annotation>

    <xsd:documentation>Kina: PAPUA NEW GUINEA</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="PHP">

  <xsd:annotation>

    <xsd:documentation>Philippine Peso: PHILIPPINES</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="PKR">

  <xsd:annotation>

    <xsd:documentation>Pakistan Rupee: PAKISTAN</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="PLN">

  <xsd:annotation>

    <xsd:documentation>Zloty: POLAND</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="PYG">

  <xsd:annotation>

    <xsd:documentation>Guarani: PARAGUAY</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="QAR">

  <xsd:annotation>

    <xsd:documentation>Qatari Rial: QATAR</xsd:documentation>
```

```
</xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="RON">

  <xsd:annotation>

    <xsd:documentation>Romanian Leu: ROMANIA</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="RSD">

  <xsd:annotation>

    <xsd:documentation>Serbian Dinar: SERBIA</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="RUB">

  <xsd:annotation>

    <xsd:documentation>Russian Ruble: RUSSIAN FEDERATION</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="RWF">

  <xsd:annotation>

    <xsd:documentation>Rwanda Franc: RWANDA</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="SAR">

  <xsd:annotation>

    <xsd:documentation>Saudi Riyal: SAUDI ARABIA</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="SBD">

  <xsd:annotation>

    <xsd:documentation>Solomon Islands Dollar: SOLOMON ISLANDS</xsd:
documentation>

  </xsd:annotation>

</xsd:enumeration>
```

```
<xsd:enumeration value="SCR">
  <xsd:annotation>
    <xsd:documentation>Seychelles Rupee: SEYCHELLES</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SDG">
  <xsd:annotation>
    <xsd:documentation>Sudanese Pound: SUDAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SEK">
  <xsd:annotation>
    <xsd:documentation>Swedish Krona: SWEDEN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SGD">
  <xsd:annotation>
    <xsd:documentation>Singapore Dollar: SINGAPORE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SHP">
  <xsd:annotation>
    <xsd:documentation>Saint Helena Pound: SAINT HELENA, ASCENSION AND TRISTAN DA
    CUNHA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SLL">
  <xsd:annotation>
    <xsd:documentation>Leone: SIERRA LEONE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SOS">
  <xsd:annotation>
```

```
<xsd:documentation>Somali Shilling: SOMALIA</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SRD">
  <xsd:annotation>
    <xsd:documentation>Surinam Dollar: SURINAME</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SSP">
  <xsd:annotation>
    <xsd:documentation>South Sudanese Pound: SOUTH SUDAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="STD">
  <xsd:annotation>
    <xsd:documentation>Historic use: Dobra: SAO TOME AND PRINCIPE</xsd:
documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="STN">
  <xsd:annotation>
    <xsd:documentation>Dobra: SAO TOME AND PRINCIPE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SVC">
  <xsd:annotation>
    <xsd:documentation>El Salvador Colon: EL SALVADOR</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SYP">
  <xsd:annotation>
    <xsd:documentation>Syrian Pound: SYRIAN ARAB REPUBLIC</xsd:documentation>
```

```
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SZL">
  <xsd:annotation>
    <xsd:documentation>Lilangeni: ESWATINI</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="THB">
  <xsd:annotation>
    <xsd:documentation>Baht: THAILAND</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TJS">
  <xsd:annotation>
    <xsd:documentation>Somoni: TAJIKISTAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TMT">
  <xsd:annotation>
    <xsd:documentation>Turkmenistan New Manat: TURKMENISTAN</xsd:
documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TND">
  <xsd:annotation>
    <xsd:documentation>Tunisian Dinar: TUNISIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TOP">
  <xsd:annotation>
    <xsd:documentation>Pa'anga: TONGA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TRY">
```

```
<xsd:annotation>

  <xsd:documentation>Turkish Lira: TURKEY</xsd:documentation>

</xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="TTD">

  <xsd:annotation>

    <xsd:documentation>Trinidad and Tobago Dollar: TRINIDAD AND TOBAGO</xsd:
    documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="TWD">

  <xsd:annotation>

    <xsd:documentation>New Taiwan Dollar: TAIWAN, PROVINCE OF CHINA</xsd:
    documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="TZS">

  <xsd:annotation>

    <xsd:documentation>Tanzanian Shilling: TANZANIA, UNITED REPUBLIC OF</xsd:
    documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="UAH">

  <xsd:annotation>

    <xsd:documentation>Hryvnia: UKRAINE</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="UGX">

  <xsd:annotation>

    <xsd:documentation>Uganda Shilling: UGANDA</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="USD">

  <xsd:annotation>
```

```
<xsd:documentation>US Dollar: AMERICAN SAMOA; BONAIRE; SINT EUSTATIUS AND
SABA; BRITISH INDIAN OCEAN TERRITORY; ECUADOR; EL SALVADOR; GUAM; HAITI;
MARSHALL ISLANDS; MICRONESIA, FEDERATED STATES OF; NORTHERN MARIANA ISLANDS;
PALAU; PANAMA; PUERTO RICO; TIMOR-LESTE; TURKS AND CAICOS ISLANDS; UNITED
STATES; UNITED STATES MINOR OUTLYING ISLANDS; VIRGIN ISLANDS (BRITISH); VIRGIN
ISLANDS (US)</xsd:documentation>

</xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="USN">

  <xsd:annotation>

    <xsd:documentation>US Dollar (Next day) : UNITED STATES</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="USS">

  <xsd:annotation>

    <xsd:documentation>Historic use: US Dollar (Same day) : UNITED STATES</xsd:
documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="UYI">

  <xsd:annotation>

    <xsd:documentation>Uruguay Peso en Unidades Indexadas (UI) : URUGUAY</xsd:
documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="UYU">

  <xsd:annotation>

    <xsd:documentation>Peso Uruguayo: URUGUAY</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="UYW">

  <xsd:annotation>

    <xsd:documentation>Unidad Previsional: URUGUAY</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="UZS">
```

```
<xsd:annotation>

  <xsd:documentation>Uzbekistan Sum: UZBEKISTAN</xsd:documentation>

</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="VEF">

  <xsd:annotation>

    <xsd:documentation>Historic use: Bolivar: VENEZUELA, BOLIVARIAN REPUBLIC
    OF</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>
<xsd:enumeration value="VES">

  <xsd:annotation>

    <xsd:documentation>Bolívar Soberano: VENEZUELA, BOLIVARIAN REPUBLIC OF</
    xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>
<xsd:enumeration value="VND">

  <xsd:annotation>

    <xsd:documentation>Dong: VIET NAM</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>
<xsd:enumeration value="VUV">

  <xsd:annotation>

    <xsd:documentation>Vatu: VANUATU</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>
<xsd:enumeration value="WST">

  <xsd:annotation>

    <xsd:documentation>Tala: SAMOA</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>
<xsd:enumeration value="XAF">

  <xsd:annotation>

    <xsd:documentation>CFA Franc BEAC: CAMEROON; CENTRAL AFRICAN REPUBLIC; CHAD;
    CONGO; EQUATORIAL GUINEA; GABON</xsd:documentation>
```

```
</xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="XAG">

  <xsd:annotation>

    <xsd:documentation>Silver: ZZ11_Silver</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="XAU">

  <xsd:annotation>

    <xsd:documentation>Gold: ZZ08_Gold</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="XBA">

  <xsd:annotation>

    <xsd:documentation>Bond Markets Unit European Composite Unit (EURCO) :
    ZZ01_Bond Markets Unit European_EURCO</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="XBB">

  <xsd:annotation>

    <xsd:documentation>Bond Markets Unit European Monetary Unit (E.M.U.-6) :
    ZZ02_Bond Markets Unit European_EMU-6</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="XBC">

  <xsd:annotation>

    <xsd:documentation>Bond Markets Unit European Unit of Account 9 (E.U.A.-9) :
    ZZ03_Bond Markets Unit European_EUA-9</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="XBD">

  <xsd:annotation>

    <xsd:documentation>Bond Markets Unit European Unit of Account 17 (E.U.A.-17) :
    ZZ04_Bond Markets Unit European_EUA-17</xsd:documentation>
```

```
</xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="XCD">

  <xsd:annotation>

    <xsd:documentation>East Caribbean Dollar: ANGUILLA; ANTIGUA AND BARBUDA;
    DOMINICA; GRENADA; MONTSEERRAT; SAINT KITTS AND NEVIS; SAINT LUCIA; SAINT
    VINCENT AND THE GRENADINES</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="XDR">

  <xsd:annotation>

    <xsd:documentation>SDR (Special Drawing Right) : INTERNATIONAL MONETARY FUND
    (IMF)</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="XFU">

  <xsd:annotation>

    <xsd:documentation>Historic use: UIC-Franc: ZZ05_UIC-Franc</xsd:
    documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="XOF">

  <xsd:annotation>

    <xsd:documentation>CFA Franc BCEAO: BENIN; BURKINA FASO; COTE D'IVOIRE;
    GUINEA-BISSAU; MALI; NIGER; SENEGAL; TOGO</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="XPD">

  <xsd:annotation>

    <xsd:documentation>Palladium: ZZ09_Palladium</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="XPF">

  <xsd:annotation>

    <xsd:documentation>CFP Franc: FRENCH POLYNESIA; NEW CALEDONIA; WALLIS AND
    FUTUNA</xsd:documentation>
```

```
</xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="XPT">

  <xsd:annotation>

    <xsd:documentation>Platinum: ZZ10_Platinum</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="XSU">

  <xsd:annotation>

    <xsd:documentation>Sucre: SISTEMA UNITARIO DE COMPENSACION REGIONAL DE PAGOS
    "SUCRE"</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="XUA">

  <xsd:annotation>

    <xsd:documentation>ADB Unit of Account: MEMBER COUNTRIES OF THE AFRICAN
    DEVELOPMENT BANK GROUP</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="XXX">

  <xsd:annotation>

    <xsd:documentation>The codes assigned for transactions where no currency is
    involved: ZZ07_No_Currency</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="YER">

  <xsd:annotation>

    <xsd:documentation>Yemeni Rial: YEMEN</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="ZAR">

  <xsd:annotation>

    <xsd:documentation>Rand: LESOTHO; NAMIBIA; SOUTH AFRICA</xsd:
    documentation>

  </xsd:annotation>
```

```

</xsd:enumeration>

<xsd:enumeration value="ZMW">

  <xsd:annotation>

    <xsd:documentation>Zambian Kwacha: ZAMBIA</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="ZWL">

  <xsd:annotation>

    <xsd:documentation>Zimbabwe Dollar: ZIMBABWE</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

</xsd:restriction>

</xsd:simpleType>

<!-- Language codes - ISO 639 - Part 1 (ISO 639-1:2002)

```

The following disclaimer refers to all uses of the ISO language code list in the CBC schema: For practical reasons, the list is based on the ISO 639-1 language list which is currently used by banks and other financial institutions, and hence by tax administrations. The use of this list does not imply the expression by the OECD of any opinion whatsoever concerning the legal status of the territories listed. Its content is without prejudice to the status of or sovereignty over any territory, to the delimitation of international frontiers and boundaries and to the name of any territory, city or area.

```
-->
```

```

<xsd:simpleType name="LanguageCode_Type">

  <xsd:annotation>

    <xsd:documentation xml:lang="en">ISO 639 - Part 1 Language codes</xsd:documentation>

  </xsd:annotation>

  <xsd:restriction base="xsd:string">

    <xsd:enumeration value="AA">

      <xsd:annotation>

        <xsd:documentation>Afar</xsd:documentation>

      </xsd:annotation>

    </xsd:enumeration>

    <xsd:enumeration value="AB">

      <xsd:annotation>

        <xsd:documentation>Abkhazian</xsd:documentation>

      </xsd:annotation>

```

```
</xsd:enumeration>
<xsd:enumeration value="AF">
  <xsd:annotation>
    <xsd:documentation>Afrikaans</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AK">
  <xsd:annotation>
    <xsd:documentation>Akan</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SQ">
  <xsd:annotation>
    <xsd:documentation>Albanian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AM">
  <xsd:annotation>
    <xsd:documentation>Amharic</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AR">
  <xsd:annotation>
    <xsd:documentation>Arabic</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AN">
  <xsd:annotation>
    <xsd:documentation>Aragonese</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HY">
  <xsd:annotation>
    <xsd:documentation>Armenian</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="AS">
  <xsd:annotation>
    <xsd:documentation>Assamese</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AV">
  <xsd:annotation>
    <xsd:documentation>Avaric</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AE">
  <xsd:annotation>
    <xsd:documentation>Avestan</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AY">
  <xsd:annotation>
    <xsd:documentation>Aymara</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AZ">
  <xsd:annotation>
    <xsd:documentation>Azerbaijani</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BA">
  <xsd:annotation>
    <xsd:documentation>Bashkir</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BM">
  <xsd:annotation>
    <xsd:documentation>Bambara</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="EU">
  <xsd:annotation>
    <xsd:documentation>Basque</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BE">
  <xsd:annotation>
    <xsd:documentation>Belarusian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BN">
  <xsd:annotation>
    <xsd:documentation>Bengali</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BH">
  <xsd:annotation>
    <xsd:documentation>Bihari languages</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BI">
  <xsd:annotation>
    <xsd:documentation>Bislama</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BS">
  <xsd:annotation>
    <xsd:documentation>Bosnian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BR">
  <xsd:annotation>
    <xsd:documentation>Breton</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>

<xsd:enumeration value="BG">

  <xsd:annotation>

    <xsd:documentation>Bulgarian</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="MY">

  <xsd:annotation>

    <xsd:documentation>Burmese</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="CA">

  <xsd:annotation>

    <xsd:documentation>Catalan; Valencian</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="CH">

  <xsd:annotation>

    <xsd:documentation>Chamorro</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="CE">

  <xsd:annotation>

    <xsd:documentation>Chechen</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="ZH">

  <xsd:annotation>

    <xsd:documentation>Chinese</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="CU">

  <xsd:annotation>
```

```
<xsd:documentation>Church Slavic; Old Slavonic; Church Slavonic; Old
Bulgarian; Old Church Slavonic</xsd:documentation>

</xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="CV">

  <xsd:annotation>

    <xsd:documentation>Chuvash</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="KW">

  <xsd:annotation>

    <xsd:documentation>Cornish</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="CO">

  <xsd:annotation>

    <xsd:documentation>Corsican</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="CR">

  <xsd:annotation>

    <xsd:documentation>Cree</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="CS">

  <xsd:annotation>

    <xsd:documentation>Czech</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="DA">

  <xsd:annotation>

    <xsd:documentation>Danish</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="DV">
```

```
<xsd:annotation>
  <xsd:documentation>Divehi; Dhivehi; Maldivian</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NL">
  <xsd:annotation>
    <xsd:documentation>Dutch; Flemish</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DZ">
  <xsd:annotation>
    <xsd:documentation>Dzongkha</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="EN">
  <xsd:annotation>
    <xsd:documentation>English</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="EO">
  <xsd:annotation>
    <xsd:documentation>Esperanto</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ET">
  <xsd:annotation>
    <xsd:documentation>Estonian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="EE">
  <xsd:annotation>
    <xsd:documentation>Ewe</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
```

```
<xsd:enumeration value="FO">
  <xsd:annotation>
    <xsd:documentation>Faroese</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FJ">
  <xsd:annotation>
    <xsd:documentation>Fijian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FI">
  <xsd:annotation>
    <xsd:documentation>Finnish</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FR">
  <xsd:annotation>
    <xsd:documentation>French</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FY">
  <xsd:annotation>
    <xsd:documentation>Western Frisian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FF">
  <xsd:annotation>
    <xsd:documentation>Fulah</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KA">
  <xsd:annotation>
    <xsd:documentation>Georgian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
```

```
<xsd:enumeration value="DE">
  <xsd:annotation>
    <xsd:documentation>German</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GD">
  <xsd:annotation>
    <xsd:documentation>Gaelic; Scottish Gaelic</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GA">
  <xsd:annotation>
    <xsd:documentation>Irish</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GL">
  <xsd:annotation>
    <xsd:documentation>Galician</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GV">
  <xsd:annotation>
    <xsd:documentation>Manx</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="EL">
  <xsd:annotation>
    <xsd:documentation>Greek</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GN">
  <xsd:annotation>
    <xsd:documentation>Guarani</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="GU">
  <xsd:annotation>
    <xsd:documentation>Gujarati</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HT">
  <xsd:annotation>
    <xsd:documentation>Haitian; Haitian Creole</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HA">
  <xsd:annotation>
    <xsd:documentation>Hausa</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HE">
  <xsd:annotation>
    <xsd:documentation>Hebrew</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HZ">
  <xsd:annotation>
    <xsd:documentation>Herero</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HI">
  <xsd:annotation>
    <xsd:documentation>Hindi</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HO">
  <xsd:annotation>
    <xsd:documentation>Hiri Motu</xsd:documentation>
```

```
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HR">
  <xsd:annotation>
    <xsd:documentation>Croatian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HU">
  <xsd:annotation>
    <xsd:documentation>Hungarian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IG">
  <xsd:annotation>
    <xsd:documentation>Igbo</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IS">
  <xsd:annotation>
    <xsd:documentation>Icelandic</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IO">
  <xsd:annotation>
    <xsd:documentation>Ido</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="II">
  <xsd:annotation>
    <xsd:documentation>Sichuan Yi; Nuosu</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IU">
  <xsd:annotation>
    <xsd:documentation>Inuktitut</xsd:documentation>
```

```
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IE">
  <xsd:annotation>
    <xsd:documentation>Interlingue; Occidental</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IA">
  <xsd:annotation>
    <xsd:documentation>Interlingua (International Auxiliary Language
      Association)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ID">
  <xsd:annotation>
    <xsd:documentation>Indonesian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IK">
  <xsd:annotation>
    <xsd:documentation>Inupiaq</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IT">
  <xsd:annotation>
    <xsd:documentation>Italian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="JV">
  <xsd:annotation>
    <xsd:documentation>Javanese</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="JA">
  <xsd:annotation>
```

```
<xsd:documentation>Japanese</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KL">
  <xsd:annotation>
    <xsd:documentation>Kalaallisut; Greenlandic</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KN">
  <xsd:annotation>
    <xsd:documentation>Kannada</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KS">
  <xsd:annotation>
    <xsd:documentation>Kashmiri</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KR">
  <xsd:annotation>
    <xsd:documentation>Kanuri</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KK">
  <xsd:annotation>
    <xsd:documentation>Kazakh</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KM">
  <xsd:annotation>
    <xsd:documentation>Central Khmer</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KI">
```

```
<xsd:annotation>
  <xsd:documentation>Kikuyu; Gikuyu</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RW">
  <xsd:annotation>
    <xsd:documentation>Kinyarwanda</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KY">
  <xsd:annotation>
    <xsd:documentation>Kirghiz; Kyrgyz</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KV">
  <xsd:annotation>
    <xsd:documentation>Komi</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KG">
  <xsd:annotation>
    <xsd:documentation>Kongo</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KO">
  <xsd:annotation>
    <xsd:documentation>Korean</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KJ">
  <xsd:annotation>
    <xsd:documentation>Kuanyama; Kwanyama</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
```

```
<xsd:enumeration value="KU">
  <xsd:annotation>
    <xsd:documentation>Kurdish</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LO">
  <xsd:annotation>
    <xsd:documentation>Lao</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LA">
  <xsd:annotation>
    <xsd:documentation>Latin</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LV">
  <xsd:annotation>
    <xsd:documentation>Latvian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LI">
  <xsd:annotation>
    <xsd:documentation>Limburgan; Limburger; Limburgish</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LN">
  <xsd:annotation>
    <xsd:documentation>Lingala</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LT">
  <xsd:annotation>
    <xsd:documentation>Lithuanian</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="LB">
  <xsd:annotation>
    <xsd:documentation>Luxembourgish; Letzeburgesch</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LU">
  <xsd:annotation>
    <xsd:documentation>Luba-Katanga</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LG">
  <xsd:annotation>
    <xsd:documentation>Ganda</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MK">
  <xsd:annotation>
    <xsd:documentation>Macedonian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MH">
  <xsd:annotation>
    <xsd:documentation>Marshallese</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ML">
  <xsd:annotation>
    <xsd:documentation>Malayalam</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MI">
  <xsd:annotation>
    <xsd:documentation>Maori</xsd:documentation>
```

```
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MR">
  <xsd:annotation>
    <xsd:documentation>Marathi</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MS">
  <xsd:annotation>
    <xsd:documentation>Malay</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MG">
  <xsd:annotation>
    <xsd:documentation>Malagasy</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MT">
  <xsd:annotation>
    <xsd:documentation>Maltese</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MN">
  <xsd:annotation>
    <xsd:documentation>Mongolian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NA">
  <xsd:annotation>
    <xsd:documentation>Nauru</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NV">
  <xsd:annotation>
    <xsd:documentation>Navajo; Navaho</xsd:documentation>
```

```
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NR">
  <xsd:annotation>
    <xsd:documentation>Ndebele, South; South Ndebele</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ND">
  <xsd:annotation>
    <xsd:documentation>Ndebele, North; North Ndebele</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NG">
  <xsd:annotation>
    <xsd:documentation>Ndonga</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NE">
  <xsd:annotation>
    <xsd:documentation>Nepali</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NN">
  <xsd:annotation>
    <xsd:documentation>Norwegian Nynorsk; Nynorsk, Norwegian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NB">
  <xsd:annotation>
    <xsd:documentation>Bokmål, Norwegian; Norwegian Bokmål</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NO">
```

```
<xsd:annotation>
  <xsd:documentation>Norwegian</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NY">
  <xsd:annotation>
    <xsd:documentation>Chichewa; Chewa; Nyanja</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="OC">
  <xsd:annotation>
    <xsd:documentation>Occitan; Provençal</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="OJ">
  <xsd:annotation>
    <xsd:documentation>Ojibwa</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="OR">
  <xsd:annotation>
    <xsd:documentation>Oriya</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="OM">
  <xsd:annotation>
    <xsd:documentation>Oromo</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="OS">
  <xsd:annotation>
    <xsd:documentation>Ossetian; Ossetic</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="PA">
  <xsd:annotation>
    <xsd:documentation>Panjabi; Punjabi</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FA">
  <xsd:annotation>
    <xsd:documentation>Persian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PI">
  <xsd:annotation>
    <xsd:documentation>Pali</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PL">
  <xsd:annotation>
    <xsd:documentation>Polish</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PT">
  <xsd:annotation>
    <xsd:documentation>Portuguese</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PS">
  <xsd:annotation>
    <xsd:documentation>Pushto; Pashto</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="QU">
  <xsd:annotation>
    <xsd:documentation>Quechua</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="RM">
  <xsd:annotation>
    <xsd:documentation>Romansh</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RO">
  <xsd:annotation>
    <xsd:documentation>Romanian; Moldavian; Moldovan</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RN">
  <xsd:annotation>
    <xsd:documentation>Rundi</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RU">
  <xsd:annotation>
    <xsd:documentation>Russian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SG">
  <xsd:annotation>
    <xsd:documentation>Sango</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SA">
  <xsd:annotation>
    <xsd:documentation>Sanskrit</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SI">
  <xsd:annotation>
    <xsd:documentation>Sinhala; Sinhalese</xsd:documentation>
```

```
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SK">
  <xsd:annotation>
    <xsd:documentation>Slovak</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SL">
  <xsd:annotation>
    <xsd:documentation>Slovenian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SE">
  <xsd:annotation>
    <xsd:documentation>Northern Sami</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SM">
  <xsd:annotation>
    <xsd:documentation>Samoan</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SN">
  <xsd:annotation>
    <xsd:documentation>Shona</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SD">
  <xsd:annotation>
    <xsd:documentation>Sindhi</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SO">
  <xsd:annotation>
    <xsd:documentation>Somali</xsd:documentation>
```

```
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ST">
  <xsd:annotation>
    <xsd:documentation>Sotho, Southern</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ES">
  <xsd:annotation>
    <xsd:documentation>Spanish; Castilian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SC">
  <xsd:annotation>
    <xsd:documentation>Sardinian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SR">
  <xsd:annotation>
    <xsd:documentation>Serbian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SS">
  <xsd:annotation>
    <xsd:documentation>Swati</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SU">
  <xsd:annotation>
    <xsd:documentation>Sundanese</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SW">
  <xsd:annotation>
```

```
<xsd:documentation>Swahili</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SV">
  <xsd:annotation>
    <xsd:documentation>Swedish</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TY">
  <xsd:annotation>
    <xsd:documentation>Tahitian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TA">
  <xsd:annotation>
    <xsd:documentation>Tamil</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TT">
  <xsd:annotation>
    <xsd:documentation>Tatar</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TE">
  <xsd:annotation>
    <xsd:documentation>Telugu</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TG">
  <xsd:annotation>
    <xsd:documentation>Tajik</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TL">
  <xsd:annotation>
```

```
<xsd:documentation>Tagalog</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TH">
  <xsd:annotation>
    <xsd:documentation>Thai</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BO">
  <xsd:annotation>
    <xsd:documentation>Tibetan</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TI">
  <xsd:annotation>
    <xsd:documentation>Tigrinya</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TO">
  <xsd:annotation>
    <xsd:documentation>Tonga (Tonga Islands)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TN">
  <xsd:annotation>
    <xsd:documentation>Tswana</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TS">
  <xsd:annotation>
    <xsd:documentation>Tsonga</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TK">
```

```
<xsd:annotation>
  <xsd:documentation>Turkmen</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TR">
  <xsd:annotation>
    <xsd:documentation>Turkish</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TW">
  <xsd:annotation>
    <xsd:documentation>Twi</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="UG">
  <xsd:annotation>
    <xsd:documentation>Uighur; Uyghur</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="UK">
  <xsd:annotation>
    <xsd:documentation>Ukrainian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="UR">
  <xsd:annotation>
    <xsd:documentation>Urdu</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="UZ">
  <xsd:annotation>
    <xsd:documentation>Uzbek</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="VE">
```

```
<xsd:annotation>
  <xsd:documentation>Venda</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="VI">
  <xsd:annotation>
    <xsd:documentation>Vietnamese</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="VO">
  <xsd:annotation>
    <xsd:documentation>Volapük</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CY">
  <xsd:annotation>
    <xsd:documentation>Welsh</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="WA">
  <xsd:annotation>
    <xsd:documentation>Walloon</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="WO">
  <xsd:annotation>
    <xsd:documentation>Wolof</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="XH">
  <xsd:annotation>
    <xsd:documentation>Xhosa</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="YI">
```

```
<xsd:annotation>
  <xsd:documentation>Yiddish</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="YO">
  <xsd:annotation>
    <xsd:documentation>Yoruba</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ZA">
  <xsd:annotation>
    <xsd:documentation>Zhuang; Chuang</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ZU">
  <xsd:annotation>
    <xsd:documentation>Zulu</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
</xsd:restriction>
</xsd:simpleType>
<!-- -->
<!-- MS codes -->
<xsd:simpleType name="MSCountryCode_Type">
  <xsd:annotation>
    <xsd:documentation>List of the MS code.
  </xsd:documentation>
</xsd:annotation>
<xsd:restriction base="xsd:string">
  <xsd:enumeration value="AT"/>
  <xsd:enumeration value="BE"/>
  <xsd:enumeration value="BG"/>
  <xsd:enumeration value="CY"/>
  <xsd:enumeration value="CZ"/>
  <xsd:enumeration value="DK"/>
```

```

<xsd:enumeration value="EE"/>
<xsd:enumeration value="FI"/>
<xsd:enumeration value="FR"/>
<xsd:enumeration value="DE"/>
<xsd:enumeration value="GR"/>
<xsd:enumeration value="HU"/>
<xsd:enumeration value="HR"/>
<xsd:enumeration value="IE"/>
<xsd:enumeration value="IT"/>
<xsd:enumeration value="LV"/>
<xsd:enumeration value="LT"/>
<xsd:enumeration value="LU"/>
<xsd:enumeration value="MT"/>
<xsd:enumeration value="NL"/>
<xsd:enumeration value="PL"/>
<xsd:enumeration value="PT"/>
<xsd:enumeration value="RO"/>
<xsd:enumeration value="SK"/>
<xsd:enumeration value="SI"/>
<xsd:enumeration value="ES"/>
<xsd:enumeration value="SE"/>

</xsd:restriction>

</xsd:simpleType>

<!-- -->

</xsd:schema>

```

OECD CARF TYPES

```

<?xml version="1.0" encoding="UTF-8"?>

<xsd:schema xmlns:stf="urn:oe.cd:ties:carfstf:v5" xmlns:xsd="http://www.w3.org/
2001/XMLSchema" targetNamespace="urn:oe.cd:ties:carfstf:v5" elementFormDefault="
qualified" attributeFormDefault="unqualified" version="5.0">

  <!-- -->

  <!--+++++++ String length types ++++++>
  ++++++ -->

  <!-- -->

  <!-- Defines a string with minimum length 0 and maximum length of 200 -->

```

```
<xsd:simpleType name="StringMin0Max200_Type">
  <xsd:annotation>
    <xsd:documentation>Defines a string with minimum length 0 and maximum length
    of 200.</xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:string">
    <xsd:minLength value="0"/>
    <xsd:maxLength value="200"/>
  </xsd:restriction>
</xsd:simpleType>
<!-- -->
<!-- Defines a string with minimum length 1 and maximum length of 10 -->
<xsd:simpleType name="StringMin1Max10_Type">
  <xsd:annotation>
    <xsd:documentation>Defines a string with minimum length 1 and maximum length
    of 10</xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:string">
    <xsd:minLength value="1"/>
    <xsd:maxLength value="10"/>
  </xsd:restriction>
</xsd:simpleType>
<!-- -->
<!-- Defines a string with minimum length 1 and maximum length of 170 -->
<xsd:simpleType name="StringMin1Max170_Type">
  <xsd:annotation>
    <xsd:documentation>Defines a string with minimum length 1 and maximum length
    of 170</xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:string">
    <xsd:minLength value="1"/>
    <xsd:maxLength value="170"/>
  </xsd:restriction>
</xsd:simpleType>
<!-- -->
```

```
<!-- Defines a string with minimum length 1 and maximum length of 200 -->
<xsd:simpleType name="StringMin1Max200_Type">
  <xsd:annotation>
    <xsd:documentation>Defines a string with minimum length 1 and maximum length
    of 200</xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:string">
    <xsd:minLength value="1"/>
    <xsd:maxLength value="200"/>
  </xsd:restriction>
</xsd:simpleType>
<!-- -->
<!-- Defines a string with minimum length 1 and maximum length of 400 -->
<xsd:simpleType name="StringMin1Max400_Type">
  <xsd:annotation>
    <xsd:documentation>Defines a string with minimum length 1 and maximum length
    of 400</xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:string">
    <xsd:minLength value="1"/>
    <xsd:maxLength value="400"/>
  </xsd:restriction>
</xsd:simpleType>
<!-- -->
<!-- Defines a string with minimum length 1 and maximum length of 4000 -->
<xsd:simpleType name="StringMin1Max4000_Type">
  <xsd:annotation>
    <xsd:documentation>Defines a string with minimum length 1 and maximum length
    of 4000</xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:string">
    <xsd:minLength value="1"/>
    <xsd:maxLength value="4000"/>
  </xsd:restriction>
</xsd:simpleType>
```

```
<!-- -->

<!-- -->

<!-- -->

<!--+++++++ Reusable Simple types ++++++++
++++++ -->

<!-- Document type indicators types -->

<xsd:simpleType name="OECDDocTypeIndic_EnumType">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">This element specifies the type of data being
    submitted.</xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:string">
    <xsd:enumeration value="OECD0">
      <xsd:annotation>
        <xsd:documentation>Resend Data</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="OECD1">
      <xsd:annotation>
        <xsd:documentation>New Data</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="OECD2">
      <xsd:annotation>
        <xsd:documentation>Corrected Data</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="OECD3">
      <xsd:annotation>
        <xsd:documentation>Deletion of Data</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="OECD10">
      <xsd:annotation>
        <xsd:documentation>Resend Test Data</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
  </xsd:restriction>
</xsd:simpleType>
```

```
</xsd:enumeration>

<xsd:enumeration value="OECD11">

  <xsd:annotation>

    <xsd:documentation>New Test Data</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="OECD12">

  <xsd:annotation>

    <xsd:documentation>Corrected Test Data</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="OECD13">

  <xsd:annotation>

    <xsd:documentation>Deletion of Test Data</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

</xsd:restriction>

</xsd:simpleType>

<!-- -->

<!-- Kind of Name -->

<xsd:simpleType name="OECDNameType_EnumType">

  <xsd:annotation>

    <xsd:documentation xml:lang="en">

      It is possible for stf documents to contain several names for the same party. This
      is a qualifier to indicate the type of a particular name. Such types include
      nicknames ('nick'), names under which a party does business ('dba' a short name
      for the entity, or a name that is used for public acquaintance instead of the
      official business name) etc.

    </xsd:documentation>

  </xsd:annotation>

  <xsd:restriction base="xsd:string">

    <xsd:enumeration value="OECD201">

      <xsd:annotation>

        <xsd:documentation>SMFAliasOrOther</xsd:documentation>

      </xsd:annotation>
```

```
</xsd:enumeration>

<xsd:enumeration value="OECD202">

  <xsd:annotation>

    <xsd:documentation>indiv (individual)</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="OECD203">

  <xsd:annotation>

    <xsd:documentation>alias (alias)</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="OECD204">

  <xsd:annotation>

    <xsd:documentation>nick (nickname)</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="OECD205">

  <xsd:annotation>

    <xsd:documentation>aka (also known as)</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="OECD206">

  <xsd:annotation>

    <xsd:documentation>dba (doing business as)</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="OECD207">

  <xsd:annotation>

    <xsd:documentation>legal (legal name)</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="OECD208">

  <xsd:annotation>
```

```
<xsd:documentation>atbirth (name at birth)</xsd:documentation>

</xsd:annotation>

</xsd:enumeration>

</xsd:restriction>

</xsd:simpleType>

<!-- -->

<!-- Type of the address considered from a legal point of view -->

<xsd:simpleType name="OECDLegalAddressType_EnumType">

  <xsd:annotation>

    <xsd:documentation xml:lang="en">This is a datatype for an attribute to an
    address. It serves to indicate the legal character of that address (residential,
    business etc.)</xsd:documentation>

  </xsd:annotation>

  <xsd:restriction base="xsd:token">

    <xsd:enumeration value="OECD301">

      <xsd:annotation>

        <xsd:documentation>residentialOrBusiness</xsd:documentation>

      </xsd:annotation>

    </xsd:enumeration>

    <xsd:enumeration value="OECD302">

      <xsd:annotation>

        <xsd:documentation>residential</xsd:documentation>

      </xsd:annotation>

    </xsd:enumeration>

    <xsd:enumeration value="OECD303">

      <xsd:annotation>

        <xsd:documentation>business</xsd:documentation>

      </xsd:annotation>

    </xsd:enumeration>

    <xsd:enumeration value="OECD304">

      <xsd:annotation>

        <xsd:documentation>registeredOffice</xsd:documentation>

      </xsd:annotation>
```

```

    </xsd:enumeration>

    <xsd:enumeration value="OECD305">

        <xsd:annotation>

            <xsd:documentation>unspecified</xsd:documentation>

        </xsd:annotation>

    </xsd:enumeration>

</xsd:restriction>

</xsd:simpleType>

<!-- -->

<!--+++++++ Reusable Complex types ++++++>
+++ -->

<!-- -->

<!-- Document specification: Data identifying and describing the document -->

<xsd:complexType name="DocSpec_Type">

    <xsd:annotation>

        <xsd:documentation xml:lang="en">Document specification: Data identifying and
        describing the document, where 'document' here means the part of a message that is to
        transmit the data about a single block of carf information. </xsd:documentation>

    </xsd:annotation>

    <xsd:sequence>

<xsd:element name="DocTypeIndic" type="stf:OECDDocTypeIndic_EnumType"/>

<xsd:element name="DocRefId" type="stf:StringMin1Max200_Type">

    <xsd:annotation>

        <xsd:documentation xml:lang="en">Sender's unique identifier of this document
        </xsd:documentation>

    </xsd:annotation>

</xsd:element>

<xsd:element name="CorrMessageRefId" type="stf:StringMin1Max170_Type"
minOccurs="0">

    <xsd:annotation>

        <xsd:documentation xml:lang="en">Reference id of the message of the document
        referred to if this is a correction</xsd:documentation>

    </xsd:annotation>

</xsd:element>

<xsd:element name="CorrDocRefId" type="stf:StringMin1Max200_Type" minOccurs="0">

```

```
<xsd:annotation>

  <xsd:documentation xml:lang="en">Reference id of the document referred to if
  this is correction</xsd:documentation>

</xsd:annotation>

</xsd:element>

</xsd:sequence>

</xsd:complexType>

<!-- -->

</xsd:schema>."
```

ZAŁĄCZNIK IV

„ZAŁĄCZNIK XIX

Formularz, o którym mowa w art. 2g ust. 1 i 2

Formularz, który ma być stosowany do przekazywania informacji o operatorze kryptoaktywów będącym raportującym dostawcą usług w zakresie kryptoaktywów zdefiniowanym w sekcji IV część B pkt 3 załącznika VI do dyrektywy 2011/16/UE, zawiera, oprócz elementów wymienionych w sekcji V część F pkt 2 załącznika VI do dyrektywy 2011/16/UE, następujące pola:

- państwo członkowskie, w którym dokonywana jest jednorazowa rejestracja, zgodnie z art. 8ad ust. 7 dyrektywy 2011/16/UE;

Format indywidualnego numeru identyfikacyjnego, o którym mowa w art. 2g ust. 3

Format indywidualnego numeru identyfikacyjnego składa się z ciągu 10 znaków, CCXXXXXXXX, gdzie »CC« oznacza kod państwa ISO państwa członkowskiego, w którym numer identyfikacyjny został nadany, a XXXXXXXX jest niepowtarzalnym ciągiem znaków alfanumerycznych wygenerowanych i nadanych operatorowi kryptoaktywów przez państwo członkowskie lub rejestr operatorów kryptoaktywów. Indywidualny numer identyfikacyjny jest nadawany przez rejestr operatorów kryptoaktywów, jeżeli nie został nadany przez państwo członkowskie.

Okres przechowywania niektórych informacji wykreślonych lub usuniętych z rejestru operatorów kryptoaktywów, o którym mowa w art. 2g ust. 4

Jeżeli rejestracja operatora kryptoaktywów, który jest raportującym dostawcą usług w zakresie kryptoaktywów zdefiniowanym w sekcji IV część B pkt 3 załącznika VI do dyrektywy 2011/16/UE, zostaje odwołana zgodnie z sekcją V część F pkt 7 załącznika VI do dyrektywy 2011/16/UE, państwo członkowskie, w którym dokonywana jest jednorazowa rejestracja, wykreśla operatora kryptoaktywów z rejestru operatorów kryptoaktywów. W rejestrze operatorów kryptoaktywów przechowuje się wykreślone informacje przez okres nie dłuższy niż 12 miesięcy od daty wykreślenia.

Zmiana państwa członkowskiego, w którym dokonywana jest jednorazowa rejestracja, w rejestrze operatorów kryptoaktywów, o którym mowa w art. 2g ust. 5

Jeżeli zmiana informacji zgodnie z sekcją V część F pkt 3 załącznika VI do dyrektywy 2011/16/UE wiąże się ze zmianą państwa członkowskiego, w którym dokonywana jest jednorazowa rejestracja, obecne państwo członkowskie, w którym dokonywana jest jednorazowa rejestracja, inicjuje przeniesienie informacji dotyczących zarejestrowanego raportującego dostawcy usług w zakresie kryptoaktywów do nowego państwa członkowskiego, w którym dokonywana jest jednorazowa rejestracja. Nowe państwo członkowskie, w którym ma zostać dokonana jednorazowa rejestracja, staje się państwem członkowskim, w którym dokonuje się jednorazowej rejestracji i w którym należy zgłaszać informacje na podstawie dyrektywy 2011/16/UE. Takie państwo członkowskie jest nowym punktem kontaktowym dla raportującego dostawcy usług w zakresie kryptoaktywów do celów aktualizacji wszelkich informacji zgodnie z sekcją V część F pkt 3 załącznika VI do dyrektywy 2011/16/UE i niniejszego rozporządzenia.

Indywidualny numer identyfikacyjny nadany raportującemu dostawcy usług w zakresie kryptoaktywów podczas jego pierwszej jednorazowej rejestracji pozostaje taki sam przez cały czas trwania procesu.

Proces ten nie zwalnia raportującego dostawcy usług w zakresie kryptoaktywów z obowiązku przestrzegania krajowych wymogów rejestracyjnych w nowym państwie członkowskim, w którym dokonywana jest jednorazowa rejestracja.”